


Genesis VS - MECHANICAL

Frame no 3



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	2
Overall Width:	1180 mm
Overall Height:	1670 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W3/ PLAYROOM BAY SIDES/ FRONT/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (996 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (996 x 886)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH
2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL
3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW***

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2


5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 4



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	1330 mm
Overall Height:	1670 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W4/ PLAYROOM BAY FRONT/ FRONT/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (1146 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (1146 x 886)

WHITE FOIL INSIDE & OUTSIDE

- GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH**
- MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL**
- TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

- CHROME ACORN HARDWARE - LOCKS 2**


- ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH**

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 5



← will have 8 small rectangles to match existing. Revised drawings awaited

Quantity:	2
Overall Width:	1005 mm
Overall Height:	1310 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

*Image is for illustration only and as viewed from outside

Location

W5/ SEB'S ROOM/ REAR SIDE/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (821 x 439)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (821 x 626)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH
2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL
3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW***

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2


5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 7



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	2
Overall Width:	1090 mm
Overall Height:	1750 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W7/ MASTER BED BAY SIDES/ FRONT/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (906 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (906 x 966)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH
2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL
3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW***

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2


5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 8



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	1285 mm
Overall Height:	1750 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W8/ MASTER BED BAY CENTRE/ FRONT/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (1101 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (1101 x 966)

WHITE FOIL INSIDE & OUTSIDE

- GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH**
- MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL**
- TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

- CHROME ACORN HARDWARE - LOCKS 2**


- ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH**

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 9



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	2
Overall Width:	1215 mm
Overall Height:	1750 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W9/ SPARE ROOM/ BED 2 OFFICE/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

- 4-16-4 Planitherm Total/ Low Iron Diamant ; W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
 A1 - (1031 x 539)
 4-16-4 Planitherm Total/ Low Iron Diamant/TUFF ; 16mm Black Warmedge Argon Gas Filled
 A6 - (1031 x 966)

WHITE FOIL INSIDE & OUTSIDE

- GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH**
- MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL**
- TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

- CHROME ACORN HARDWARE - LOCKS 2**


- ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH**

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 10



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	1145 mm
Overall Height:	1750 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W10/ MAIN BATH ENSUITE/ FRONT/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Obsc : W/EDGE Black Duplex Stippolyte Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (961 x 539)
4-16-4 Planitherm Total/ Obsc TUFF : 16mm Black Warmedge Stippolyte Argon Gas Filled
A6 - (961 x 966)

WHITE FOIL INSIDE & OUTSIDE

- GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH**
- MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL**
- TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

- CHROME ACORN HARDWARE - LOCKS 2**


- ENERGY RATED 'B' (BLACK WARMEDGE - ASTRAGAL) OBSCURE/ TOUGHENED TO LOWER SASH**

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 14



Quantity:	2
Overall Width:	1240 mm
Overall Height:	2260 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

*Image is for illustration only and as viewed from outside

Location

W16/ DINING TWIN/ FRONT/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

- 4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (1056 x 539)
- 4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (1056 x 1476)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH
2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL
3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW***

Note: Top sash to be made fixed by cutting sash stops to full lenght BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2


5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 15



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	850 mm
Overall Height:	1820 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W17/ ENTRANCE HALL/ FRONT SIDE/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (666 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (666 x 1036)

WHITE FOIL INSIDE & OUTSIDE


1. GENESIS VS *MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH****2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL****3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2**5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH****Note:** You have NOT requested and travel restrictors**Note:** This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 16



will have 8 small rectangles to match existing. Revised drawings awaited.

Quantity:	2
Overall Width:	1090 mm
Overall Height:	2260 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

*Image is for illustration only and as viewed from outside

Location

W18/ LOUNGE BAY SIDES/ FRONT/ 2 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant ; W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (906 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF ; 16mm Black Warmedge Argon Gas Filled
A6 - (906 x 1476)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH
2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL
3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW***

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

4. CHROME ACORN HARDWARE - LOCKS 2


5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 17



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	1160 mm
Overall Height:	2260 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W19/ LOUNGE BAY FRONT/ FRONT/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (976 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (976 x 1476)

WHITE FOIL INSIDE & OUTSIDE

- 1. GENESIS VS ***MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH**
- 2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL**
- 3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*****

Note: Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.

- 4. CHROME ACORN HARDWARE - LOCKS 2**


- 5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH**

Note: You have NOT requested and travel restrictors

Note: This window is NOT escape compliant

Genesis VS - MECHANICAL

Frame no 18



* DIMENSIONS ON DIAGRAM INCLUDE CILL BUT DO NOT INCLUDE ADDON

Quantity:	1
Overall Width:	1180 mm
Overall Height:	2165 mm
Outer Colour:	WHITE FOIL (S&V)
Inner Colour:	WHITE FOIL (S&V)
Base Profile:	WHITE BASE (S&V)

*Image is for illustration only and as viewed from outside

Location

W20/ LIBRARY/ RIGHT SIDE/ 1 OFF

Frame

Security	Standard
VS TYPE	Rest Arms - Top & Bottom
SPRAYFRAME	NO
Cill	VS02 150mm Cill
Drainage	Concealed Drainage
Frame drip bar	NO
Add-on (Head)	NO ADDON
Add-on (Cill)	NO ADDON
Add-on (Left jamb)	NO ADDON
Add-on (Right jamb)	NO ADDON
Ventilator (Head)	NO
VS Interlock	VS09 PVC Interlock
Gasket	Black (Standard)
VS Weather Bar	YES
VS PILE SEAL	WHITE

Sash

Sash #2 (Cill)	VS05 Deep Bottom Rail (Genesis)
VS Sash Horns	YES (Milled Horns)
Ventilator (Sash)	NO

Hardware

VS Accessories	CHROME NEW ACORN
VS Sash Lock	FIT TWO LOCKS
VS Keep	Standard Keep
VS Sash Hooks	YES - FIT HOOKS
VS Ring Pull	FIT - 1 RING PULL
VS Balance QTY	TOP & BOTTOM
VS Tilt Restrictor	TOP & BOTTOM

Accessories

Fixing Brackets	YES
------------------------	------------

Glass

4-16-4 Planitherm Total/ Low Iron Diamant : W/EDGE Black Duplex Astragal Bar White Foiled Grid Std Joints Argon Gas Filled
A1 - (996 x 539)
4-16-4 Planitherm Total/ Low Iron Diamant/TUFF : 16mm Black Warmedge Argon Gas Filled
A6 - (996 x 1381)

WHITE FOIL INSIDE & OUTSIDE

1. GENESIS VS *MECHANICAL*** WITH 150 VS STUB CIL CUT FLUSH TO WIDTH****2. MILLED RUN THROUGH SASH HORNS & DEEP BOTTOM SASH RAIL****3. TILT REST ARMS TO BOTH SASHES ***SEE NOTE BELOW*******Note:** Top sash to be made fixed by cutting sash stops to full length BUT the balances & tilt arms to be fitted so it could be made to slide/tilt if required.**4. CHROME ACORN HARDWARE - LOCKS 2****5. ENERGY RATED 'A' (BLACK WARMEDGE - ASTARGAL) CLEAR - TOUGHENED TO LOWER SASH****Note:** You have NOT requested and travel restrictors**Note:** This window is NOT escape compliant