



In line with the above conditions we are obliged to inform the Client of any potential issues or risks identified in the construction of these works. We have carried out a thorough review of the information provided and have identified the following issues and risks. We have assessed the likelihood and potential impact of these issues and risks and have identified measures to avoid, reduce or transfer the risk. We would also respectfully request the Client of his kind regards to ensure that the works are carried out in accordance with the relevant legislation and standards. We would also respectfully request the Client of his kind regards to ensure that the works are carried out in accordance with the relevant legislation and standards. We would also respectfully request the Client of his kind regards to ensure that the works are carried out in accordance with the relevant legislation and standards.

PROPOSED FLOOR LEVELS ARE INDICATIVE ONLY AT THIS STAGED ROAD, SEWER AND EXTERNAL WORKS DESIGN STAGE



THE SOIL AND SURFACE WATER DRAINAGE SYSTEMS HAVE BEEN DESIGNED IN ACCORDANCE WITH THE WATERCO LTD. FRA, DESIGN AND CONSTRUCTION GUIDANCE AND SC030219 AND ARE SUBJECT TO STUR CONNECTION APPROVAL BY UNITED UTILITIES IN ACCORDANCE WITH THE WATERCO LTD. FRA. A SUITABLE MEANS OF SURFACE WATER DISPOSAL DUE TO GROUND CONDITIONS, REFER TO FRA BY WATERCO LTD. SURFACE WATER IS TO DISCHARGE TO MAIN PIPE OF TURN OFF RESTRICTED AS SHOWN

THE PIPE DIAMETERS AND GRADIENTS SHOWN ARE FOR GUIDANCE ONLY AND MAY BE SUBJECT TO CHANGE AT DETAILED DESIGN STAGE





TO SLATE BROOK MANHOLE TO INCORPORATE CONTROL DEVICES TO ALLOW FLOWS TO COMPLY WITH WATERCO LTD. FRA FIGURES AS SHOWN BELOW

1 YEAR RP = 10.41 L/SEC
30 YEAR RP = 27.98 L/SEC
100 YEAR RP = 38.72 L/SEC
3.66ha x 52% = 1.90ha / 28 pipes
is 0.068ha / pipe

HYDRORAPE MANHOLE TO INCORPORATE CONTROL DEVICES TO ALLOW FLOWS TO COMPLY WITH WATERCO LTD. FRA FIGURES AS SHOWN BELOW

1 YEAR RP = 10.41 L/SEC
30 YEAR RP = 27.98 L/SEC
100 YEAR RP = 38.72 L/SEC



Client	BELLWAY LIVERPOOL LIMITED
Job Title	LATHOM PASTURES PHASE 2 DRAINAGE STRATEGY PLAN
Scale	1:200
Sheet	08M
Drawing No	192202/02/2
Date	22/02
Drawn by	1900
Checked by	08M