



The Coal  
Authority



INVESTOR IN PEOPLE



200 Lichfield Lane  
Berry Hill  
Mansfield  
Nottinghamshire  
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: [planningconsultation@coal.gov.uk](mailto:planningconsultation@coal.gov.uk)

Web: [www.gov.uk/coalauthority](http://www.gov.uk/coalauthority)

For the Attention of: Mr Alex Ball

St Helens Council

[By Email: [planning@sthelens.gov.uk](mailto:planning@sthelens.gov.uk) ]

15 January 2021

Dear Mr Alex Ball

**PLANNING APPLICATION: P/2021/0038/OUP**

**Outline application for the erection of 1no dwelling all matters reserved except access.; 28 ST MARYS AVENUE, BILLINGE, ST HELENS, WN5 7QL**

Thank you for your consultation notification of the 14 January 2021 seeking the views of The Coal Authority on the above planning application.

**The Coal Authority Response: Material Consideration**

I can confirm that the above planning application has been sent to us incorrectly for consultation.

The application site **does not** fall within the defined Development High Risk Area and is located instead within the defined Development Low Risk Area. This means that there is no requirement under the risk-based approach that has been agreed with the LPA for a Coal Mining Risk Assessment to be submitted or for The Coal Authority to be consulted.

**The Coal Authority Recommendation to the LPA**

In accordance with the agreed approach to assessing coal mining risks as part of the development management process, if this proposal is granted planning permission, it will be necessary to include The Coal Authority's Standing Advice within the Decision Notice as an informative note to the applicant in the interests of public health and safety.

Yours sincerely

**Christopher Telford BSc(Hons) DipTP MRTPI  
Principal Development Manager**