


Typical Section XX 1-50

Existing patio windows to be removed to provide free access to extension. Existing support to opening to be examined by trial hole to establish suitability for inclusion in finished structure. If found to be inadequate the opening shall be supported by 2 No 203 x 102 x 23 universal beams - Contractor to provide contingency sum in his quotation to cover such an eventuality



Boundary Eccentric foundation detail 1-50

Construction Key			
For full details refer to specification			
BIG	Back Inlet Gully	MPR	Mono Pitch Roof
CFR	Cold Flat Roof	NIUF	Non Insulated Upper Floor
DPC	Damp Proof Course	PB	Property Boundary
ESF	Eccentric Strip Foundation	RCF	Reinforced Concrete Floor
EV	Eaves Vent	RCW	Rendered Cavity Wall
FBCW	Facing Brick Cavity Wall	RE	Rodding Eye
FWD	Foul Water Drain	REB	Reinforced Edge Beam
GPR	Gable Pitch Roof	RJH	Restraint Joist Hanger
GSS	Galvanised Steel Strap	RSJ	Rolled Steel Joist
HBW	Half Brick Wall	RWDP	Rain Water Down Pipe
HRF	Heavy raft Foundation	SA	Smoke Alarm
HPR	Hipped Pitch Roof	SF	Strip Foundation
IC	Inspection Chamber	SWD	Storm Water Drain
IUF	Insulated Upper Floor	SP	Stud Partition
ISGF	Insulated suspended ground floor	UCF	Unreinforced Concrete Floor
LF	Lead Flashing	VRT	Ventilating Roof Tile
LRF	Light Raft Foundation	VS	Vent Stack
LBP	Load Bearing Partition	WFR	Warm Flat Roof
		WP	Wall Plate

**REAR SINGLE STOREY EXTENSION**  
**51 SCHOOLFIELDS ROAD**  
**SHENSTONE**  
**LICHFIELD**  
**WS14 0LL**  
**APPLICANT - MS. A. HULME**

DRG.NO. 2020-15-03	DEC. 2020
--------------------	-----------

AMENDMENTS