


ORIGINAL PRINTED
SIZE A3


NOTE :- THE OWNER IS TO CARRY OUT THE PROVISIONS OF THE PARTY WALL etc. ACT 1996: AN EXPLANATORY BOOKLET AND STANDARD LETTERS IS AVAILABLE AT <http://www.communities.gov.uk/partywall-1996> OR TEL. NO. 0870 1226 236 FOR A HARD COPY.

REVISION A

THIS IS THE IDENTICAL EXTENSION TO NUMBER 14 BEING BUILT AT THE SAME TIME



SIDE ELEVATION / SECTION TO NUMBER 14




SIDE ELEVATION TO NUMBER 10

SMOOTH RENDER TO MATCH EXISTING


AT LEAST ONE WINDOW IN EACH ROOM TO HAVE OPENING CASEMENT PROVIDING A CLEAR UNOBSTRUCTED WIDTH OF 450mm. A MINIMUM HEIGHT OF 450mm. AND AREA OF 0.33M². BOTTOM TO BE NOT LESS THAN 800mm. NOR HIGHER THAN 110mm. FROM FLOOR LEVEL
NOTE:- EASY CLEAN HINGES MUST NOT OBSTRUCT THE WIDTH

ALL GLAZING IN DOORS AND ANY WINDOWS ADJACENT OR WITH CILL LEVELS BELOW 800mm. FROM FLOOR LEVEL TO BE SAFETY GLASS TO BS 6206 1981




TYPICAL SECTION

CAVITY TO BE FILLED WITH FINE CONCRETE TO LEAVE A MINIMUM OF 225 CLEAR BELOW DPC



REAR ELEVATION



FRONT ELEVATION

SAMWAY
TELEPHONE 01737 352517

JOB ADDRESS
12 LITCHFIELD ROAD,
SUTTON. SM1 4BQ

DRAWING TITLE
PROPOSED ELEVATIONS

SCALE: 1:100 DATE: AUGUST 2020

DRG. NO. EH/11 REVISION A

REVISION A REAR AND SIDE ELEVATION / SECTION TO NO. 14 CLARIFIED TO E MAILS OF 150121 AND 18012021

ISSUED FOR BUILDING REGULATION APPROVAL
ISSUED FOR PLANNING APPROVAL