Planning Ref DF1264 P2128/20/FUL

| Site Address | Dean Pool Court The Rocks Clearwell Coleford Gloucestershire GL16 8JR | |
|----------------------|---|--|
| Proposed Development | Erection of a single storey wooden cabin for use as a holiday let. | |
| Parish | Newland | |

| Date of Validation | 18.01.2021 | Expiry Date | 15.03.2021 |
|--------------------|----------------------|-------------------------|--------------------|
| Determined by | District | Delegation Level | Delegated Decision |
| Case Officer | Miss Melissa Baldwin | Grid Ref | E 357844 N 207990 |

| Applicant Details | Agent Details |
|-------------------|---------------|
| Mrs K Probert | |
| Dean Pool Court | |
| The Rocks | |
| Clearwell | |
| Coleford | |
| Gloucestershire | |
| GL16 8JR | |
| | |

| <u>Consultations</u> | Sent | Expiry |
|--|------------|------------|
| Parish Council | 20.01.2021 | 10.02.2021 |
| Ward Councillors | 20.01.2021 | 10.02.2021 |
| Development Management - Highways | 20.01.2021 | 10.02.2021 |
| Laurence King - Flood Risk | 20.01.2021 | 10.02.2021 |
| Severn Trent Water Authority | 20.01.2021 | 10.02.2021 |
| Sustainability - Ecology | 20.01.2021 | 10.02.2021 |
| Sustainability - Landscaping (Details) | 20.01.2021 | 10.02.2021 |
| The Coal Authority | 20.01.2021 | 10.02.2021 |
| EHO - Neil Shellard - Senior Officer Tech Pollution Services | 20.01.2021 | 10.02.2021 |
| Louise John - Regeneration Officer (Tourism) | 20.01.2021 | 10.02.2021 |
| Martin Burke - Group Accountant | 20.01.2021 | 10.02.2021 |

Constraints (if applicable)

Advertisement Control Control of Advertisements

Unclassified Road

Outside Settlement Boundary

Outside Defined Settlement Boundary

Coal Authority Referral Area Development Referral Area - Data Subject to Change

Coal Authority Standing Advice Standing Advice - Data Subject to Change

Forest Statutory Boundary (Historic) Forest Boundary (Statutory)

Great Crested Newt : Red

Groundwater Vulnerability MAJOR

Groundwater Vulnerability MAJOR

Hundred Of St Briavels Hundred Of St Briavels: Hundred Of St Briavels

Within 250 metres of a Pond : GCN Pond Alert. Within 250 metres of a pond. Please

refer to the Newt Officer Guidance.

Listed Building (if

applicable)

Road Classification A48

Policies