ELECTRICAL NOTES

E1 THESE NOTES ARE FOR INFORMATION ONLY AND THE CORRECT E/M NUMBERS WILL BE TYPED IN AS REQUIRED. THE WIDTH OF THESE NOTES CAN BE AMENDED TO SUIT THE LAYOUT OF THE DRAWING. THE SETTINGS WITHIN THIS TEXT BOX i.e. WIDTH SHOULD BE MAINTAINED IF AT ALL POSSIBLE.

Schedule

Symbol	Label	Quantity	Catalog Number	Description	Lamp	Wattage
	F1	9	SCL.LA124.ST3.CP.W101	City Max c/w 12,000 Lm output and ST3 Symmetric Optic on 6m Column	LED C.12000LM - 4000K	101
	F2	7	SCL.LA124.AS2.W101	City Max c/w 12,000 Lm output and AS2 Asymmetric Optic on 6m Column	LED 12000LM - 4000K	101
	F3	4	SCL.LA094.AS2.W080 (SE/PT)	City Max c/w 9,000 Lm output and AS2 Asymmetric Optic on 6m Column	LED 9000LM - 4000K	80

HOLOPHANE CITYMAX

GENERAL NOTES

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL ASSOCIATED SERVICES DRAWINGS, ARCHITECTS AND STRUCTURAL DRAWINGS TOGETHER WITH THE SCHEMATIC DRAWINGS AND ALL MECHANICAL, ELECTRICAL AND OTHER RELEVANT SPECIFICATIONS.
2. ALL SERVICES INSTALLATIONS SHALL BE CO-ORDINATED AND FULLY INTEGRATED WITH THE MECHANICAL AND ELECTRICAL SERVICES, ARCHITECTURAL FEATURES, SPECIALIST PLANT AND STRUCTURAL ELEMENTS.
3. THE SERVICES CONTRACTORS SHALL FAMILIARISE THEMSELVES WITH THE MECHANICAL AND ELECTRICAL SERVICES, ARCHITECTURAL FEATURES, SPECIALIST PLANT AND STRUCTURAL ELEMENTS.
4. THE INSTALLING SUB-CONTRACTOR SHALL ISSUE FULL 'WORKING DRAWINGS' IN LINE WITH THE SPECIFICATION PROVIDED. THE 'WORKING DRAWINGS' SHALL BE ISSUED TO ALL DESIGN TEAM MEMBERS FOR THEIR COMMENT PRIOR TO INSTALLATION. THE INSTALLATION AND CO-ORDINATION OF SERVICES WITH OTHER SERVICES, THIRD PARTY SUPPLIERS AND THE BUILDING FABRIC IS THE RESPONSIBILITY OF THE INSTALLING SUB-CONTRACTOR.

This drawing is the property of DDA Ltd Consultant Engineers. It must not be reproduced in whole or in part, nor the design used without prior written consent. This drawing and associated documents are strictly private and confidential and should not be discussed with anyone other than members of the design team. Do not scale from this drawing.

SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

Refer to the DDA Ltd project specific risk assessment and design criteria for the M&E services installation. The installing contractor must prepare method statements for the installation works and agree all works in advance with the main contractor.

It is assumed that all works associated with this drawing will be carried out by competent operatives working, where appropriate, to an approved method.

NOTES

Rev	Date	Description	Eng

DDA Building Services I Consultant Engineers
Dave Dickinson & Associates Ltd.
RCM Business Centre
Gelderd Road, Gildersome
Leeds, West Yorkshire LS27 7JU
01924 255757
01924 275117
info@ddaltd.co.uk
www.ddaltd.co.uk

Client: WARWICK DISTRICT COUNCIL

Project: CASTLE FARM RECREATIONAL CENTRE

Drawing Title: PROPOSED EXTERNAL CAR PARK LIGHTING LAYOUT

Scale at A0	1:200	Date	06.04.20
Drawn	E.MACDONALD	Engineer	E.MACDONALD
Status	TENDER	Checked	P.GUEST
Drawing No.	18/2995/E63-EX01	Rev	-

Do not scale