Flood Risk Assessment (FRA)

Site address

12 Caswell Lane,

This template¹ can be used to prepare an FRA for householder development within flood zones 2 and 3. Flood zones are shown on the planning map at www.n-somerset.gov.uk/planningmap.


This template should **not** be used for new dwellings or ancillary accommodation such as granny annexes.

Bristol, BS20 7UF	
National and a second a second and a second	0
Mitigation measure options You should indicate which option you are using by ticking the second column. You also need to submit the required supporting evidence	Option to be used (√)
Option A - Floor levels within the proposed development will be set no lower than existing levels AND, flood proofing of the proposed development will be incorporated where appropriate as follows.	
Flood boards or similar to prevent flood water entering the building	
Raise electrical sockets at least 400mm above ground floor level	
Raise electrical appliances above ground floor level	
Flood resilient materials used	
Other - summarise below	
Sectional drawing attached to this FRA showing levels at the rear of the property including extension finished floor level and ground levels to the rear of the property. Flood mapping data also included and property is not a flood zone.	
See `Improving the flood performance of new buildings' CLG (2007) for more information	
Option B - Floor levels within the extension will be set 300mm above the known or modelled 1 in 100 annual probability river flood (1%) or 1 in 200 annual probability sea flood (0.5%) in any year. This flood level is the extent of the Flood Zones	
Supporting evidence required (submitted with your application) This must be demonstrated by a plan that shows finished floor levels relative to the known or modelled flood level. All levels should be stated in relation to Ordnance Datum ²	
Option C – The proposed development <u>only</u> comprises of one or more of the following:	
Name of person completing this assessment form	
Name: George Walters	

Advice about flooding can be obtained from the GOV.UK website.

¹ This template was produced by North Somerset Council based upon advice from the Environment Agency

² Ordnance Datum or the abbreviation 'OD' is the mean level of the sea at Newlyn in Cornwall from which heights above sea level are taken. The contour lines on Ordnance Survey maps measure heights above OD for example, though these are not accurate enough for a flood risk assessment.



FRA Mapping: -

Link: -

https://map.n-somerset.gov.uk/map/Aurora.svc/run?embedded=true&nocache=0.4316061264722 093&script=%5cAurora%5cDandE.AuroraScript%24&=undefined&show_layers=unitaryboundary, FLOOD,SFRA_RIVER&hide_layers=AONB,GREENBELT,Wards,PROW,COAL,HYBRID&x=3497 73.471&y=175197.948&scale=1024

Screenshot: -

