

- Parge coat applied to face of brickwork to act as vapour control layer
- Mineral wool insulation EWI system to be installed as per manufacturers details and specification.
- Basecoat with reinforcing mesh and rendered finish.
- Airtightness sealing tape
- Aluminium base bead drip installed as per the manufacturers instructions.
- Mastic seal
- EPDM dressed up over water resistant plinth of enhanced EPS extending up wall behind EWI as shown.
- Aluminium flashing over.
- Upstand to be formed from 100mm th EPS insulation mechanically fixed back to existing substrate. Note thickness of EPS to be reduced so that system can be fitted over existing flashing and not cause an obstruction to existing conservatory glazing.
- Existing flashing over conservatory roof structure
- Existing conservatory roof structure (Construction shown indicative)

SD24 CONSERVATORY ROOF ABUTMENT

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION:


IN ADDITION TO THE HAZARDS / RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING;

Significant Residual Risks :	
Action to be Taken :	Refer to Health and Safety Plan

NOTES
REFER TO DRAWING 550-(TE)-8627 REGARDING FIRE STOPPING ARRANGEMENTS

REV	DATE	AMENDMENTS	BY	APRD

Do not scale from this drawing. All dimensions must be checked on site by the Contractor prior to the commencement of any fabrication or building works. Where applicable, dimensions and details are to be read in conjunction with specialist consultants' drawings and/or other specifications; any disparity is to be brought to the attention of Michael Dyson Associates Limited prior to the commencement of any fabrication or building works. ©This drawing is the property and copyright of Michael Dyson Associates Limited; it shall not be copied to any other party without the express written consent of an authorised director of Michael Dyson Associates Limited.



Michael Dyson associates ltd
Excellence in Housing Consultancy
West House, Meltham Road, Honley,
Huddersfield HD9 6LB
t. 01484 666888 f. 01484 664186
w. www.mdysen.co.uk

CLIENT :
CONNEXUS HOUSING LTD

PROJECT :
**CONNEXUS WARMER HOMES ERDF PROJECT
SHROPSHIRE / HEREFORDSHIRE**

TITLE :
**SECTION DETAILS (SD19)
CONSERVATORY ROOF ABUTMENT**

DRAWN BY :	JMY	APPROVED BY :	
DATE :	DEC/2020	DATE :	
SCALE :	1:5	ORIGINAL DRAWING SIZE 420 x 297 - A3	
DRAWING No :	324-(TE)-8627-(SD24)	REV.	-