

Roof to be extended as per MDA detail drawing 301-(TE)-8627-317. Soffit and Facisa to be as per MDA detail drawing 301-(TE)-8627-318.

Soil pipe terminal. Allow for terminal to be adhesive welded to SVP

Mineral wool insulation EWI system to be installed as per manufacturers details and specification.

32 x 120mm treated S.W. batten to be fitted between rafters and screw fixed in place.

SVP to supported at eaves level with SVP metal support clip screw fixed facisa to S.W. batten behind. Hole through facisa to be pre drilled and sealed upon.

SVP to be fitted with 45° bends so SVP terminates outside line of eaves.

Basecoat and mesh finish with silicone equilising coat finish (shown indicative, refer to elevations for finish types for locations)

Sides to EWI system at SVP position to return receive rendered finish to match surround finish.

Enhanced EPS insulation EWI system to be installed as per manufacturers details and specification behind SVP position ONLY. Min K value for EPS to be 0.022 W/mk.

Existing SVP to be removed and replaced with like for like items to match existing bore in UPVC

Edge beading to be used at all changes in direction.

Render finish to head of recess for SVP

Parge coat applied to face of brickwork to act as air barrier layer

SD18 SVP TERMINAL DETAILS

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION:

IN ADDITION TO THE HAZARDS / RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING;

Significant Residual Risks :


Action to be Taken :

Refer to Health and Safety Plan

NOTES

REV	DATE	AMENDMENTS	BY	APR'D
A	17.12.20	NOTE REGARDING PARGE COAT AMENDED	JLW	PT

Do not scale from this drawing. All dimensions must be checked on site by the Contractor prior to the commencement of any fabrication or building works. Where applicable, dimensions and details are to be read in conjunction with specialist consultants' drawings and/or other specifications; any disparity is to be brought to the attention of Michael Dyson Associates Limited prior to the commencement of any fabrication or building works. ©This drawing is the property and copyright of Michael Dyson Associates Limited; it shall not be copied to any other party without the express written consent of an authorised director of Michael Dyson Associates Limited.



Michael Dyson associates Ltd

Excellence in Housing Consultancy

West House, Meltham Road, Honley,
Huddersfield HD9 6LB
t. 01484 666888 f. 01484 664186
w. www.mdysion.co.uk

CLIENT :

CONNEXUS HOUSING LTD

PROJECT :

ENERGY IMPROVEMENTS TO EXISTING DWELLINGS
ERDF FUNDING (WARMER HOMES) PHASE 1A
SHROPSHIRE / HEREFORDSHIRE

TITLE :

SECTION DETAILS (SD18)
SVP TERMINAL DETAILS

DRAWN BY :	JMY	APPROVED BY :	
DATE :	DEC/2020	DATE :	
SCALE :	1:5	ORIGINAL DRAWING SIZE 420 x 297 - A3	
DRAWING No :	318-(TE)-8627-(SD18)	REV.	A