



## NOTES:

LOUVRI

1. All proposed details are subject to further development in the next stage.

42 Cill below

11mm Insulation panel to be fixed behind louvres

tbc during detailed design stage but overall - frame may be reduced and insulation installed inside duct riser to reduce sightline of lhs jamb

- All proposed glazing to be made of CUIN glass
- 3. DPC not indicated

Proposed Jamb detail of Type 2

- 4. Width of insulation to suit room features.
- 5. Exact dimensions to be confirmed in next stage.
- 6. Sightline Comparison Elevations appendix 04.
- 7. CUIN insulated triple glazed units.

Α	22.01.21	Planning application issue			
REV	DATE	NOTE			
PROJECT TITLE Wolfson College - Decarbonisation					
Window detail - Type 2 and 2a*					
DRAWING NO			SCALE	SHEET	DATE
PA-77			1:5	A3	22.01.21
			<b>DRAWN</b> SG	CHKD MB	<b>JOB NO</b> 20282

Pressing to hide nylon packer



WC

Unit 5 Standingford House, 26 Cave Street, Oxford OX4 1BA T: 01865 723 083 E: mail@originalfield.com

250mm

Do not scale-Use figured dimensions only.All dimensions are approximate and should be checked on site prior to construction.Discrepancies must be reported immediately before proceeding.This drawing is confidential and is the intellectual property of Original Field of Architecture Ltd.It should not be reported distributed to other parties without appropriate approval

<sup>\*</sup>Head and jamb details are applicable to Type 2b and 2c .