



**Sent:** 08 March 2021 17:26  
**To:** Planning  
**Subject:** Comments on 21/00355/LBC

Dear Ms De La Coze,

Thank you for notifying us of this application.

We responded to proposals twice at pre-application stage. Those concerns raised during the first round had been remedied by the second, and we therefore were, and continue to be, largely content with the proposed. The reconfiguration of the annexe appears suitable, and the detailing of the link entrance and lift overrun, sufficiently detailed to be acceptable. We particularly welcome the restoration of lost external features such as the pinnacles. However, an aspect we did not previously comment on is the insertion of glazed doors at the entrance into the library. We are concerned that these would appear overtly modern and jar with Scott's interior scheme, and think that these should be removed from the scheme.

Thank you again for notifying us, and I would be grateful if you could inform me of your decision in due course.

Kind regards,

Olivia Stockdale

---

**Olivia Stockdale**  
Conservation Adviser  
**The Victorian Society**  
1 Priory Gardens  
London W4 1TT

**Telephone** 020 8747 5893  
[victoriansociety.org.uk](http://victoriansociety.org.uk)

[Sign up for our newsletter!](#)

**The Victorian Society is the national charity campaigning for the Victorian and Edwardian historic environment.** Registered Charity No. 1081435. Company limited by guarantee. Registered in England No. 3940996. Registered office as above. This email (and any attachments) is intended solely for the individual(s) to whom addressed. It may contain confidential and/or legally privileged information. Any statement or opinions therein are not necessarily those of The Victorian Society unless specifically stated. Any unauthorised use, disclosure or copying is prohibited. If you have received this email in error, please notify the sender and delete it from your system. Security and reliability of the e-mail and attachments are not guaranteed. You must take full responsibility for virus checking.



--

This email was Malware checked by UTM 9. <http://www.sophos.com>