PRE-REGISTRATION CHECK SHEET – TO BE COMPLETED BY DUTY OFFICER AS APPROPRIATE

App TypeApp TypeDevelopment TypeDetailed Planning (DPP)Works to Tree (WTT)LocalXPlanning in Principle (PPP)Pre Consultation (PAC)StrategicXApproved Matters (MSC)Prior Notification (PN)MajorIListed Building (LBC)Amended Obligation (LA)HouseholderIConservation Area (CAC)Review of Mineral (ROMP)S42IAdvertisement (ADV)20 - AdvertsOwner NotificationI	e 			
UPRN: 000120036115				
YES NO Fee/Refund Amount 1. Is the application fee correct? Yes Fee: £ 2. Is a REFUND required? N/A Refund: £	Int			
 3. If a Schedule 3 is required has the fee been included? 4. Are the plans adequate? (Location, Site, Elevations) 5. Is the site boundary clearly defined? 6. Are the certificates completed? 7. If a S42 statement is required has it been submitted? 				
Q8-12 are for NON Householder applications only YES NO NOT REQUIRED 8. Has a Coal Mining Risk Assessment been submitted? N/A N/A 9. If a Design Statement is required has it been submitted? N/A N/A 10. If a Design/Access Statement is required has it been submitted? N/A N/A 11. For Major Applications has a PAR been submitted? N/A N/A 12. Is PAR Acceptable? N/A				
APPLICATION INCOMPLETE Initials: DR Date: 14/4/21 VALIDATION DATE: 20/4/21 Initials: LK Date: 20/4/21				

For incomplete applications please note that this information will be transferred directly to the letter to the application/agent; so please ensure that it is specific and accurate.

Admin - If application submitted online please email the letter to the Duty Officer.

Reason for application being invalid:

	Insufficient Fee	The correct fee for this application is £ and an additional sum of £ is required.
	Fee Required	The fee for this application is \pounds
	Ownership Certificates	Please complete the enclosed ownership certificate.
Х	Inadequate Plans	The following additional plans are required:
		Please identify the application site, the full extent of the planning unit boundary with all proposed advertisements which require consent located within the red line boundary.
		On drawing no. RNTH/S5554/02-3 the proposed totem sign is not labelled as sign 8.
		On drawing no. RNTH/S5554/02-3 there is no indication of whether the signs are illuminated or non-illuminated.

Design Statement (Validating officer to confirm which statement is required)
The application is
Please submit a Design/Design and Access Statement complying with Regulation 13 o
Country Planning (Development Management Procedure) (Scotland) regulations 2008.

Section 42 Please confirm in writing that the application is being made under Section 42 of theStatement Town and Country Planning (Scotland) Act 1997.

of the Town and

(Section 42 applies to applications to develop land without complying with conditions attached to a previous planning permission; a statement confirming that the application is made under Section 42 is required for all applications that seek to remove or amend conditions attached to previous planning permissions.)

Coal Mining RiskYour application is within an identified Coal Risk Area and as such a CoalAssessmentMining Risk Assessment (CMRA) is required.

Use this space for any other items:

Pre_registration_form_V5_Jan_2014 180214