



This copy has been made by or with the authority of Midlothian Council pursuant to Section 47 of the Designs and Patents Act 1988. Unless that Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.




WEST ELEVATION




SOUTH ELEVATION


EXTERNAL RENDER TO MATCH EXISTING DRY DASH  
 BASE COURSE FACING BRICK TO MATCH EXISTING.  
 SOFFITS, EAVES RWP GUTTERING ETC. TO MATCH EXISTING  
 --- 47x47 SW CAVITY BARRIER WITH DFC.  
 1 PERPEND VENT AT MAX 1200 CRS AT C.I.P LEVEL  
 + ABOVE + BELOW ALL HORIZONTAL CAVITY BARRIERS + BELOW ALL SOFFIT LINES




EAST ELEVATION.




PROPOSED SOUTH ELEVATION.




EXISTING SOUTH ELEVATION.



EXISTING WEST ELEVATION.




EXISTING NORTH ELEVATION.



PROPOSED NORTH ELEVATION.

GLAZED SCREEN + DOORS TO BE IN ACCORDANCE WITH BS 6262:1982 Pt 1-7 GLASS, MULLIONS + TRANSOMS - FRAMES ETC SHALL BE DESIGNED + CONSTRUCTED TO WITHSTAND DESIGN WIND LOADINGS IN ACCORDANCE WITH BS EN 1991 - 4 WITHOUT UNDUE DEFLECTION.  
 PROPRIETARY FIXING SHALL BE USED AROUND SCREEN PERIMETERS TO ENSURE THAT WIND AND BARREL LOADINGS ARE ADEQUATELY SECURED TO THE SURROUNDING BUILDING FABRIC.  
 3 EXPANSET FRAME CRAMPS EACH SIDE OF SCREENS + DOORS FIXED TO TIMBER FRAME IN STRICT ACCORDANCE TO MANUFACTURERS INSTRUCTIONS.



EX GARAGE LAYOUT

PROPOSED GARAGE LAYOUT.

- WINDOWS;
- Windows to have minimum u-value 1.4W/m<sup>2</sup> or better.
  - Trickle ventilation fitted in the head to all apartments 12000 mm
  - Kitchen 10000mm
  - Bathroom 10000mm
  - All glazing, doors and windows to comply with BS6262-toughened/ laminated and clearly kite marked. Windows constructed in accordance with BS644:2009 and fitted with a keyed locking system.
  - Doors and windows to meet the recommendations for physical security in section 2 of secured by design (ACPO:2009)
  - Glazing certificate to be submitted prior to completion.

A. GARAGE DETAILS ANDED 28 APR 21

**JAMES BROWN**  
 ARCHITECTURAL SERVICES  
 47 Polton Street  
 Bonnyrigg  
 Midlothian EH19 3DD  
 Telephone: 0181 660 5548  
 E-mail: james.brown@outlook.com

MR. D. GALLAGHER

11 REDCROFT ROAD  
 DANDERHALL.

ELEVATIONS.

1:100

MARCH 21.

2102/05

A.