



annex



render on insulation Proposed work To North elevation of main house and part side elevation returns Nominal 16mm thick coloured render on 50mm thick thermal insulation mechanically fixed to existing building, all subject to detailed design To eastern portion of flat roofed part of building Kentish ragstone pitch faced walling, nom 100mm thick with 75mm cavity fully insulated. Walling extends to 1.2m height with render on insulation above Overboard extg fascia to clear render



or in part without their written permission

NOTES Do not scale

ragstone walling with render above

Verify all dimensions on site before commencing any work or preparing any shop drawings


All building materials, components and workmanship to comply with the appropriate Public Health Acts, Building Regulations, British & European Standards and Codes of Practice and to the appropriate manufacturers recommendations.

For all specialist work see relevant drawings

All schemes to be set out completely including buildings, roads, drainage and levels prior to the commencement of works

Sites to be checked against Land Registry plans and any necessary Easements to be established

Any discrepancies, errors or omissions to be reported to the architect for further instructions before commencement of works





21 Stone Street, Gravesend, Kent, DA11 0NP Tel: 01474 566996 Fax: 01474 320374 Design@DACarchitects.co.uk

DEVELOPMENT AT DREAMSCAPE OAK FARM LANE FAIRSEAT TN15 7JU

MR J COLLIER

Drawing Title

FLOOR PLANS SITE LOCATION PLAN

AS PROPOSED

| Scale | Date | Drawn By |
|-------------|----------|----------|
| 1:50,1:1250 | 09.04.21 | JR |
| Project No. | Dwg. No. | Rev. |
| 5035 | D-30 | |