

Project Notes:

Do not Scale. All dimensions to be checked on site and any discrepancies brought to the attention of the architect and engineer.

Member lengths to be determined on site by contractor - taking into account the bearing conditions.

Where the drawing is derived from third party drawings SCGreen Ltd. do not take any responsibility for the accuracy or compliance of any imported information or details.

All workmanship and methods of construction should comply with all relevant Codes of Practice, British Standards, the current edition of The Building Regulations and good building practice. This drawing to be read in conjunction with all relevant engineer's, architect's and designer's drawings and schedules.

Specification Notes:

Double beams marked 'no gussets needed' have been designed as separate beams and therefore will not require joining together.

External Lintels Catnic. Internal lintels Supreme. All to have minimum bearing 150mm. Note: Catnic lintels are not compatible with top hung doors.

Floor joists placed alongside and screwed to existing ceiling joists. Multiple members bolted together with M12 bolts @ 600 c/c staggered. Flitch beams must have timbers and steels that are continuous - only cut at supports or where indicated.

All timbers at 400c/c and C24 where appropriate UNO. Assumed joist span directions to be checked by the contractor and the engineer told of any discrepancies before commencing the works.

All bolts grade 8.8.

All steel beams, hollow plank flooring, T beams, padstones and lintels must be seated on a mortar bed. Engineering bricks must be laid with mortar 4:1 with all holes filled with mortar.





Proposed Extensions & Alterations at 88 London Road, Dea	Project Title	Client Dr. Marilyn Monkhouse	Structural Engineers & Architectural Designers T 01304 827883 www.casongreen.co.uk	Associates
	Proposed Extensions & Alterations at 88 London Road, Deal	oposed	Proposed	1304 827883

Date

April 2021

7162/A2/04