

- 65x200mm galvanised steel fabricated 'T' section welded to primary steel beams, with welded threaded bolts at given centres for louver fixing cleats. Flange to be notched in rainwater pipe locations.

142mm Russwood Thermapine, square edged louvres. Microtex all around, SiOO:X Mid Grey coating. Louvres to be fixed with countersunk S/S screws and washers. Screw pattern reversed on - opposite side to prevent screw clash.

<u>KEY:</u>

TOC -

Top of Channel





lst Floor, Cosmopolitan House 10A Christina Street, London EC2A 4PA T: +44 (0)20 7739 3035 F: +44 (0)20 7739 0103 www.projectorange.com



SHELLEY PRIORY BARN

LOUVRE DETAIL PROPOSED

Job No.	Drawn
1905	AA

1:5 @ A1 1:10 @ A3

Scale

THE COPYRIGHT DESIGN AND PATENTS ACT 1988 THIS DRAWING IS THE COPYRIGHT OF PROJECT ORANGE Ltd AND MUST NOT BE COPIED OR REPRODUCED, IN WHOLE OR PART, BY ANY METHOD WHATSOEVER, WITHOUT THE PRIOR WRITTEN APPROVAL OF PROJECT ORANGE Ltd NOTES

30.09.20

ALL SETTING OUT MUST BE CHECKED ON SITE ALL LEVELS MUST BE CHECKED ON SITE ALL DIMENSIONS MUST BE CHECKED ON SITE DO NOT SCALE FROM THIS DRAWING THIS DRAWING MUST NOT BE USED ON SITE UNLESS ISSUED FOR CONSTRUCTION