Existing timber frame to be confirmed on site Existing render to be confirmed on site 69x25mm pentice board leaded with code 4 lead 55x75mm oak head 20x6mm steel casement 3mm single glazing 55x75mm approx. Oak mullion to match existing Lead canes to match existing 55x165mm oak sill 25 Existing render to be confirmed on site Existing timber frame to be confirmed on site **TYPICAL OAK MULLION WINDOW SECTION ON 8-8** 1:2

Notes:

Take site dimensions prior to manufacture

Cockspur handles and casement stays to be handmade by David Butler blacksmith.
Tel: 01379 640182
E-mail: david@countryforge.co.uk

Purpose made softwood windows with hardwood cills complete with check grooves and weather seals, allow for clearance.

Glazing to be 12mm slim-line double glazing units U-Value 1.6w/m²k fixed in place with appropriate

ARCHITECTS + DESIGNERS

The Studio, 37 Church Street, Eye IP23 7BD

gmltd@gorniakandmckechnie.co.uk www.gorniakandmckechnie.com

Drawn by	Scales @ A3	Drawing Title	Client	Issue date	Project No	Drawing No	Rev	ı
SCJ Checked by TMcK	1:2	Typical Oak Mullion Window Section 6-6	Mr. & Mrs. Gould	02/06/21	1845	412	А	