

**Ventrolla**  
**Ventrolla House**  
**Crimple Court**  
**Hornbeam Business Park**  
**Harrogate**  
**HG2 8PB**

**Telephone:** 0800 0277 262  
**E-Mail:** info@ventrolla.co.uk

Commercial - Cuerden Hall  
 Shady Lane  
 Preston  
 PR5 6AZ

**Date:** 29 March 2021      **Estimate No.:** ST36639      **Surveyor:** Steve Thomas

### Pricing Summary

We offer to carry out the work detailed below for the shown price which excludes VAT charged at 20%

**Goods:** £0.00  
**VAT:** £0.00  
**Total:** £0.00

<b>Item 1:</b>	Second Floor Windows - No Access	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Arched Metal Windows - 6 Windows in Total			
<b>Item 2:</b>	Second Floor Windows - Additional Six Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	No Access - Metal Windows			
<b>Item 3:</b>	F/F 1000	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 4:</b>	F/F 1001	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 5:</b>	F/F 1002	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 6:</b>	F/F 1003	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 7:</b>	F/F 1004	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 8:</b>	F/F 1005 - Blind Window	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	



<b>Item 9:</b>	F/F 1006	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 10:</b>	F/F 1007	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment- Cable Through Sill			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 11:</b>	F/F 1008	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 12:</b>	F/F 1009 Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
-----------------	-----------------------	--------------------	---------------------	---------------------

<b>Item 13:</b>	F/F 1010	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 14:</b>	F/F 1011	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 15:</b>	F/F 1012	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 16:</b>	F/F 1013	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 17:</b>	F/F 1014	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 18:</b>	F/F 1015	<b>Width:</b> 650 mm	<b>Height:</b> 1250 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Casement Window			
<b>System:</b>	Casement Small (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 2 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	1
	<b>Bottom:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1

<b>Item 19:</b>	F/F 1016 - Restricted Access	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Investigation			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 20:</b>	F/F 1017 - Restricted Access	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Investigation			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 21:</b>	F/F 1018 - Small Staff Bead	<b>Width:</b> 1080 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (90x134) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1



<b>Item 22:</b>	F/F 1019	<b>Width:</b> 630 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 23:</b>	F/F 1020	<b>Width:</b> 1080 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 260 mm	<b>Height:</b> 450 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 24:</b>	F/F 1021	<b>Width:</b> 630 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 260 mm	<b>Height:</b> 490 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 25:</b>	F/F 1022	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1





<b>Item 26:</b>	F/F 1023	<b>Width:</b> 1180 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 27:</b>	F/F 1024 - Cable Through Sill	<b>Width:</b> 1190 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 28:</b>	F/F 1025	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right    Patch Putty - Large		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 29:</b>	F/F 1026 - Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
-----------------	-------------------------	--------------------	---------------------	---------------------

<b>Item 30:</b>	F/F 1027 - Cable Through Sill	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	VR90 Sill Repair Right			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1



<b>Item 31:</b>	F/F 1028	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	VR90 Sill Repair Right			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 32:</b>	F/F 1029 - Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
-----------------	-------------------------	--------------------	---------------------	---------------------

<b>Item 33:</b>	F/F 1030	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 280 mm	<b>Height:</b> 330 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 34:</b>	F/F 1031 - Cable Through Sill	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 35:</b>	F/F 1032 - Replace Obscure Glazing	<b>Width:</b> 920 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1





<b>Item 36:</b>	F/F 1033	<b>Width:</b> 930 mm	<b>Height:</b> 1450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 280 mm	<b>Height:</b> 330 mm	<b>Qty:</b> 1

<b>Item 37:</b>	F/F 1034 Varnish Timber Finish	<b>Width:</b> 560 mm	<b>Height:</b> 1750 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Chains			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 4 Pane Sash		<b>Qty:</b> 1

<b>Item 38:</b>	F/F 1035 Varnish Finish	<b>Width:</b> 550 mm	<b>Height:</b> 1750 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Chains			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 39:</b>	F/F 1036 Varnish Finish	<b>Width:</b> 550 mm	<b>Height:</b> 1750 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Chains			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 40:</b>	F/F 1037 Varnish Finish	<b>Width:</b> 550 mm	<b>Height:</b> 1750 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Chains			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 41:</b>	F/F 1038 - Obscure Glazing	<b>Width:</b> 580 mm	<b>Height:</b> 1100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Medium
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 42:</b>	F/F 1039 Fixed - A	<b>Width:</b> 700 mm	<b>Height:</b> 1100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Medium
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 43:</b>	F/F 1039 - B	<b>Width:</b> 700 mm	<b>Height:</b> 1100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 44:</b>	F/F 1040	<b>Width:</b> 800 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware		<b>Qty:</b> 1
	VR90 Timber Repairs			

<b>Item 45:</b>	F/F 1041	<b>Width:</b> 800 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware		<b>Qty:</b> 1

<b>Item 46:</b>	F/F Casement Window ? Not on Plans ( Next 1041 ) 8 Windows	<b>Width:</b> 800 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Windows After 1041 - onto Flat Roof not on Plans			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware		<b>Qty:</b> 1



<b>Item 47:</b>	F/F 1046	<b>Width:</b> 1160 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 1 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 48:</b>	F/F 1047	<b>Width:</b> 900 mm	<b>Height:</b> 1120 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Medium
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 49:</b>	F/F 1048	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 50:</b>	F/F 1049	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1



<b>Item 51:</b>	F/F 1050	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 290 mm	<b>Height:</b> 350 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 52:</b>	F/F 1051 - Obscure Glazing	<b>Width:</b> 720 mm	<b>Height:</b> 1550 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 350 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 5
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 53:</b>	F/F 1052	<b>Width:</b> 950 mm	<b>Height:</b> 1550 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 54:</b>	F/F 1053	<b>Width:</b> 950 mm	<b>Height:</b> 1550 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Medium
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 55:</b>	F/F 1054 A	<b>Width:</b> 750 mm	<b>Height:</b> 1550 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 56:</b>	F/F 1054 B	<b>Width:</b> 750 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 57:</b>	F/F 1055 A	<b>Width:</b> 750 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 58:</b>	F/F 1055 B	<b>Width:</b> 750 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 59:</b>	F/F 1056 A	<b>Width:</b> 640 mm	<b>Height:</b> 1400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b> Refit Existing Hardware		<b>Qty:</b> 1	
<b>Item 60:</b>	F/F 1056 B - Screwed Shut	<b>Width:</b> 640 mm	<b>Height:</b> 1400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b> Refit Existing Hardware		<b>Qty:</b> 1	
<b>Item 61:</b>	F/F 1056 C - Screwed Shut	<b>Width:</b> 640 mm	<b>Height:</b> 1400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b> Refit Existing Hardware		<b>Qty:</b> 1	
<b>Item 62:</b>	F/F 1057	<b>Width:</b> 950 mm	<b>Height:</b> 150 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b> Conservation Joint Bottom Left    Conservation Joint Bottom Right			
	<b>Bottom:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right    Patch Putty - Large			
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1	
	<b>Sash Lifts:</b> Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1	
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1	
	VR90 Butt Joint			
<b>Item 63:</b>	F/F 1058	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Conservation Joint Bottom Left    Conservation Joint Bottom Right			
	<b>Bottom:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right    Patch Putty - Large			
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1	
	<b>Sash Lifts:</b> Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1	
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1	
<b>Item 64:</b>	F/F 1059	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Conservation Joint Bottom Left    Conservation Joint Bottom Right			
	<b>Bottom:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right    Patch Putty - Large			
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1	
	<b>Sash Lifts:</b> Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1	
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1	





<b>Item 65:</b>	F/F 1060	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Tenon Repair Bottom Left	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 66:</b>	F/F 1061 - Cable Through Sill	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 67:</b>	F/F 1062 Stair Well - Tower Required	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 68:</b>	F/F 1063	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 69:</b>	F/F 1064	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 70:</b>	F/F 1065	<b>Width:</b> 950 mm	<b>Height:</b> 1350 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 71:</b>	F/F 1066	<b>Width:</b> 1100 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 72:</b>	F/F 1067	<b>Width:</b> 1100 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 73:</b>	F/F 1068 - Cords Missing Bottom Sash	<b>Width:</b> 1100 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 74:</b>	F/F 1069 - Take Out Fan	<b>Width:</b> 1100 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 400 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 1

<b>Item 75:</b>	F/F 1070 - Obscure Glazing ?	<b>Width:</b> 1100 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Remove Secondary Panel			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 76:</b>	F/F 1071	<b>Width:</b> 950 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 77:</b>	F/F 1072	<b>Width:</b> 950 mm	<b>Height:</b> 2100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 78:</b>	G/F 0001 Timber Finish - Fixed	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Leak above window			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1

<b>Item 79:</b>	G/F 0002 Timber Fixed	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
	Shaped Timber Plant on			

<b>Item 80:</b>	G/F 0003 Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
	<b>Bottom:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 81:</b>	G/F 0004 Chains - Screwed Shut	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b> Single Glazed 6 Pane Sash			<b>Qty:</b> 1
<b>Item 82:</b>	G/F 0005 Chains - Screwed Shut	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Conservation Joint Bottom Left	Conservation Joint Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b> Single Glazed 6 Pane Sash			<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass			<b>Qty:</b> 1
	<b>Sash Lifts:</b> Assistor Cord Set			<b>Qty:</b> 1
	<b>Security:</b> Barrel Sash Stop (Pair) - Chrome Plate			<b>Qty:</b> 1
<b>Item 83:</b>	G/F 0006 Chains - Screwed Shut	<b>Width:</b> 1200 mm	<b>Height:</b> 2700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>New Sashes</b>	<b>Top:</b> Single Glazed 9 Pane Sash			<b>Qty:</b> 1
	<b>Bottom:</b> Single Glazed 6 Pane Sash			<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass			<b>Qty:</b> 1
	<b>Sash Lifts:</b> Assistor Cord Set			<b>Qty:</b> 1
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass			<b>Qty:</b> 1
<b>Item 84:</b>	G/F 0007 No Work Required For Ventrolla	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment Blind Window			
<b>Item 85:</b>	G/F 0008 Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b> Single Glazed 9 Pane Sash			<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass			<b>Qty:</b> 1
	<b>Sash Lifts:</b> Assistor Cord Set			<b>Qty:</b> 1
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass			<b>Qty:</b> 1
<b>Item 86:</b>	G/F 0009 Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large	
<b>New Sashes</b>	<b>Bottom:</b> Single Glazed 9 Pane Sash			<b>Qty:</b> 1



<b>Item 87:</b>	G/F 0010	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 88:</b>	G/F 0011 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom

<b>Item 89:</b>	G/F 0012 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Venetian Sill & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 90:</b>	G/F 0013 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1





<b>Item 91:</b>	G/F 0014 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 92:</b>	G/F 0015 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 93:</b>	G/F 0016 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 94:</b>	G/F 0017 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1

<b>Item 95:</b>	G/F 0018 - Timber Finish	<b>Width:</b> 1200 mm	<b>Height:</b> 3300 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1



<b>Item 96:</b>	G/F 0019	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Pole Hook, Sash Eye & Pole		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 97:</b>	G/F 0020 Timber Panel Cables	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 98:</b>	G/F 0022 - Obscure Glazing?	<b>Width:</b> 100 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 99:</b>	G/F 0023	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (70x140) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
	Shaped Timber Plant			



<b>Item 100:</b>	G/F 0024	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 9 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 101:</b>	G/F 0025 - Wooden Panel	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 102:</b>	G/F 0021 Obscure Glazing	<b>Width:</b> 1000 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 103:</b>	G/F 0026	<b>Width:</b> 1800 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Window Side Hung (x3)	<b>Window Configuration:</b> Casement Window		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Single Glazed 4 Pane		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware		<b>Qty:</b> 1
		Brass Stay		

<b>Item 104:</b>	G/F 0027	<b>Width:</b> 1150 mm	<b>Height:</b> 2000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware		<b>Qty:</b> 1



<b>Item 105:</b>	G/F 0028	<b>Width:</b> 1150 mm	<b>Height:</b> 2000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Sill Repair:</b>	Casement Sill inc lower frame splice			
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Single Glazed 6 Pane	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware	<b>Qty:</b>	1
<b>Item 106:</b>	G/F 0029	<b>Width:</b> 920 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Assistor Cord Set	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Chrome Plate	<b>Qty:</b>	1
<b>Item 107:</b>	G/F 0030 Cable Through Sill	<b>Width:</b> 950 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Assistor Cord Set	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1
<b>Item 108:</b>	G/F 0031 Cable Through Sill	<b>Width:</b> 950 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Assistor Cord Set	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1
<b>Item 109:</b>	G/F Window Missing Of Plan Between 31 & 32	<b>Width:</b> 500 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>Item 110:</b>	G/F 0032	<b>Width:</b> 1500 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1



<b>Item 111:</b>	G/F 0033 - No Access	<b>Width:</b> 650 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Assistor Cord Set		<b>Qty:</b> 1
	<b>Security:</b>	Cable Restrictor Lock - (White)		<b>Qty:</b> 1

<b>Item 112:</b>	G/F 0034 - No Access	<b>Width:</b> 650 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 113:</b>	G/F 0035 - Obscure Glazing	<b>Width:</b> 650 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Bottom:</b>	Single Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 114:</b>	G/F 0036 - Cable Through Sill	<b>Width:</b> 650 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 115:</b>	G/F 0037	<b>Width:</b> 650 mm	<b>Height:</b> 1200 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 116:</b>	G/F 0038 Cable Through Sill	<b>Width:</b> 700 mm	<b>Height:</b> 1900 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware	<b>Qty:</b>	1
	VR90 Timber Repairs			

<b>Item 117:</b>	G/F 0039 - No Work For Ventrolla	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Direct Glazed			

<b>Item 118:</b>	G/F 0040	<b>Width:</b> 700 mm	<b>Height:</b> 1900 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1
	VR90 Timber Repairs			

<b>Item 119:</b>	G/F 0041	<b>Width:</b> 700 mm	<b>Height:</b> 1900 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Refit Existing Hardware	<b>Qty:</b>	1

<b>Item 120:</b>	G/F 0042 - Screwed Shut	<b>Width:</b> 700 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		

<b>Item 121:</b>	G/F : 7 Windows Missing From Plans After 0042	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Kitchen Windows			

<b>Item 122:</b>	G/F 0049 Fixed	<b>Width:</b> 900 mm	<b>Height:</b> 1100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Pulleys:</b>	Re-Instate Pulleys & Weights	<b>Qty:</b>	1





<b>Item 123:</b>	G/F 0050 A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	

<b>Item 124:</b>	G/F 0050 B	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 4 Pane Sash		<b>Qty:</b> 1

<b>Item 125:</b>	G/F 0051 A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 126:</b>	G/F 0051 B	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 300 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 4
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 127:</b>	G/F 0052A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 128:</b>	G/F 0052 A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 129:</b>	G/F 0053	<b>Width:</b> 1000 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Patch Putty - Large
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 300 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 4
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 130:</b>	G/F 0054	<b>Width:</b> 1000 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 131:</b>	G/F 0055 A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 132:</b>	G/F 0055 B	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 133:</b>	G/F 0056	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 134:</b>	G/F 0057 A	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 135:</b>	G/F 0057 B	<b>Width:</b> 700 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 4 over 4		
<b>Sill Repair:</b>	Replace Sill (LARGE Non Std 200mm +)			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 136:</b>	G/F 0089 - Vent Remove	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 400 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 5
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 137:</b>	G/F 0090	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 138:</b>	G/F 0091	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 139:</b>	G/F 0092	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 140:</b>	G/F 0093 - Blind Window - No Access	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Fixed			



<b>Item 141:</b>	G/F 0094	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Timber Plant On Bottom
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 142:</b>	G/F 0095 - Vent	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 300 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 143:</b>	G/F 0096 - Arched Internal Tower	<b>Width:</b> 1150 mm	<b>Height:</b> 2800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 144:</b>	G/F 0097 - Arched Internal Tower	<b>Width:</b> 1150 mm	<b>Height:</b> 2800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 9 over 6		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1



<b>Item 145:</b>	G/F 0098 Security Office	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment - Cable Through Sill			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 146:</b>	G/F 0099	<b>Width:</b> 1060 mm	<b>Height:</b> 2450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 147:</b>	G/F 0100	<b>Width:</b> 1060 mm	<b>Height:</b> 2450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>New Sashes</b>	<b>Top:</b>	Single Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 148:</b>	G/F 0101	<b>Width:</b> 1060 mm	<b>Height:</b> 2450 mm	<b>Price:</b> £0.00
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal			
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1





<b>Item 149:</b>	G/F 0102	<b>Width:</b> 1060 mm	<b>Height:</b> 2450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 150:</b>	G/F 0103	<b>Width:</b> 1060 mm	<b>Height:</b> 2400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing with Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
<b>Glazing Repairs:</b>	4mm Toughened Clear Glass	<b>Width:</b> 300 mm	<b>Height:</b> 400 mm	<b>Qty:</b> 1

<b>Item 151:</b>	G/F 0104	<b>Width:</b> 1060 mm	<b>Height:</b> 2450 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 9		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 152:</b>	G1	<b>Width:</b> 950 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 6 over 6		
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left	Conservation Joint Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 153:</b>	G2	<b>Width:</b> 1070 mm	<b>Height:</b> 1070 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Large (Top or Side Hung)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 2 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 3 Pane Sash		<b>Qty:</b> 1
	<b>Bottom:</b>	Casement Sash Double Glazed 6 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 1



<b>Item 154:</b>	G3	<b>Width:</b> 1020 mm	<b>Height:</b> 770 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2) + Top Hung	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 4 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	2
	<b>Bottom:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	2
<b>Item 155:</b>	G4	<b>Width:</b> 470 mm	<b>Height:</b> 770 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Small (Top or Side Hung)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 2 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	1
	<b>Bottom:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 1
<b>Item 156:</b>	G/F 0067	<b>Width:</b> 1240 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Sash Box Square Top		
<b>New Sashes</b>	<b>Top:</b>	Double Glazed 8 Pane Sash	<b>Qty:</b>	1
	<b>Bottom:</b>	Double Glazed 8 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1
<b>Item 157:</b>	G/F 0066	<b>Width:</b> 1200 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b>		8 over 8
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1
<b>Item 158:</b>	G/F 0065 Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00



<b>Item 159:</b>	G/F 0064 Window Boarded UP	<b>Width:</b> 1200 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 8 over 8		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1
<b>Item 160:</b>	G/F 0063 Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Item 161:</b>	G/F 0062 Blind Window	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Item 162:</b>	G/F 0061	<b>Width:</b> 1200 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2
<b>Item 163:</b>	G/F 0060	<b>Width:</b> 1200 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Top Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2
<b>Item 164:</b>	G/F 0059	<b>Width:</b> 1200 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2
<b>Item 165:</b>	G/F 0068 - Top Pivot	<b>Width:</b> 1200 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Pivot Window	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b>	Pivot Window Catch (Brass)		<b>Qty:</b> 1



<b>Item 166:</b>	G/F 0069 - Top Pivot	<b>Width:</b> 1200 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>System:</b>	Pivot Window	<b>Window Configuration:</b> Casement Window		
<b>Hardware</b>	<b>Catches:</b> Pivot Window Catch (Brass)			<b>Qty:</b> 1

<b>Item 167:</b>	G/F 0070 - Top Pivot	<b>Width:</b> 1200 mm	<b>Height:</b> 1800 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	Pivot Window	<b>Window Configuration:</b> Casement Window		
<b>Glazing Repairs:</b>	4mm Float Glass	<b>Width:</b> 260 mm	<b>Height:</b> 300 mm	<b>Qty:</b> 1
<b>Hardware</b>	<b>Catches:</b> Pivot Window Catch (Brass)			<b>Qty:</b> 1

<b>Item 168:</b>	G/F 0071	<b>Width:</b> 1200 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b> Complete New Casement Frame - 3 Sash			
<b>New Sashes</b>	<b>Top:</b> Casement Sash Double Glazed 4 Pane Sash			<b>Qty:</b> 1
	<b>Left:</b> Casement Sash Double Glazed 4 Pane Sash			<b>Qty:</b> 1
	<b>Right:</b> Casement Sash Double Glazed 4 Pane Sash			<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b> Crown Spoon-End Stay & Fastener - Polished Brass			<b>Qty:</b> 2

<b>Item 169:</b>	F1 - No Access	<b>Width:</b> 1200 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 8 over 8		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Conservation Joint Bottom Left    Conservation Joint Bottom Right			
	<b>Bottom:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right    Timber Plant On Bottom			

<b>Item 170:</b>	F2 - No Access	<b>Width:</b> 1200 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 8 over 8		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right			
	<b>Bottom:</b> Tenon Repair Bottom Left    Tenon Repair Bottom Right			
<b>Hardware</b>	<b>Catches:</b> Flat Top Straight Arm - Polished Brass			<b>Qty:</b> 1
	<b>Sash Lifts:</b> Cast Sash Lift (Pair) - Polished Brass			<b>Qty:</b> 1
	<b>Security:</b> Barrel Sash Stop (Pair) - Polished Brass			<b>Qty:</b> 1



<b>Item 171:</b>	F3 No Access	<b>Width:</b> 1200 mm	<b>Height:</b> 1600 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 8 over 8		
<b>Sill Repair:</b>	Replace Sill (Non Standard) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
	<b>Bottom:</b>	Tenon Repair Bottom Left	Tenon Repair Bottom Right	Meeting Rail Repair
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass		<b>Qty:</b> 1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass		<b>Qty:</b> 1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass		<b>Qty:</b> 1

<b>Item 172:</b>	G/F 0074	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2

<b>Item 173:</b>	G/F 0075	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2

<b>Item 174:</b>	G/F 0076	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2

<b>Item 175:</b>	G/F 0077	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash		<b>Qty:</b> 1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane - Arched		<b>Qty:</b> 1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass		<b>Qty:</b> 2



<b>Item 176:</b>	G/F 0078	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 177:</b>	G/F 0079	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 178:</b>	G/F 0080	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 179:</b>	G/F 0081	<b>Width:</b> 1200 mm	<b>Height:</b> 1700 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 180:</b>	G/F 0072	<b>Width:</b> 1200 mm	<b>Height:</b> 1500 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Top:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2





<b>Item 181:</b>	G/F 0073	<b>Width:</b> 460 mm	<b>Height:</b> 850 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Refurbishment			
<b>System:</b>	(VPSS) Full Draught Proofing NO Sash Removal	<b>Window Configuration:</b> 2 over 2		
<b>Sill Repair:</b>	Replace Sill (70x140) & Lower Box Assembly			
<b>Sash Repairs</b>	<b>Top:</b>	Conservation Joint Bottom Left    Conservation Joint Bottom Right		
	<b>Bottom:</b>	Tenon Repair Bottom Left    Tenon Repair Bottom Right		
<b>Hardware</b>	<b>Catches:</b>	Flat Top Straight Arm - Polished Brass	<b>Qty:</b>	1
	<b>Sash Lifts:</b>	Cast Sash Lift (Pair) - Polished Brass	<b>Qty:</b>	1
	<b>Security:</b>	Barrel Sash Stop (Pair) - Polished Brass	<b>Qty:</b>	1

<b>Item 182:</b>	F4 - Missing Window - Direct Glazed	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Window First Floor Landing			

<b>Item 183:</b>	F/F 2001	<b>Width:</b> 1800 mm	<b>Height:</b> 1400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
	<b>Centre:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 184:</b>	F/F 2000	<b>Width:</b> 1800 mm	<b>Height:</b> 1400 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
	<b>Centre:</b>	Casement Sash Double Glazed 8 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2

<b>Item 185:</b>	Attic - A1 - Restricted Access	<b>Width:</b> 2500 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x3)	<b>Window Configuration:</b> Casement Window		
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 4 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	2
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	2
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2
<b>Special:</b>	LH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	RH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	External Architraves			



<b>Item 186:</b>	Attic - A2 - Restricted Access	<b>Width:</b> 650 mm	<b>Height:</b> 1100 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Small (Top or Side Hung)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 1 Sash		
<b>New Sashes</b>	<b>Centre:</b>	Casement Sash Double Glazed 1 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1
	External Architraves			

<b>Item 187:</b>	Attic - A3 : A - Restricted Access	<b>Width:</b> 2000 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Centre:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2
<b>Special:</b>	LH Side Angled 6 Pane Casement Sash			
<b>Special:</b>	RH Side Angled 6 Pane Casement Sash			
<b>Special:</b>	External Architraves			

<b>Item 188:</b>	Attic - A3 : B - Restricted Access	<b>Width:</b> 2000 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
	<b>Centre:</b>	Casement Sash Double Glazed 6 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2
<b>Special:</b>	LH Side Angled 6 Pane Casement Sash			
<b>Special:</b>	RH Side Angled 6 Pane Casement Sash			
<b>Special:</b>	External Architraves			

<b>Item 189:</b>	Attic - A4 No Access	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Room Bricked Up			



<b>Item 190:</b>	Attic - A5 - Restricted Access	<b>Width:</b> 3300 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Top Hung (x3)	<b>Window Configuration:</b>		Casement Window
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	2
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	2
	<b>Centre:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	3
<b>Special:</b>	LH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	RH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	5 Section Casement Frame			
<b>Special:</b>	External Architraves			

<b>Item 191:</b>	Attic - A6 - Restricted Access	<b>Width:</b> 1600 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Top Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 3 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Centre:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	2
<b>Special:</b>	LH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	RH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	External Architraves			

<b>Item 192:</b>	Attic - A7 - Restricted Access	<b>Width:</b> 1100 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 2 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1
<b>Special:</b>	RH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	External Architraves			

<b>Item 193:</b>	Attic - A8 - Restricted Access	<b>Width:</b> 1100 mm	<b>Height:</b> 1000 mm	<b>Price:</b> £0.00
<b>Comments:</b>	Replacement Window			
<b>System:</b>	Casement Window Side Hung (x2)	<b>Window Configuration:</b>		Casement Window
<b>Frame Repairs</b>	<b>Top:</b>	Complete New Casement Frame - 2 Sash		
<b>New Sashes</b>	<b>Left:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
	<b>Right:</b>	Casement Sash Double Glazed 4 Pane Sash	<b>Qty:</b>	1
<b>Hardware</b>	<b>Casement Fittings:</b>	Crown Spoon-End Stay & Fastener - Polished Brass	<b>Qty:</b>	1
<b>Special:</b>	LH Side Angled 5 Pane Casement Sash			
<b>Special:</b>	External Architraves			



<b>Item 194:</b>	Preliminaries	<b>Width:</b> 0 mm	<b>Height:</b> 0 mm	<b>Price:</b> £0.00
<b>Special:</b>	Installer & Ventrolla Manager Accomodation			
<b>Special:</b>	MI Towers x 2nr, Stair Tower x 1Nr, Tool Box Storage x 2nr			
<b>Special:</b>	Site Supervisor			
<b>Special:</b>	Manager Visits, H&S Audit, Technical Survey			

