

**TREE REPORT FOR EUCALYPTUS AT
MEADOW VIEW,
TREWARVENETH STREET,
NEWLYN.
TR18 5JJ**

Report Undertaken on 10.06.2021.

**By Mark Nankervis Chartered Arboriculturalist ICF,
M Arbor. A.,
Advanced Licensed user Quantified Tree Risk
Assessment.**

**MARK NANKERVIS TREE
SERVICES LTD.**

1 Tresdale Parc
Connor Downs
Hayle
TR27 5DX
01736 755218
07894 325 581

info@treeservicesuk.com

Directors

Mark Nankervis
BA (Hons) PGCE
MICFor, M Arbor A
Adele Nankervis
BA (Hons) PGCE



**Arboricultural
ASSOCIATION**
Professional Member

 Institute of
Chartered Foresters
Registered Consultant

INTRODUCTION

I have been asked to remove a Eucalyptus tree (T1) at Meadow View in Newlyn.

The tree is a mature Eucalyptus gunnii. It has been heavily topped and lopped several times and is a poor specimen offering limited amenity. The current regrowth is impacting on the adjacent Cedar tree, starting to suppress the canopy on that side. There has been some disturbance to the rooting environment of the tree when access steps were recently improved. This could impact on the future health and stability of the tree.

RECOMMENDATION

Remove T1




T1 The Eucalyptus is a poor specimen and is starting to partially suppress the Deodar Cedar growing next to it.



T1 from south.

I trust the above is satisfactory. Should you have any queries please do not hesitate in contacting me.

Yours sincerely / faithfully,



Mark Nankervis M Arbor A, MICFor.
Consultant Arborist
Evolve Tree Consultancy

The authority of this letter ceases when any site conditions change, or pruning or other works unspecified in the Report are carried out to, or affecting, the Subject Tree(s). The statements made in this letter do not take into account the effects of extremes of climate, vandalism or accident, whether physical, chemical or fire. Evolve Tree Consultancy cannot therefore accept any liability in connection with these factors, nor where prescribed work is not carried out in a correct and professional manner in accordance with current good practice.

The recommendations within this report remain valid for the period stated for re-inspection or twelve months from the date of survey.

The limit of Evolve Tree Consultancy' indemnity over any matter arising out of this letter extends only to the instructing client; Evolve Tree Consultancy cannot be held liable for any third-party claim that arises following or out of this report. This report remains the intellectual property of Evolve Tree Consultancy.

