

LATERAL MANHOLE SCHEDULE – All Networks												
REF	EASTING	NORTHING	APP COVER LEVEL	INVERT LEVEL	DEPTH	SIZE	TYPE	PIPE SIZE	BACKDROP LEVEL	PIPE LENGTH	GRADIENT	COVER TYPE
SURFACE WATER												
PS1	471561.219	379549.353	20.70	18.64	2.06	450	PPIC	150		5.51	1/80	B125
PS2	471624.228	379541.064	19.90	18.45	1.45	450	PPIC	150		4.51	1/80	B125
PS3	471616.815	379530.731	20.15	18.86	1.29	450	PPIC	150		9.33	1/20	B125
PS4	471616.089	379504.075	20.40	18.70	1.70	450	PPIC	150		7.15	1/80	B125
PS5	471628.013	379503.956	20.25	18.69	1.56	450	PPIC	150		5.75	1/80	B125
PS6	471657.259	379532.639	19.80	18.43	1.37	450	PPIC	150		8.70	1/80	B125
PS7	471734.184	379537.930	19.70	18.14	1.56	450	PPIC	150		8.99	1/80	B125
PS8	471755.965	379499.172	19.60	18.03	1.57	450	PPIC	150		6.97	1/80	B125
PS9	471686.873	379512.285	19.80	18.28	1.52	450	PPIC	150		4.29	1/80	B125
PS10	471676.592	379475.091	19.55	18.09	1.46	450	PPIC	150		5.70	1/80	B125
PS11	471748.691	379477.427	19.25	17.82	1.43	450	PPIC	150		3.49	1/30	B125
PS12	471546.735	379415.535	22.50	20.66	1.84	450	PPIC	150		6.81	1/80	B125
PS13	471540.030	379478.884	21.80	20.24	1.56	450	PPIC	150		6.09	1/80	B125
PS14	471609.895	379413.791	20.85	18.80	2.05	450	PPIC	150		8.31	1/30	B125
PS15	471673.230	379423.433	20.20	18.79	1.41	450	PPIC	150		8.45	1/80	B125
PS16	471712.882	379423.637	20.10	18.69	1.41	450	PPIC	150		5.22	1/80	B125
PS17	471708.376	379412.575	20.00	17.81	1.29	450	PPIC	150		7.02	1/80	B125
PS18	471768.204	379415.991	19.85	18.46	1.39	450	PPIC	150		4.28	1/80	B125
FOUL WATER												
PF1	471626.909	379541.996	19.80	17.07	2.73	450	PPIC	150		8.06	1/10	B125
PF2	471674.159	379532.952	19.95	16.72	3.23	1050	CONC	150		8.62	1/10	B125
PF3	471756.287	379505.247	19.70	16.08	3.62	1050	CONC	150		8.03	1/10	B125
PF4	471550.336	379476.861	21.65	19.25	2.40	450	PPIC	150		7.65	1/80	B125
PF5	471613.933	379482.297	20.65	18.28	2.37	450	PPIC	150		8.56	1/80	B125
PF6	471612.451	379420.940	20.90	17.97	2.93	450	PPIC	150		6.68	1/30	B125
PF7	471715.437	379424.860	20.05	17.48	2.57	450	PPIC	150		4.82	1/10	B125
PF8	471761.579	379413.957	19.85	17.47	2.38	450	PPIC	150		8.34	1/10	B125
PF9	471729.733	379473.864	19.30	16.86	2.44	450	PPIC	150		6.80	1/35	B125

Revision:

James Eaton Design Ltd
 Design Consultant 1992-2021
 Development • Highways • Drainage
 Stoneycroft, Brackenhill, Ackworth,
 Pontefract, West Yorkshire WF7 7BG.
 Tel. 01977 618626 Fax 01977 625114
 e-mail james@jameseatondesign.co.uk

A1

Client:
Harron Homes

Site:
Retford
 Phase 3

Title:
Lateral Manhole Schedule

Date: Jan 21 Scales: NOT APP Drawing No.: M21/1006/1008