


Podium Drainage Detail



-BauderROCK Insulation

(Bauderflex system) or similar

-VCL layer (Bauderflex system)

-Refer to Structural Engineers

slab setting out and drawings

or similar


-Waterproof layer (Bauderflex system)

-A1 rated metal pedestal

-Porcelain pavers on metal pedestal (non combustible) to Landscape Architects specs

-EPDM lapped above metal stepped lug fixing strap and under under metal pedestal

-EPDM lapped above metal stepped lug fixing strap



<u>Disclaimer</u>


- 1. Do not scale from this drawing.
- 2. This drawing is to be printed in colour.
- 3. Figured dimensions are taken to structure unless indicated otherwise
- 4. All dimensions to be checked on site prior to
- commencement of work 5. Drawing to be read in conjunction with all other
- architect's drawings, consultant's construction notes,
- specifications and employer's requirements where applicable. Any discrepancy must be brought to the attention of AHR. In doubt, ask. Any modification to this drawing must be carried out by AHR. Please obtain permission before copying.

6. Where method of construction incorporates timber and / or light gauge steel frame, all elements of frameincluding stud locations, noggins, sheathing, lintels, trussess and wind bracing to be to manufacturer's design, details and specifications.

7. All structural elemants are shown indicatively. For all elements of structure refer to structural engineer's and specialist sub-contractor/ fabricator's design, details and specifications.

8. All mechanical and electrical elements are shown indicatively. For M&E installations and services refer to building services engineer's and specialist subcontractor's design, detail and specifications

Typical Location Key



<u>Detail Legend</u>

	Breather Membrane Layer - Cortex 0220 FR Class A1 Breather membrane or similar approved
	Vapour Control Layer (VCL) - Cortex non combustible VCL or similar approved
	Waterproofing Layer - Bauderflex system or similar approved
	Vapour Control Layer (VCL) - Bauderflex system or similar approved
	EPDM Layer - Cortex 0500FR Class B EPDM or similar approved
	Water Flow Reducing Layer (WFRL)
	Fire Stop/Barrier
	Cavity Closure/Barrier
SCALE 1:5	



C1	Initial Issue		Date 1	TS	KL
Rev	Description		Date	Dr by	Ap by
original by		date cre	ated	appro	
Author		01/12/21		Approve	
	1-1R	AHR Lo 5-8 Har London EC1R 4 United		t	
		T +44(0)20 78379789 E london@ahr.co.uk www.ahr.co.uk			
		www.a		J.K.	
client nam	-	www.a		1.	
South	e nern Housing Group gall Road	www.a		J K	
South	nern Housing Group	www.a			
South project Gleng drawing	nern Housing Group		hr.co.uk		
South project Gleng drawing Podiu computer	file ects/GLE-AHR-B1-ZZ-M3-A-20002_Building Mor	rainage	hr.co.uk		
South project Gleng drawing Podiu computer C:Revit Proj Central_tejs project nu	gall Road um Threshold and D file ectsIGLE-AHR-B1-ZZ-M3-A-20002_Building Moc agoo.rvt	rainage	hr.co.uk Detail plot date 30.04.2 scale		
South project Gleng drawing Podiu computer C:Revit Proj Central_tejs project nu	gall Road um Threshold and D	rainage	br.co.uk Detail plot date 30.04.	2021	
South project Gleng drawing Podiu computer C:Revit Proj Central_tejs project nu 2020 drawing n	file ectsIGLE-AHR-B1-ZZ-M3-A-20002_Building Moc agoo.rxt	rainage	hr.co.uk Detail plot date 30.04.2 scale	2021	@/ e sta

This drawing is to be read in conjunction with all related drawings. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy.

This drawing is copyright and remains the property of AHR.

-Outlet positioned below paver for easy access

-Line of tapered insulation at highest point -Waterproof layer (Bauderflex system) or similar

-Tapered insulation

-Rainwater Outlet

-BauderROCK Insulation (Bauderflex system) or similar

VCL layer (Bauderflex system) or similar

Opening between slab and drainage outlet tightly packed with Rockwool Shuttering Batt

-Insulation around rainwater pipe