

SEPARATING WALL / FLOOR BETWEEN COMMERCIAL UNIT CEILING DETAIL COMMERCIAL UNIT CEILING UNDER FLAT ROOF COMMERCIAL AND RESIDENTIAL **SCALE 1:10** SCALE 1:10

HANGERS LINED WITH 1 LAYER OF NOMINAL

8KG/M2 GYPSUM BASED BOARD. MIN. 50MM

COMMERCIAL UNIT

MINERAL WOOL QUILT PLACED WITHIN CEILING

LINED WITH 1 LAYER OF NOMINAL 8KG/M² GYPSUM BASED

BOARD. MIN. 25MM MINERAL WOOL QUILT PLACED WITHIN

12.5MM PLASTERBOARD (NOMINAL 8KG/M²) ON DABS WITH CONTINUOUS RIBBON OF ADHESIVE AROUND PERIMETERS

CEILING VOID.

CONTINUOUS HORIZONTAL

FLAT

RIBBON OF ADHESIVE

MF SUSPENDED CEILING SYSTEM ON RESILIENT HANGERS -

LINED WITH 1 LAYER OF NOMINAL 8KG/M² GYPSUM BASED

BOARD. 50MM MINERAL WOOL QUILT PLACED WITHIN

CEILING VOID.

SCALE 1:10

Drawing No.

Scale

7451-1-104

1:50 @ A1

Nepicar House, London Road, Wrotham Heath, Kent, TN15 7RS

phone: 01732 753333 fax: 01732 753334

info@offsetarchitects.co.uk

www.offsetarchitects.co.uk

Revision

Drawn

Check

architects