





21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Walls - Wexalen Sandstone



21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Walls - Imperial red rubbers [mixed with glazed snapped headers] by Lambas with Lime Mortar bond to match adjacent



21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Walls - [Imperial red rubbers] mixed with glazed snapped headers by Lambas with Lime Mortar bond to match adjacent



21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Walls - Imperial red rubbers [mixed with glazed snapped headers] by Lambas with Lime Mortar bond to match adjacent



21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Lime Mortar - The Lime Centre Macclesfield



21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Window, doors and rooflight casement - bronze



21/00456/LBCALT | Condition 5 21/02109/DETAIL  
Copper - lead Oxide for soffits



21/00456/LBCALT | Condition 5 21/02109/DETAIL  
Lead - core / Lead roll roof and flashings



21/00456/LBCALT | Condition 5 21/02109/DETAIL  
21/00456/LBCALT | Condition 6 21/02110/DETAIL  
Clear glazing - rooflight, windows and doors [in bronze casement]

#### Condition 5

Prior to the commencement of works at roof level, specifications (including, where applicable, size, colour, texture, profile, finish, flashing and pointing) and samples of the external roofing materials of the development hereby granted consent will be submitted and approved in writing by the local planning authority. The development shall be carried out in accordance with the approved details.

#### Condition 6

Prior to the commencement of works to the external walls, specifications (including, where applicable, size, colour, texture, profile, finish, bonding and pointing) and samples of the external surface materials of the development hereby granted consent will be submitted to and approved in writing by the local planning authority. The development shall be carried out in accordance with the approved details.