



SUMMER ASH DIEBACK SURVEY [unless otherwise stated all trees in this survey are Ash]

See Corisponding maps for tree locations

Property:	East Devon	Date of inspection:		02/07/2021	
Location:	A La Ronde	<i>Priority Categories: A = immediate, B = within 6 months or other specified time, C = pro-active / preventative</i>		Work Completed	
Usage Zone:	All Zones			Priority	Date
Site/Tree Details	Observations/Hazards Identified	Action Recommended	Priority	Date	Initial
152	Twin stem tree - Stem over driveway looks ok with no obvious dieback, although some cankers. Stem nearest Summer lane = 40-50% Dieback.	Reduce tree (both stems to Monolyth at c.5meters)	B		
086	Some dieback noted within the crown - c.20-30%	Monitor rate of dieback in 2022 survey	C	02/07/2021	RS
153	c.50% Dieback	Fell	B		
154	40% dieback	Fell (due to close proximity to neighbouring property Trebertal)	B		
155	Poor form to tree where in competition to neighbouring tree - growing out for light to the south, creating heavy lean. 30-40% dieback.	Fell - Removal will create more space for neighbouring Ash tree	B		

NOTES - TPO Consent Filed for on 23/07/21 (Ref saved in folder with this form)