











Position	Quantity	Description
UNIT 1 DRESSER	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
		<p>1770w x 1275h (Basic Frame Size) 1770w x 1300h (Viewed Outside)</p> <p>Glass Size: 1 486mm X 1127mm 2 511mm X 276mm 3 486mm X 1127mm 4 559mm X 819mm</p>
UNIT 2 ENSUTE 3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
		<p>1175w x 995h (Basic Frame Size) 1175w x 1020h (Viewed Outside)</p> <p>Glass Size: 1 483mm X 276mm 2 484mm X 847mm 3 531mm X 539mm</p>



Position	Quantity	Description
UNIT 3 ENSUTE 3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead Comment: SIZES : TBC</p>
 <p>587w x 995h (Basic Frame Size) 587w x 1020h (Viewed Outside)</p> <p>Glass Size: 1 459mm X 276mm 2 507mm X 539mm</p>		
UNIT 4 DRESSER 3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
 <p>1210w x 1295h (Basic Frame Size) 1210w x 1320h (Viewed Outside)</p> <p>Glass Size: 1 501mm X 276mm 2 501mm X 1147mm 3 549mm X 839mm</p>		



Position	Quantity	Description
UNIT 5 BEDROOM 3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>2310w x 1295h (Basic Frame Size) 2310w x 1320h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 474mm X 1147mm 498mm X 276mm 498mm X 276mm 474mm X 1147mm 546mm X 839mm 546mm X 839mm
UNIT 6 FF STUDY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>1070w x 1475h (Basic Frame Size) 1070w x 1500h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 431mm X 276mm 431mm X 276mm 431mm X 971mm 431mm X 971mm




Position	Quantity	Description
UNIT 7 FF HALL	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>1400w x 1265h (Basic Frame Size) 1400w x 1290h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 344mm X 324mm 269mm X 324mm 269mm X 324mm 344mm X 324mm 296mm X 761mm 269mm X 809mm 269mm X 809mm 296mm X 761mm 		
UNIT 8 BED 4 FRONT	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>2310w x 1295h (Basic Frame Size) 2310w x 1320h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 474mm X 1147mm 498mm X 276mm 498mm X 276mm 474mm X 1147mm 546mm X 839mm 546mm X 839mm 		



Position	Quantity	Description
UNIT 9 GYM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>1340w x 1045h (Basic Frame Size) 1340w x 1070h (Viewed Outside)</p> <p>Glass Size: 1 566mm X 897mm 2 566mm X 276mm 3 614mm X 589mm</p>
UNIT 10 GYM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>1340w x 1045h (Basic Frame Size) 1340w x 1070h (Viewed Outside)</p> <p>Glass Size: 1 566mm X 276mm 2 566mm X 897mm 3 614mm X 589mm</p>



Position	Quantity	Description
UNIT 11 GF W/C	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
 <p>1070w x 925h (Basic Frame Size) 1070w x 950h (Viewed Outside)</p> <p>Glass Size: 1 431mm X 777mm 2 431mm X 777mm</p>		
UNIT 12 COLOUR ROOM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>2400w x 595h (Basic Frame Size) 2400w x 620h (Viewed Outside)</p> <p>Glass Size: 1 696mm X 447mm 2 769mm X 495mm 3 696mm X 447mm</p>		



Position	Quantity	Description
UNIT 13 GF STUDY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>2320w x 1685h (Basic Frame Size) 2320w x 1710h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 524mm X 324mm 501mm X 276mm 501mm X 276mm 524mm X 324mm 476mm X 1181mm 549mm X 1229mm 549mm X 1229mm 476mm X 1181mm 		
UNIT 14 BEDROOM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>1210w x 1305h (Basic Frame Size) 1210w x 1330h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 501mm X 1157mm 501mm X 1157mm 	4	



Position	Quantity	Description
UNIT 15 ENSULTE 4	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
		 <p>660w x 1305h (Basic Frame Size) 660w x 1330h (Viewed Outside)</p> <p>Glass Size: 1 532mm X 1157mm</p>
UNIT 16 ENSUTE 2	2	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
		 <p>670w x 1075h (Basic Frame Size) 670w x 1100h (Viewed Outside)</p> <p>Glass Size: 1 542mm X 276mm 2 590mm X 619mm</p>



Position	Quantity	Description
UNIT 17 BED2 STUDY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>1210w x 1305h (Basic Frame Size) 1210w x 1330h (Viewed Outside)</p> <p>Glass Size: 1 501mm X 1157mm 2 549mm X 1205mm</p>		
UNIT 18 GF STUDY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF 9mm Square Lead</p>
 <p>940w x 1365h (Basic Frame Size) 940w x 1390h (Viewed Outside)</p> <p>Glass Size: 1 860mm X 1265mm</p>		
UNIT 19 GF STUDY SID	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>770w x 1365h (Basic Frame Size) 770w x 1390h (Viewed Outside)</p> <p>Glass Size: 1 642mm X 1217mm</p>		

Position	Quantity	Description
UNIT 20 DRAWING ROOM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>670w x 1365h (Basic Frame Size) 670w x 1390h (Viewed Outside)</p> <p>Glass Size: 1 542mm X 1217mm</p>		
UNIT 21 DRAWING ROOM	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>770w x 1365h (Basic Frame Size) 770w x 1390h (Viewed Outside)</p> <p>Glass Size: 1 642mm X 1217mm</p>		

Position	Quantity	Description
UNIT 22 BED 2 STUDY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>2300w x 1275h (Basic Frame Size) 2300w x 1300h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 596mm X 1127mm 821mm X 276mm 596mm X 1127mm 869mm X 819mm
Flag 1:1	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>1115w x 1925h (Basic Frame Size) 1115w x 1950h (Viewed Outside)</p> <p>Glass Size:</p> <ol style="list-style-type: none"> 453mm X 838mm 502mm X 886mm 1035mm X 907mm

Position	Quantity	Description
Flag 1:2	1	<p>Group: 58BD Single Door - Open In System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Door Handles: Silver Lever/Lever Handle Door Hinges: Black 2 Part Door Hinges Door Cylinder: Master Key Std Cylinder 35/55 Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>1000w x 1925h (Basic Frame Size) 1000w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 763mm X 1668mm</p>
Flag 1:3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>1115w x 1925h (Basic Frame Size) 1115w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 501mm X 886mm 2 454mm X 838mm 3 1035mm X 907mm</p>

Position	Quantity	Description
Flag 2:1	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>525w x 1925h (Basic Frame Size) 525w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 397mm X 838mm 2 445mm X 907mm</p>
Flag 2:2	1	<p>Group: 58BD Double Door - Open Out System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Door Handles: Black Lever/Lever Handle Door Hinges: Black 2 Part Door Hinges Door Cylinder: Master Key Std Cylinder 35/55 Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>1500w x 1925h (Basic Frame Size) 1500w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 539mm X 1668mm 2 539mm X 1668mm</p>



Position	Quantity	Description
Flag 2:3	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>525w x 1925h (Basic Frame Size) 525w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 397mm X 838mm 2 445mm X 907mm</p>
UNIT 29 BED 1	2	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
		 <p>1500w x 1295h (Basic Frame Size) 1500w x 1320h (Viewed Outside)</p> <p>Glass Size: 1 596mm X 1147mm 2 744mm X 1195mm</p>



Position	Quantity	Description
bay 3:1  403w x 1295h (Basic Frame Size) 403w x 1320h (Viewed Outside) Glass Size: 1 275mm X 1147mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 2200ea Trickle Vent Glass Type: 4/20/4 Clear Float
bay 3:2  1316w x 1295h (Basic Frame Size) 1316w x 1320h (Viewed Outside) Glass Size: 1 1236mm X 1195mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 4/20/4 Clear TUF/TUF
bay 3:3  403w x 1295h (Basic Frame Size) 403w x 1320h (Viewed Outside) Glass Size: 1 275mm X 1147mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 2200ea Trickle Vent Glass Type: 4/20/4 Clear Float



Position	Quantity	Description
bay 4:1  513w x 1585h (Basic Frame Size) 513w x 1610h (Viewed Outside) Glass Size: 1 385mm X 1437mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF
bay 4:2  1611w x 1585h (Basic Frame Size) 1611w x 1610h (Viewed Outside) Glass Size: 1 1531mm X 1485mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 6/16/6 Clear TUF/TUF
bay 4:3  513w x 1585h (Basic Frame Size) 513w x 1610h (Viewed Outside) Glass Size: 1 385mm X 1437mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF



Position	Quantity	Description
UNIT 36 drawing room	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Non-Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF</p>
		 <p>3000w x 2087h (Basic Frame Size) 3000w x 2150h (Viewed Outside)</p> <p>Glass Size: 1 860mm X 1885mm 2 859mm X 1885mm 3 860mm X 1885mm</p>
UNIT 37 GF STEAR	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW605 (58mm Med Flat) Transom/Mullion: Feature Mullion / Transom Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 8/12/8 Clear TUF/TUF</p>
		 <p>3000w x 2125h (Basic Frame Size) 3000w x 2150h (Viewed Outside)</p> <p>Glass Size: 1 2920mm X 2045mm</p>
UNIT 38 FAMILY ROOM	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF Comment: NO TRAFFIC DOOR & NO HANDLES ON OUTSIDE</p>
		 <p>4200w x 2087h (Basic Frame Size) 4200w x 2150h (Viewed Outside)</p> <p>Glass Size: 1 905mm X 1885mm 2 904mm X 1885mm 3 904mm X 1885mm 4 905mm X 1885mm</p>


Position	Quantity	Description
bay 5:1  513w x 1600h (Basic Frame Size) 513w x 1625h (Viewed Outside) Glass Size: 1 385mm X 1452mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF
bay 5:2  1611w x 1600h (Basic Frame Size) 1611w x 1625h (Viewed Outside) Glass Size: 1 1531mm X 1500mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 6/16/6 Clear TUF/TUF
bay 5:3  513w x 1600h (Basic Frame Size) 513w x 1625h (Viewed Outside) Glass Size: 1 385mm X 1452mm	1	Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF

Position	Quantity	Description
UNIT 42 LEFT SIDE	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF Comment: NO TRAFFIC DOOR & NO HANDLES ON OUTSIDE</p>
		 <p>1740w x 2337h (Basic Frame Size) 1740w x 2400h (Viewed Outside)</p> <p>Glass Size: 1 693mm X 2135mm 2 693mm X 2135mm</p>
UNIT 43 LEFT SIDE	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF Comment: NO TRAFFIC DOOR & NO HANDLES ON OUTSIDE</p>
		 <p>4175w x 2337h (Basic Frame Size) 4175w x 2400h (Viewed Outside)</p> <p>Glass Size: 1 898mm X 2135mm 2 898mm X 2135mm 3 899mm X 2135mm 4 898mm X 2135mm</p>

Position	Quantity	Description
UNIT 44 BETWEEN 2	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Non-Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 6/16/6 Clear TUF/TUF</p>
 <p>3410w x 2337h (Basic Frame Size) 3410w x 2400h (Viewed Outside)</p> <p>Glass Size: 1 996mm X 2135mm 2 997mm X 2135mm 3 996mm X 2135mm</p>	1	<p>Group: UniFOLD Open Out - Full Frame - RAL System: UniFOLD Finish: 9005 Jet Black -M Inside Finish (Dual): 9018 Papyrus White -M Handle Colour: Black Handles Hinge Colour: Black Hinges T-Handle: Locking T-Handles Transom/Mullion: UniFOLD DUMMY MULLIONS Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Drainage: Concealed Frame Extender: Top1 : 38mm Frame Extender Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear TUF/TUF Comment: NO TRAFFIC DOOR & NO HANDLES ON OUTSIDE</p>
 <p>4175w x 2337h (Basic Frame Size) 4175w x 2400h (Viewed Outside)</p> <p>Glass Size: 1 898mm X 2135mm 2 898mm X 2135mm 3 899mm X 2135mm 4 898mm X 2135mm</p>	1	

Position	Quantity	Description
UNIT 46 DRESSER SIDE	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Standard Friction Stay (13mm) Main Handles: Silver Slim Espag Handle Casement Lock: ST Offset Locks (5mm) Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Obsc Float Stippolyte 9mm Square Lead</p>
 <p>1210w x 1225h (Basic Frame Size) 1210w x 1250h (Viewed Outside)</p> <p>Glass Size: 1 501mm X 276mm 2 501mm X 276mm 3 1130mm X 769mm</p>		
UNIT 47 GF UTILITY	1	<p>Group: 58BD Single Door - Open Out System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW605 (58mm Med Flat) Door Handles: Silver Lever/Lever Handle Door Hinges: Black 2 Part Door Hinges Door Cylinder: Master Key Std Cylinder 35/55 Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Glass Type: 4/20/4 Clear TUF/TUF 9mm Square Lead</p>
 <p>900w x 1925h (Basic Frame Size) 900w x 1950h (Viewed Outside)</p> <p>Glass Size: 1 663mm X 1688mm</p>		

Position	Quantity	Description
UNIT 48 GF UTILITY	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Casement Lock: ST Offset Locks (5mm) Cill: 150mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead Comment: SIZES: TBC</p>
 <p>1210w x 1305h (Basic Frame Size) 1210w x 1330h (Viewed Outside)</p> <p>Glass Size: 1 501mm X 1157mm 2 549mm X 1205mm</p>	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Casement Lock: ST Offset Locks (5mm) Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>
 <p>760w x 715h (Basic Frame Size) 760w x 740h (Viewed Outside)</p> <p>Glass Size:</p>	1	<p>Group: 58BW ST Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Mullion / Transom Casement Sash: AW685 IG Flat Vent Main Hinges: Heavy Duty Egress Stay (13mm) Main Handles: Silver Slim Espag Handle Casement Lock: ST Offset Locks (5mm) Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float 9mm Square Lead</p>

Position	Quantity	Description
UNIT 50 LOFT REAR	3	 <p>Group: 58BW ST French Casement Window System: Aluk 58BW & 58BD Finish: 9005 Deep Black Inside Finish (Dual): 9018 Papyrus White -M Outer Frame: AW608 Head / AW605 Cill & Jamb Transom/Mullion: Feature Floating Mullions Casement Sash: AW685 IG Flat Vent Main Hinges: Egress / EasyClean Stay (13mm) Main Handles: Silver Slim Espag Handle Casement Lock: ST Offset Locks (5mm) Cill: 190mm Drop Nose Cill Overriding Cill Size: 0 Bead Group: 28mm Square Bead Drainage: Concealed Trickle Vent: Black 4000ea Trickle Vent Glass Type: 4/20/4 Clear Float</p> <p>800w x 925h (Basic Frame Size) 800w x 950h (Viewed Outside)</p> <p>Glass Size: 1 296mm X 777mm</p>
Extras	1	Extra Bay/Bow/Conservatory Items
Extras	1	Extra Bay/Bow/Conservatory Items
Extras	1	Extra Bay/Bow/Conservatory Items
Extras	1	Extra Bay/Bow/Conservatory Items
Extras	1	Extra Bay/Bow/Conservatory Items
Extras	1	Profile DUAL RAL Setup Charge Aluk
Extras	1	Profile Dual RAL Setup Charge Cortizo