

# FDA1 Aston Manor Barns - Additional Information

## Feasibility of mains foul sewer connection

It is not feasible to connect to the mains foul sewer. Severn Trent records shows no assets within the area.

**Confirm Request**

Title	Dataset	Assets	Background	Delivery Methods Available	No. of Copies	Price (exc. VAT)	Save for Later	Delete
Aston Manor Farm	Wastewater supplied by Severn Trent Water	No Assets	Mono	Download	1	£0.00		

Payment to be taken by Credit / Debit Card: **MasterCard. Verified by SecureCode. VISA**

[Severn Trent Water Terms and Conditions](#)  
Please tick to agree you have read and agree with the Terms & Conditions for the product/s selected

Print & Postage: £0.00  
Basket Total: £0.00  
VAT (at 20%): £0.00  
Total: £0.00

[< Back](#) [Next >](#)

**Saved Plots**

You have no plots saved

The nearest connection point is 1.65km away in the village of Burwarton.

google.co.uk/maps/@52.4587533,-2.5527274,15z

Measure distance  
Click on the map to add to your path  
Total distance: 1.65 km (1.02 mi)

## 10) Expected Flows (British Water Flows & Loads – 4)

### Population

Two Bed Dwelling \* 1 = P5

Four Bed Dwellings \* 3 = P18

Total = P23

### Multiplier - Groups Houses exceeding P12

$P23 * 0.9 = P20.7$

### Flow (Standard Residential)

$P21 * 150\text{lt} = \mathbf{3,150\text{Lt/Day}}$

*Bio Pure 5 daily capacity = 3,300lt*

*Daily capacity exceeds required capacity*