



KEY TO H&S SYMBOLS

- WARNING RISK
INDICATES A RESIDUAL RISK AS A WARNING.
- COMPULSORY RISK
INDICATES A RESIDUAL RISK
REQUIRING A COMPULSORY ACTION
- PROHIBITIVE RISK
INDICATES A PROHIBITIVE ACTION
REQUIRING A PROHIBITIVE ACTION.
- INFORMATION RISK
INDICATES A RESIDUAL RISK FOR INFORMATION.

- DEEP EXCAVATIONS ARE TO BE GUARDED TO PREVENT UNAUTHORISED ACCESS.
- THE CONTRACTOR IS TO VERIFY THE LOCATION OF ALL EXISTING DRAWINGS WITHIN THE SITE BOUNDARY TO ASCERTAIN REQUIREMENTS FOR DIVERSION OR REMOVAL.
- EXISTING BELOW-GROUND SERVICES MAY BE PRESENT - GROUNDWORKS CONTRACTOR TO DEVELOP SAFE SCHEME OF WORKS PRIOR TO COMMENCEMENT ON SITE.

GENERAL NOTES

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS, ARCHITECTS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.
2. ALL RELEVANT DIMENSIONS TO BE OBTAINED/CHECKED AGAINST ARCHITECT'S DRAWINGS AND BY SITE MEASUREMENT PRIOR TO THE COMMENCEMENT OF WORKS OR ORDERING OF MATERIALS. DISCREPANCIES BETWEEN THE DRAWINGS AND SITE CONDITIONS TO BE NOTIFIED TO THE ENGINEER.
3. DO NOT SCALE FROM THIS DRAWING.
4. ALL STRUCTURAL WORKS TO BE CARRIED OUT STRICTLY IN ACCORDANCE WITH THE DETAILS GIVEN BY THE ALAN JONSTON PARTNERSHIP LLP. THE ENGINEER IS TO BE ADVISED OF ANY SIGNIFICANT VARIATION PRIOR TO ITS IMPLEMENTATION.
5. SETTING-OUT OF WALLS TO BE IN ACCORDANCE WITH LATEST RELEVANT ARCHITECT'S DRAWING.
6. MATERIALS OR WORKMANSHIP NOT COMPATIBLE WITH THE ENGINEER'S DRAWINGS AND SPECIFICATION SHALL BE DEMED UNACCEPTABLE AND REMOVED FROM SITE AND REPLACED WITH WORK CORRECTLY MANUFACTURED, DELIVERED AND ERECTED.
7. THE SYMBOL IS REPRESENTED ON THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH BS 6841:2.

CONCRETE NOTES

1. MASS FILL TRENCH FILL AND GROUND BEAMS TO BE GRADE C35 CONCRETE. MINIMUM CEMENT CONTENT 240kg/m³. MAXIMUM WATER/CEMENT RATIO 0.55. MAXIMUM AGGREGATE SIZE 20mm. DC-32.
2. COVERS TO REINFORCEMENT TO BE:-
FABRIC - 20mm TOP, 40mm SIDES AND BOTTOM.
LOOSE BARS - 40mm ALL FACES.
3. LABS TO REINFORCEMENT TO BE:-
FABRIC - 450mm END AND SIDES.
LOOSE BARS - H 16 600mm, H 20 900mm.

BASED ON SITE LAYOUT AND LEVEL INFORMATION PROVIDED BY OTHERS. TO BE CHECKED AND VERIFIED AGAINST THE MOST CURRENT LANDSCAPING AND ARCHITECTURAL LAYOUTS PRIOR TO UNDERTAKING ANY WORKS. FINAL DETAILS TBC FOLLOWING UPDATED ARCHITECTS INFORMATION

NO	DATE	DESCRIPTION	BY	APP
101	02.08.2021	DRAWINGS REVISED TO SUIT NEW ROAD LAYOUT	ASJ	PS
102	02.08.2021	DRAWINGS REVISED TO SUIT NEW ROAD LAYOUT	ASJ	PS
103	02.08.2021	FIRST ISSUE	ASJ	PS

DRAWING STATUS

TENDER

CLIENT: MIDLANDS PARTNERSHIP NHSFT

ARCHITECT: GILLING DOD ARCHITECTS

PROJECT: OAK WARD PROPOSED SECLOSURE

TITLE: EXTERNAL WORKS GENERAL ARRANGEMENT

STATUS	PROJECT NO.	PROJECT	ORGANISATION	FORM	DISC.	DRAWING NO.	REV.
S2	221-082	0MM/PT - AJP - V1 - ZZ - DR - C	0011400	T03			

SCALE: B1:1
175

ISSUED: P Bryan
ASJ/Amguez

CHECKED: P Bryan
P Bryan

APPROVED: P Bryan
P Bryan

DATE: MAY 2021

ARP consulting engineers
4/015 227 1462. 85info@arp.co.uk. 91 Dale Street, Liverpool, L2 2ET