

Predicted Future Growth Of Canopy (Shaded Dark Green & Surrounding Current Crown Shape) Trees To Be Removed
Broken Black Ring Surrounding

Tree Quality Assessment Centre Colours As Below Green Centre = High Quality (Denoted By Letter A)

Blue Centre = Moderate Quality (Denoted By Letter B)

Yellow Centre = Low Quality (Denoted By Letter C) Red Centre = Unsuitable To Retain (Denoted By Letter U)

BS Root Protection Area As Shown By The Red Circle Around The Tree Tree / Woodland Groups Root Protection Area Shown By Red Outline

Surrounding Group Removed Tree / Woodland Groups Hatch Fill And Root Protection Area Removed

Hedgerows Root Protection Area Shown By Red Outline Surrounding Hedge

Removed Hedgerows
Hatch Fill And Root Protection Area Removed

Position Of Protective Barrier (Continuous Blue Line) Ground Protection Required (Areas Indicated By Orange Hatching)


Institute of Chartered Foresters

Registered Consultant Arboricultural Impact Assessment

Tree Protection Plan (TPP)

Retained Trees Shown On Proposed
Layout With Protective Measures Indicated Land At Maple Avenue,

Shildon For



The Old School, Quarry Lane, Butterknowle, Co. Durham, DL13 5LN Tel 0191 3739494 01388 710481 email info@allabouttrees.co.uk www.allabouttrees.co.uk Drawn at Durham Office By TA Checked by AW Scale 1:200 at A0 Date 04.05.21

-Registered Chartered
-Arboricultural Consultants
-Planning & Development
-Urban Forestry
-Ecological Consultants Drawing Ref. Revision