



- NOTE:
- 1) THIS DRAWING REPRESENTS THE DESIGN INTENT. FINAL DETAILS WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.
 - 2) DRAWING TO BE READ IN CONJUNCTION WITH ARUP SPECIFICATION YGH-ARP-Z6-XX- SP-FA-0001 & 0002
 - 3) DRAWINGS BASED UPON SURVEY DRAWING 2579-04&05b REV B BY NGM
 - 4) ALL STEELWORK TO BE S275 U.N.O
 - 5) DOUBLE GLAZED ROOFLIGHTS TO BE CLASS 2 TO CWCT TN66
 - 6) PORTAL FRAME TO BE FORMED FROM 20mm THICK STEEL PLATES. T-PROFILE 200dp x100w.
 - 7) FOR CDM RISKS REFER TO DOCUMENT YGH-ARP-Z6-XX-HS-FA-0001
 - 8) ACCESS TO ROOF WILL REQUIRE OPERATIVES TO USE CRAWLER BOARDS TO AVOID STANDING ON THE GLAZING.
 - 9) ALL INSULATION TO BE NON-COMBUSTIBLE
 - 10) ALL DIMENSIONS TO BE CONFIRMED ON SITE PRIOR TO FABRICATION.
 - 11) ALL DESIGN DATUM LEVELS TO BE CHECKED WITH BFF PRIOR TO CONSTRUCTION.

FOR EAVES DETAIL REFER TO DRG YGH-ARP-Z6-XX-DR-FA-7003

TWO-WAY SPANNING DOUBLE GLAZED UNIT

FOR EAVES DETAIL REFER TO DRG YGH-ARP-Z6-XX-DR-FA-7002

BUTTRESS LINES

270x200mm SIMPLE STEEL BASEPLATE WITH 2 NO. HOLDING DOWN BOLTS. BASEPLATE GROUTED FOR TOLERANCE.

FOUNDATION SET 225mm BELOW FFL. REFER TO ARUP STRUCTURES FOR FOUNDATION INFORMATION.

Note:

This design is based upon relatively limited survey information. The Contractor shall undertake their own detailed survey works prior to completion of the design in order to validate all design setting out and assumptions.

CDM Note:

Principal Designer (CDM 2015) to confirm access and maintenance strategy presented in the design intent information.

ARUP

13 Fitzroy Street
London W1T 4BQ
Tel +44 (0)20 7636 1531 Fax +44 (0)20 7580 3924
www.arup.com

Project Title
YORK GUILDHALL
REFURBISHMENT
SLYPE SPACE

Client
CITY OF YORK COUNCIL

DrawingTitle
ELEVATION ON PORTAL FRAME

Scale at A3
1:20

Role
HERITAGE / DESIGN CONSULTANT

Suitability
STAGE 2 - PRELIMINARY

Arup Job No
246583-12

Rev
P03

Name
YGH-ARP-Z6-XX-DR-FA-7001