

CONCRETE RAMP WITH NON SLIP SURFACE


NEW 100mm DRAINAGE CONNECTION FROM NEW STUB STACK TO EXTG. MANHOLE TO BE FORMED

CONCRETE STEPS


PVC EXTERNAL DOOR AND FRAME

EXISTING DRAIN RUN FROM SVP TO BE EXPOSED DURING EXCAVATIONS

ELECTRIC RING MAINS INSTALLED AT FIRST FLOOR LEVEL WITH DROPS TO GROUND FLOOR SOCKETS AND SWITCHES



GROUND FLOOR PLAN



NEW INTERNAL WALLS FORMED WITH 70x50 SW STUDS, 12.5mm PLASTERBOARD AND SKIM EITHER SIDE AND VOID FILLED WITH 75mm ACOUSTIC MINERAL WOOL

NEW WASTES FROM ENSUITE TO DISCHARGE INTO EXTG. STACK

CAVITY WALL COMPRISES OF 100mm FACING BRICK TO MATCH EXTG. 100mm CAVITY FILLED WITH 100mm INSULATION BOARD AND 100mm 3.5N BLOCKWORK TO RECEIVE PLASTER AND SKIM FINISH


EXTG. STACK TO BE BOXED IN AND SURROUNDED WITH ACOUSTIC MINERAL WOOL

EXTG. WINDOW REMOVED OPENING MADE WIDER AND BROKEN OUT TO FFL WITH NEW CATNIC LINTOL INSTALLED OVER


CAVITY GABLE WALL COMPRISES OF 100mm FACING BRICK TO MATCH EXTG. 100mm CAVITY FILLED WITH 100mm INSULATION BOARD AND 100mm 3.5N BLOCKWORK TO RECEIVE PLASTER AND SKIM FINISH

EXTG. STACK EXTENDED TO SECOND FLOOR

50 x 170 SW C16 JOISTS @ 400mm CENTRES OVER TO FORM SECOND FLOOR, DOUBLE BENEATH PARTITIONS



FIRST FLOOR PLAN



SECOND FLOOR PLAN

CLIENT

Mr W ANDERSON
7 MILLFIELD LANE, YORK

PROJECT

EXTENSION

TITLE

PROPOSED PLANS

STATUS

PLANNING APPLICATION

DATE

MAR 2021

DRAWING NUMBER

2021 / 01 / 04

SCALE

1 : 100