



SPECIFICATION:

SIZE:
100' LONG x 60' WIDE x 15' HIGH TO EAVES WITH A 15° ROOF PITCH

STRUCTURE:
STANCHIONS: 305MM x 165MM x 40KG UB STANCHIONS
RAFTERS: 254MM x 146MM x 31KG UB RAFTERS

CHS RAFTER BRACING ONE END BAY COMPLETE WITH KNEE BRACING TO EAVES.
PAINTWORK FINISH:
ALL STEELWORK TO BE SHOTBLASTED AND PAINTED WITH A RED SEMI GLOSS FINISH.
PURLINS:
TO SUPPLY 225x75 TANALISED TIMBER PURLINS BOLTED TO FRAME AT 1.525M CENTRES.
EAVES BEAMS TO BE 225x75 TANALISED TIMBER.

ROOF CLADDING:
TO SUPPLY MARLEY ETERNIT PROFILE 6 REINFORCED CORRUGATED NATURAL GREY FIBRE CEMENT SHEETS. RIDGE TO BE ALTERNATING CLOSED FITTING AND VENTILATING CROWN CRANKED. VERGES TO BE FINISHED WITH FIBRE CEMENT BARGE BOARDS. MARLEY ETERNIT HAS A FULL 30 YEAR GUARANTEE.

ROOF LIGHTS:
INCORPORATE 40 NO. 1.525M CORRUGATED 2.40KG/M GRP PROFILE 6 ROOFLIGHTS IN ROOF CLADDING POSITIONED TO SUIT CUSTOMERS REQUIREMENTS.

RAINWATER GOODS:
EAVES GUTTER TO BE 160 ON THE SIDE WITH 2 NO. 100MMØ PVC DOWNPIPES TO EACH SIDE. ALL GUTTERS TO BE PVC WITH RUBBER SEALED JOINTS FIXED TO EAVES BEAMS WITH PVC BRACKETS AT 1M INTERVALS AND PVC DOWNPIPE CLIPS TO STANCHIONS.

END CLADDING:
BOTH GABLE ENDS TO BE CLAD DOWN TO EAVES LEVEL ONLY WITH 150x25 TANALISED TIMBER YORKSHIRE BOARDING ON 125x75 TANALISED TIMBER SHEETING RAILS.

SIDE CLADDING:
NOT REQUIRED.

DOORS:
NOT REQUIRED.

PLEASE NOTE NO ASSUMPTION SHOULD BE MADE IN RESPECT TO ANY DIMENSIONS OR MATERIALS SPECIFIED IN THIS DRAWING. THIS DRAWING MUST BE CONSIDERED APPROXIMATE. VARIATIONS MAY OCCUR DURING DETAILING. DRAWING PRODUCED FOR PLANNING PURPOSES ONLY.

CONTRACT:
MR ROBERT NORTH
KINSEY BUCKS

TITLE:
ELEVATION DRAWING

CLIENT:
MR NORTH
MANOR FARM
KINSEY BUCKS
HP17 8LU

DRWN BY:	MIKE OLLIER	DATE:	07/05/2014
CHK'D BY:		DATE:	07/05/2014
A3 SCALE:	1/175		
REVISIONS:			
Rev.	Date	Description	By

ROBINSONS SCOTLAND LTD

PROCESSES 2 INDUSTRIAL EST
BROOKING ROAD, LOCKENBIE
DUNDEE DD11 2SU

TELEPHONE: 01576 205605
FACSIMILE: 01576 204466
DRAWING OFFICE: 01606 596638

DRG. No. RSL4-8265/S4383