

Mendip District  
Cannards Grave Road,  
Shepton Mallet  
Somerset  
BA4 5BT



**Advice : HSL-21111104329-151 Crosses Explosive Safeguarding Zones**

**Your Ref:** 2021/2503/FUL

**Development Name:**

**Comments:**

The site which you have identified currently lies within one or more Explosives Safeguarding Zones; please contact the HSE Explosives Inspectorate.

The Explosives Inspectorate can be contacted at:

Health and Safety Executive  
Explosives Inspectorate  
Redgrave Court  
Merton Road  
Bootle  
Merseyside  
L20 7HS  
Email: [explosives.planning@hse.gov.uk](mailto:explosives.planning@hse.gov.uk)

Please note that this advice is based on the specific information provided by Nicola Fensham on behalf of Mendip District and the explosive safeguarding zone data held by HSE on this date.

Mendip District  
Cannards Grave Road,  
Shepton Mallet  
Somerset  
BA4 5BT




## Advice : HSL-21111104329-151 Does Not Cross Any Consultation Zones

Your Ref: 2021/2503/FUL

Development Name:

Comments:



The proposed development site which you have identified does not currently lie within the consultation distance (CD) of a major hazard site or major accident hazard pipeline; therefore at present HSE does not need to be consulted on any developments on this site. However, should there be a delay submitting a planning application for the proposed development on this site, you may wish to approach HSE again to ensure that there have been no changes to CDs in this area in the intervening period.

This advice report has been generated using information supplied by Nicola Fensham at Mendip District on 11 November 2021.