

Consultation status
Reference: 22/00405/MMA



Case number:	22/00405/MMA
Site address:	Oast House South Of Scarletts Furnace Lane Cowden Kent TN8 7JT
Proposal:	Minor material amendment to 19/00589/FUL.
Determination date:	3rd May 2022

Consultations received	Date printed	Expiry date	Reply date
Consultations outstanding	Date printed	Expiry date	Reply date
SES Sutton & East Surrey Water Company	08/03/2022	29/03/2022	
Environment Agency Kent Sustainable Places	08/03/2022	29/03/2022	
SUDs - Local Lead Flood Authority	08/03/2022	29/03/2022	
South East Water Ltd	08/03/2022	29/03/2022	
KCC Highways	08/03/2022	29/03/2022	
SDC - Tree Officer	08/03/2022	29/03/2022	
County Archaeological Officer	08/03/2022	29/03/2022	
KCC - Ecology	08/03/2022	29/03/2022	
Kent Wildlife Trust	08/03/2022	29/03/2022	
Natural England	08/03/2022	29/03/2022	
Wealden District Council	08/03/2022	29/03/2022	
SDC - Conservation	08/03/2022	29/03/2022	
Parish Council	08/03/2022	29/03/2022	

Consultation Status - Correct at 08/03/2022