

Quotation Prepared for: Mr Phil Brown  
Sloane and Brown Ltd  
Unit 3b  
Woodhorn Lane  
Oving  
Chichester  
West Sussex  
PO20 2BX

Terms & Conditions:

PLEASE NOTE: Dale are a supply only company and as such it is the responsibility of the customer to ensure all products meet current building regulations. No liability will be accepted for non-compliance. All confirmed specification and sizing must be checked upon issue of the document headed 'Contract' and confirmed in writing prior to manufacture. Any amendments made to the contract after sign off may be chargeable and may also affect the current lead times. Any term 'contract' is between Dale as the supplier and the chosen builders merchant. The above is a summary only; full terms and conditions are available on request.

Site Address: Polo items, Park House Hotel, Bepton Rd, Midhurst, West Sussex, GU29 0JB

Technical Specification:

All products in multi-layer Finger Jointed Redwood sections for added stability. Internally beaded throughout for security. Factory glazed with argon gas filled double glazed units featuring soft-coat energy saving glass. Drained and vented sections to protect against sealed unit failure. Fully factory finished with high performance, micro-porous paint treatments. Entrance doors fitted with multi-point claw locks and robust, adjustable hinges. Flush casement windows with high security multi-point locking systems and locking handles. Where FSC is shown against an item, joinery is supplied as FSC Mix Credit under Chain of Custody Registration No TT-COC-005135

Item	Qty	Item Reference	Product	Price (Ex VAT)	Remarks
1	1	Polo Left of door Bedroom	Flush Casement Window (FSC)	£557.32	Connoisseur - Brass. 18mm bar. Dual Colour.
2	1	Polo Bedroom	Entrance Door (FSC)	£1530.13	Chatsworth - Brass. Dual Colour.
3	1	Polo Right of door Bedroom	Flush Casement Window (FSC)	£557.32	Connoisseur - Brass. 18mm bar. Dual Colour.
4	1	Polo	Flush Casement Window (FSC)	£524.97	Connoisseur - Brass. 18mm bar. Dual Colour.
5	1	Polo Entrance	Entrance Door (FSC)	£1830.21	Chatsworth - Brass. Dual Colour.
6	1	Polo Bedroom	Flush Casement Window (FSC)	£1113.49	Connoisseur - Brass. 18mm bar. Dual Colour.
7	1	Polo Bedroom	Flush Casement Window (FSC)	£604.20	Connoisseur - Brass. Dual Colour.
8	1	Polo Bathroom	Flush Casement Window (FSC)	£899.28	Connoisseur - Brass. 18mm bar. Dual Colour.

Units: 8

Nett Price: £7,616.94  
VAT (20%): £1,523.39  
Total Price: £9,140.33

Optional Cavity Former Cost £457.02 (Not included in the price)

Your Guarantees:

Fungal & Insect	Sealed Unit	Hardware	Workmanship	Paint	Stain
					
<b>30 YEARS</b> GUARANTEE	<b>10 YEARS</b> GUARANTEE	<b>10 YEARS</b> GUARANTEE	<b>10 YEARS</b> GUARANTEE	<b>10 YEARS</b> GUARANTEE	<b>5 YEARS</b> GUARANTEE

Item: 1

FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD



Quantity: 1

Style: One Off


Item Reference: Polo Left of door Bedroom

Quote Ref: 143/2 V1

Key Features:

A

B



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	410	Head Drip	None	Glass Pattern	Clear
Height (mm)	1300				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Toughened
Deep Rails	Top - 110mm				
Feature Mould	Bevel	Trickle Vents Required	No	Glazing Features Size of Bar	Horizontal Astragal Bars 18mm
Internal Colour	Light Ivory (RAL 1015) (B)	Window Board Required	No	Handle	Connoisseur - Brass
External Colour	Signal White (RAL 9003) (A)	Window Board Groove	No	Peg Stay Alignment	No Pegstay
				Hinge System	Friction with Kenrick locks
Cill	165mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood			FSC Certified	Yes
Cill Horns	No				
Factory Fit Cill	Yes				

Notes: Glazing bars to line through with door

Item: 2

ENTRANCE DOOR IN FINGER JOINTED REDWOOD



Quantity: 1

Style: IN-A-Wardour


Item Reference: Polo Bedroom

Quote Ref: 143/2 V1

## Key Features:

A

B




DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.

DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

## Detailed Specification:

Overall Width (mm)	850	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	1919	Cill Type	Projecting Cill	Glass Type	4mm Toughened
Frame Head Size	60mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Plank Effect
Stiles & Rails	110mm	Cill Horns	No	Door Sash Glazing Features	Astragal Squares
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Size Of Bar	18mm
Mid-Rail Height (mm)	600	Factory Fit Cill	Yes	Door Handle	Chatsworth - Brass Lever/Lever (Kaba)
Hinge Side	Right	Add Ons Required	No	Door Knocker	No
Door Opens	In	Trickle Vents Required	No	Letterbox	None
Door Sash Style	Wardour	Threshold Board Required	No	Security Chain	None
Internal Colour	Light Ivory (RAL 1015) (B)	Hinge Colour	Brass	Thumb Turn Required	Yes (Kaba)
External Colour	Signal White (RAL 9003) (A)	Threshold Colour	Gold	FSC Certified	Yes
		External Access	Yes		

**Notes:** Glazing bars and sight lines to line through with windows either side 1900 mm high



**Optimal Door - Open In**  
**Feature Mould: Bevel**  
**Vertical Section**  
**Standard Threshold with 145mm x 35mm Projecting Cill**

Item: 3

FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL3


Item Reference: Polo Right of door Bedroom

Quote Ref: 143/2 V1

Key Features:

A

B




Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	410	Head Drip	None	Glass Pattern	Clear
Height (mm)	1300				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Toughened
Deep Rails	Top - 110mm				
Feature Mould	Bevel	Trickle Vents Required	No	Glazing Features	Horizontal Astragal Bars
		Window Board Required	No	Size of Bar	18mm
Internal Colour	Light Ivory (RAL 1015) (B)	Window Board Groove	No	Handle	Connoisseur - Brass
External Colour	Signal White (RAL 9003) (A)			Peg Stay Alignment	No Pegstay
				Hinge System	Friction with Kenrick locks
Cill	165mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood			FSC Certified	Yes
Cill Horns	No				
Factory Fit Cill	Yes				

Notes: Glazing bars to line through with door



Detailed Specification:		VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.			
Width (mm)	750	Head Drip	None	Glass Pattern	Clear
Height (mm)	915	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Bevel	Window Board Required	No	Size of Bar	18mm
Internal Colour	Light Ivory (RAL 1015) (B)	Window Board Groove	No	Handle	Connoisseur - Brass
External Colour	Signal White (RAL 9003) (A)			Peg Stay Alignment	No Pegstay
Cill	165mm x 38mm (inc. in overall ht)			Hinge System	Friction with Kenrick locks
Cill Species	Finger Jointed Redwood			FSC Certified	Yes
Cill Horns	No				
Factory Fit Cill	Yes				

Item: 5

ENTRANCE DOOR IN FINGER JOINTED REDWOOD



Quantity: 1

Style: IN-A-Wardour

Item Reference: Polo Entrance


Quote Ref: 143/2 V1

## Key Features:

A

B

C




DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.

DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

## Detailed Specification:

Overall Width (mm)	900	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	2000			Glass Type	4mm Toughened
Frame Head Size	60mm	Cill Type	Projecting Cill		
Stiles & Rails	110mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Plank Effect
		Cill Horns	No		
Feature Mould	Bevel	Cill Species	Finger Jointed Redwood	Door Sash Glazing Features	Astragal Squares
Mid-Rail Height (mm)	600	Factory Fit Cill	Yes	Size Of Bar	18mm
Hinge Side	Right	Add Ons Required	No	Door Handle	Chatsworth - Brass Lever/Lever (Kaba)
Door Opens	In			Door Knocker	No
Door Sash Style	Wardour	Trickle Vents Required	No	Letterbox	Sleeve 316 Coastal - Stainless Brass PVD
				Letterbox Door Position	Midrail
Internal Frame Colour	Light Ivory (RAL 1015) (C)	Threshold Board Required	No	Security Chain	None
External Frame Colour	Signal White (RAL 9003) (A)			Thumb Turn Required	Yes (Kaba)
Internal Sash Colour	Light Ivory (RAL 1015) (C)	Hinge Colour	Brass		
External Sash Colour	Pebble Grey (RAL 7032) (B)	Threshold Colour	Gold	FSC Certified	Yes
Internal Cill Colour	Light Ivory (RAL 1015) (C)	External Access	Yes		
External Cill Colour	Signal White (RAL 9003) (A)				

**Notes:** Colour to be confirmed Spencer unable to measure due to architrave



**Optimal Door - Open In**  
**Feature Mould: Bevel**  
**Vertical Section**  
**Standard Threshold with 145mm x 35mm Projecting Cill**



Item: 6

## FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL47


Item Reference: Polo Bedroom

Quote Ref: 143/2 V1

## Key Features:

A

B




## Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	910				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Bevel	Trickle Vents Required	No	Glazing Features	Horizontal Astragal Bars
Style Option	Dummy Sash	Window Board Required	No	Size of Bar	18mm
Equalise Glass Widths	Yes	Window Board Groove	No	Handle	Connoisseur - Brass
Internal Colour	Light Ivory (RAL 1015) (B)			Peg Stay Alignment	No Pegstay
External Colour	Signal White (RAL 9003) (A)			Hinge System	Friction with Kenrick locks
Cill	165mm x 38mm (inc. in overall ht)			FSC Certified	Yes
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	Yes				

Item: 7	FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD	▲	Quantity: 1
Style: DL21	Item Reference: Polo Bedroom	Quote Ref: 143/2 V1	

**Key Features:**



VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

**Detailed Specification:**

Width (mm)	900	Head Drip	None	Glass Pattern	Clear
Height (mm)	590				
Frame Head Size	60mm	Add Ons Required	No	Glass Type	4mm Annealed
Feature Mould	Bevel	Trickle Vents Required	No	Glazing Features	None
Floating Mullion	No	Window Board Required	No	Handle	Connoisseur - Brass
Equalise Glass Widths	Yes	Window Board Groove	No	Peg Stay Alignment	No Pegstay
Internal Colour	Light Ivory (RAL 1015) (B)			Hinge System	Friction with Kenrick locks
External Colour	Signal White (RAL 9003) (A)			FSC Certified	Yes
Cill	None				

Item: 8

FLUSH CASEMENT WINDOW IN FINGER JOINTED REDWOOD



Quantity: 1

Style: DL21


Item Reference: Polo Bathroom

Quote Ref: 143/2 V1

Key Features:

A

B



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1170	Head Drip	None	Glass Pattern	Satinovo
Height (mm)	760	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Bevel	Window Board Required	No	Size of Bar	18mm
Floating Mullion	No	Window Board Groove	No	Handle	Connoisseur - Brass
Equalise Glass Widths	Yes			Peg Stay Alignment	No Pegstay
Internal Colour	Light Ivory (RAL 1015) (B)			Hinge System	Friction with Kenrick locks
External Colour	Signal White (RAL 9003) (A)			FSC Certified	Yes
Cill	165mm x 38mm (inc. in overall ht)				
Cill Species	Finger Jointed Redwood				
Cill Horns	No				
Factory Fit Cill	Yes				

Item	Ref.	Description	Actual Frame Size	Qty	Price Each	Total Price
1	Polo Left of door Bedroom	Flush Casement Window	410 x 1300	1	557.32	557.32
2	Polo Bedroom	Entrance Door	850 x 1919	1	1530.13	1530.13
3	Polo Right of door Bedroom	Flush Casement Window	410 x 1300	1	557.32	557.32
4	Polo	Flush Casement Window	750 x 915	1	524.97	524.97
5	Polo Entrance	Entrance Door	900 x 2000	1	1830.21	1830.21
6	Polo Bedroom	Flush Casement Window	1500 x 910	1	1113.49	1113.49
7	Polo Bedroom	Flush Casement Window	900 x 590	1	604.20	604.20
8	Polo Bathroom	Flush Casement Window	1170 x 760	1	899.28	899.28
		Special RAL Colour Surcharge			0.00	0.00

TOTAL 7616.94