

TABLE E6

	Notes:
	 DO NOT SCALE FROM THIS DRAWING. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS ASSOCIATED WITH THIS PROJECT.
COVER GRADE - SEE TABLE FINISHED PAVEMENT LEVEL TO OTHER CONCRETE SURROUND TO 600mm BELOW GROUND	2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS ASSOCIATED WITH THIS PROJECT.
MANHOLE COVER COMPLYING WITH CLAUSE E2.32 IF DISTANCE FROM COVER LEVEL TO SOFFIT OF PIPE IS > 1m, ACCESS OPENNING SHALL BE RESTRICTED TO 350mm DIAMETER OR 300mm x 300mm FLEXIBLE SEAL 450mm MINIMUM INTERNAL DIIMENSIONS 450 mm DIA OR 450 mm x 450 mm	FOR THE DISCHARGE OF PLANNING CONDITIONS 13 AND 38
<u>EXIBLE MATERIAL)</u> S	A FOR APPROVAL SBR CJM 15.03.22 Rev Description Drn Chk Date Bace Civil & Structural Engineering Consultants The Old Engine House, Goblands Farm Business Park Court Lane, Hadlow, Kent. TN11 0DP Tel 01732 851416 Structural Engineering@bdr.uk.com
EASY BEND IF REQUIRED GRANULAR BEDDING MATERIAL GRANULAR BEDDING MATERIAL SUMP TO BE CUT TO SUIT REQUIRED SUMP DEPTH AND SET IN CONCRETE INVERT OF CONNECTING PIPE AT LEAST 50mm ABOVE THAT OF THE MAIN PIPE	Client CIVILS CONTRACTING LTD. Project FORMER SYNGENTA WORKS, HAMSTEAD LANE, YALDING, KENT [BUSINESS PARK] Drawing DRAINAGE CONSTRUCTION DETAILS SHEET 1 OF 2
<u>P TO 3m</u>	FOR APPROVAL Scale @ A1 Date FEB22 Drawn by SBR Checked CJM Job No. Drg. No. Rev 22-0042 C105551 A