

Development Services

Warwick District Council, Riverside House,
Milverton Hill, Royal Leamington Spa, CV32 5HZ

TH Hardwoods
Thomas Hunter
Village Hall Fosse Way
Warwickshire
Eathorpe
CV33 9DE

Web: www.warwickdc.gov.uk
Email: planning.enforcement@warwickdc.gov.uk
Direct line: 01926 456557
Your ref: W/22/0694 TCA

Date: 26/04/2022

Dear Thomas Hunter

Application No: **W/22/0694 TCA**

Description: T1 x Maple - Crown to be reduced by up to 40%. Light thin and deadwood
T2 x Spruce - Fell
T3 x Maple - Crown to be reduced by up to 40%. Light thin and deadwood
T4 x Dawn Redwood - Fell
T5 x Silver Birch - Crown reduction of up to 25%. Light thin and deadwood

Address: Village Hall, Fosse Way, Eathorpe, Leamington Spa, CV33 9DE

Applicant: TH Hardwoods

NOTIFICATION OF INCOMPLETE OR INCORRECT APPLICATION

NB. You have stated on your application form that the tree(s) is/are protected by a TPO, but our records show there is no TPO at this present time, therefore, your application is being treated as 'notification of proposed works to trees in a Conservation Area'

I acknowledge receipt of your application dated 24/04/2022 received on 25/04/2022.

I regret that the details you have sent are inadequate and your application cannot be dealt with until the following extra information is received:

- 1 Your application does not sufficiently identify the specific works that are proposed to be undertaken to the tree(s). Please clearly identify the specific works that are proposed for each tree in accordance with the instructions on pages 2 and 3 of the enclosed guidance notes:-

If you are proposing the crown reduction of the tree, the amount of reduction proposed should either be stated in terms of the intended height and spread of the tree after pruning (in metres), or what is to be removed (e.g. length of branches), rather than what percentage (%) of the overall crown is to be removed. Annotated photographs can be helpful in describing the desired result.

- 2 If you are proposing the crown thinning of the tree, please specify the percentage of the leaf area that you propose to remove (usually no more than 30%).

Until the above information is received your application is invalid and cannot be processed further. If this information has not been received by 17/05/2022, then the above application will be treated as having been withdrawn.

I look forward to receiving the above details as soon as possible.

Yours sincerely



Planning Enforcement - Development Manager