



**Arboricultural Impacts: Summary**  
(For details, see below)

Impact	No. of Trees
Trees to be removed	0
Trees to be pruned	4
Groups to be pruned	1

  

**Trees to be pruned**

No.	Species	Works
8	English oak	a) Reduce south canopy to 6.5m from trunk, 2.3m from branch tips b) Crown lift over private gardens to 5m above ground level c) Remove deadwood over path
9	English oak	a) Reduce southeast canopy to 7m from trunk, 2.4m from branch tips b) Crown lift over private gardens to 5m above ground level c) Remove deadwood over path
16	English oak	a) Reduce south canopy to 9m from trunk, 2.7m from branch tips b) Crown lift over private gardens to 5m above ground level c) Remove deadwood over path
17	English oak	a) Reduce lower south canopy to 8.5m from trunk, 3.5m from branch tips b) Crown lift over private gardens to 5m above ground level c) Remove deadwood over path
G3	Western red cedar	a) Reduce south canopies to 2.5m from trunk, c. 1 to 1.5m from branch tips b) Crown lift south canopies to 5m above ground level

Pruning is to be undertaken in accordance with the British Standard Recommendations for Tree work, BS3998: 2010.  
Climbing irons or spikes are not to be used whilst pruning trees.

**SJA trees** Edge of canopy following pruning.

**SJA trees** Trees to be pruned to specification in inset panel

**SJA trees** ARBORICULTURAL PLANNING CONSULTANTS

**Project:** Plot nos. 38, 39, 43 and 44 Chapel Lane, Bagshot

**Client:** CALA HOMES

**Drawing:** TREE WORKS PLAN

**Drawing no.:** SJA TWP 20057-061

**Based on:** Site plan

**Drawn by:** FJC **Date of Issue:** April 2022 **Scale:** 1: 250 @ A3

**Checked by:** Tel: (01737) 813058 **sjatrees.co.uk**

<b>Tree nos.:</b> 8	<b>Canopies of trees to be retained:</b> [Green circle icon]	<b>Trees to be pruned:</b> [Blue circle icon]
<b>Indicative pruning line:</b> [Dashed line icon]	<b>TPO nos. and ref.:</b> TPO W1 1458/2012	

For further information refer to the SJAtrees Tree Survey Schedule. Do not scale from this drawing, please check all dimensions on site, and notify us of any discrepancies. SJAtrees (the trading name of Simon Jones Associates Ltd.) cannot be held responsible for inaccuracies in the topographical plan on which this drawing is based. © Simon Jones Associates Ltd. 2022. This drawing is copyright and may not be used or changed without the written consent of SJAtrees. This drawing is based on the proposed layout plan shown and referred to above. SJAtrees authorises its reproduction, without amendment, by the Local Planning Authority (LPA), and to its posting on the LPA website, to assist in consideration of this application only. This drawing is designed to reflect only the principles of layout and/or design insofar as these relate to the protection of trees to be retained, and should NOT be read as a definitive engineering or construction method statement. Reference should be made to the architect or structural engineer, as appropriate, over any matters of construction detail or specification, or any engineering standards or regulatory requirements relating to proposed structures, hard surfaces or underground services.

