

# STANDARD PATIO AREA

## SUPPORTING SPECIFICATIONS


- Buton Fencing
  - Buton fencing example photograph
  - Buton fencing specification
  
- Patio Furniture
  - Aubrilam brochure
  
- Cycle Stand
  - Sheffield Cycle Stand




Buton Fence with light posts



AEW Architects  
Century Building  
33, Market Place  
Manchester M3 2DD  
T +44 (0) 161-214 4370  
F +44 (0) 161-214 4371



TYPICAL BARRIER & LAMP POST DETAIL @ 1:20



TYPICAL BARRIER OFFSET DETAIL @1:20

### DETAILED BUTON RAILING

**BUT001**



## Range furniture presentation



**4-Seat rectangular table**  
PMT0233



**4-Seat round table**  
(must be fixed to the ground)  
PMT0234



**8-Seat rectangular table**  
PMT0235



**Lounge Area**  
Bench with armrest (left or right) PMT0237-238  
Single chair PMT0239  
Coffe table PMT0236  
(must be fixed to the ground)




**Dustbin**  
PMP0121  
**Planter**  
PMJ0213



**Division screen**  
(must be fixed to the ground)  
PTP0244  
**Ashtray**  
PMC0112

# Lighting pole/

Moshi



**CE marked product :**  
Certificate of conformity CE 0679-CPD-0473.

Wood sourced from sustainably managed Northern European forests (**FSC certified**).

**No chemical treatments.**

**All wood waste** at the factory recycled.

**Moshi column :**  
Special mention of the jury for Business and Environment Award.  
Ministry of sustainable development 2009 - Paris.

**Lifecycle analysis according to reference norms ISO 14040 and ISO 14025.**

Comparison of a wooden 5m Moshi pole with a metal pole\* :

- 86 Kg of CO2 offset
- 215 kWh saved
- 5,5 Kg less hazardous waste



## Sheffield Cycle Stand

### BXMW/GS/Sheffield-Stand

The Sheffield Cycle Stand is recommended by the national cycling associations, this best selling tubular cycle stand allows the bike to be secured in a variety of ways.

#### Capacity:

- 2 Cycles

#### Standard Single Unit Size:

- Width: 715mm
- Height: 800mm
- Junior stands are 600mm high
- Diameter: 48.3mm
- Recommended spacing between cycle stands: 800mm

#### Features:

- Simple and easy to install
- Stands are available in Senior and Junior sizes

#### Fixings:

- Root Fixed
- Baseplate Fixed

#### Finishes Available:

- Galvanised to BS EN ISO 1461:2009
- Galvanised to BS EN ISO 1461:2009 & Polyester Powder Coated
- Stainless Steel Grade 304
- Stainless Steel Grade 316
- Duracast™ Polyurethane version (a long lasting environmentally friendly material that is rust proof and can also be painted to a range of colours)



Broxap Ltd., Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD

All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time.

All prices exclude VAT and delivery.