







ELEVATION 18



Existing uPVC Shiplap Cladding to be replaced with new "HardyPlank VL"weatherboard cladding system. To include new breather membrane, battens, 100mm Rockwool Thermal-Acoustic Insulation, Full Fill Batts or similar approved. Insulation to be Euroclass Class A1 and associated trims and fixings.



External Wall Insulation (EWI) to be installed to all concrete edge beams between floor levels and to roof level with PermaRock Mineral Fibre EWI System with 50mm insulation and Silicone ULTRA K-Finish through colour decorative render. Colour TBC.



All communal external door units including side screens are to be replaced with new Aluminium framed door system, to match existing in style and profiles. Doors to be provided with new push plates, kick plates and stainless steel handles.



Existing pitched roof tiles are to be replaced with new 18x334mm Redland Min. Stonewold roof tiles. To include new underlay and battens and new Rockwool RW4 insulation between joists.

HardiPlank VL System Colour Options TBD



Arctic White



Sail Cloth

Woodland Cream

Planning Stace Harlow Council Five Acres -External Repairs and Refurbishment Works Drawing Title Block 2 Flats 38-42 Proposed Elevations Sheet Size 1:50 A0

Drawn by

A

09/05/2022

2021/0833/017

Drawing No.

This drawing and all the information shown is the property of Stace LLP and shall not be copied in whole, or in part, or used for any other purpose without written permission of the company.

All figured dimensions are to take precedence over scaled dimensions. All dimensions are to be checked on site. Any discrepancies must be reported to the Designer for verification prior to commencement of

If this Auto CAD drawing is being read by any system other than Auto CAD it should be checked against an original hard copy printed by Stace LLP. Stace LLP cannot accept liability for omissions. The original measured survey was prepared by UKBS LTD

the affected works.

Rev Date Description