

200m 100m 40m 12m 8m 4m 1.6m 0.8m

25m 50m 12.5m 25m 5m 10m 2m 4m 1m 2m 0.5m 1m

10m 4m 2m 1m

50m 20m 8m 4m 2m 0.8m 0.4m

 1:2500
 0

 1:1250
 0

 1:500
 0


 1:200
 0

 1:100
 0

 1:500
 0

REPRODUCED FROM THE 1:2500 ORDNANCE SURVEY MAP WITH THE PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. CROWN COPYRIGHT; ANDREW FLEET MCIAT, 6 REGENT PLACE, SOHAM, CAMBRIDGESHIRE, CB7 5RL LICENCE No. AR 100033546

BIODIVERSITY PROVISION



NOTES:

THE COPYRIGHT OF THIS DRAWING IS RETAINED BY ANDREW FLEET MCIAT THIS DRAWING MUST NOT BE SCALED ALL DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO COMMENCING WORK OR ORDERING ANY MATERIALS. ANY DISCREPENCIES TO BE NOTIFIED IMMEDIATELY.

SURFACE WATER DRAINAGE

100mm DIA SUPERSLEEVE DRAINS LAID TO MINIMUM 1:100 FALL ON CLASS 'S' PEA SHINGLE BED SURROUND AND COVER , FROM RAINWATER DOWNPIPE TO 1.50m DIA SOAKAWAY POSITIONED MINIMUM 5.00m FROM ANY BUILDING. SOAKAWAY DEPTH TO SUIT SITE CONDITIONS, FILLED WITH CLEAN BRICK RUBBLE COVERED WITH TERRAM GEOTEXTILE MATTING AND 250mm OF TOPSOIL.

FOUL WATER DRAINAGE

1.20m or LESS 1.50m or LESS OVER 1.50m OVER 3.00m

ALL BELOW GROUND FOUL WATER DRAINAGE TO COMPLY WITH BS EN 752 Parts 1-4 100mm SUPERSLEEVE DRAINS LAID TO MINIMUM 1:60 FALL ON CLASS 'S' PEA SHINGLE BED SURROUND & COVER. FOUL WATER MANHOLES COMPRISING OF, WHERE DEPTH LESS THAN 1.00mm; 450mm DIA PREFORMED POLYPROPYLENE INSPECTION CHAMBERS INSTALLED IN STRICT ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS, WITH MEDIUM DUTY COVER AND FRAME WHERE DEPTH EXCEEDS 1000mm; 150mm CONCRETE BASE WITH PRECAST CONCRETE SECTIONS, SURROUNDED IN 150mm CONCRETE, WITH COVER SLAB AND MEDIUM DUTY COVER AND FRAME. ALL MANHOLES EXCEEDING 1.00m IN DEPTH TO BE FITTED WITH METAL STEP IRONS IF LIGHT DUTY COVERS AND FRAMES ARE USED THEY MUST BE SCREW DOWN TYPE TO PREVENT ACCESS BY CHILDREN DEPTH OF MANHOLE INTERNAL SIZE OF MANHOLE

450 x 450mm or 450mm DIA

750 x 675mm or 1000mm DIA 1200 x 1000mm or 1200mm DIA 1050 x 800mm or 1050 DIA

WHERE DRAINS PASS THROUGH EXTERNAL AND LOADBEARING WALLS BRIDGE WITH A PCC LINTEL TO GIVE 50mm ALLROUND CLEARANCE. MASK OPENING BOTH SIDES WITH RIGID SHEET MATERIAL TO PREVENT ENTRY OF FILL OR VERMIN.

N/A 150 x 150mm HOLE IN BASE OF FENCE N/A ON ALL ENCLOSED BOUNDARIES

GREEN AND BLUE BEE BRICK BUFF IN SOUTH WALL AT LEAST 1m FROM GROUND LEVEL

MANTHORPE SWIFT BOX BUFF IN EAST/WEST GABLE AT HIGHEST POINT UNDER VERGE

SCHWEGLER WALL-MOUNTED BAT SHELTER 2FE BUFF ON EAST/WEST GABLE AT HIGHEST POINT UNDER SOFFIT

Revision	Notes			Date	Drawn	Chckd
Client						
ANGLIA DEVELOPMENTS LTD						
RESIDENTIAL DEVELOPMENT 2 DETACHED DWELLINGS						
Address 37 MILDENHALL ROAD						
FORDHAM CAMBRIDGESHIRE						
Drawing						
SITE PLAN						
Drawing No. 21:004-302					Revision	4
So	ale	Paper Size	C	Drawn	Cheo	ked
1:	100	A1		XXX	XX	х
6 Regent Place, Soham, Ely, Cambridgshire, CB7 SRL Tel: (01353) 720651 w: www.andrewfleet.co.uk e: mail@andrewfleet.co.uk						