

Cedral Rivendale Blue Black fibre cement slate size 600x300x4mm

Radio 5 Live • Listen Live • E... x 1 new message x +

cedral.world/en-gb/roofing/fibre-cement-slates/rivendale/

App... BBC • Homepage RBS login ELC view planning a... Google Maps Streetmap eDevelopment Scot... RIAS nim object Edinburgh Rugby sust cert PDF to DWG conver... Dropbox Curtis Banks

About Etex Careers Newroom

CEDRAL Facade **Roofs**

Products Projects Stockist Documents Blog Assistance and Contact **Request your FREE sample**

Home > Roofing > Fibre cement slates > Rivendale

Rivendale

Cedral Rivendale slates are designed to reflect the qualities of natural slate. Available in Blue-Black or Cromleigh Graphite. Rivendale slates have a beautifully textured surface and dressed edges, combining the benefit of modern slate technology with the look of a natural slate.

With more cement and fibres than any other, Cedral slates are the strongest slates in the market, tough enough to withstand the most volatile weather conditions.

A light-weight material, our slates contribute to eco-construction and respect the environment, allowing you to reduce the carbon footprint considerably of any build.

Colour: Blue-Black

Radio 5 Live • Listen Live • E... x 1 new message x +

cedral.world/en-gb/roofing/fibre-cement-slates/rivendale/

App... BBC • Homepage RBS login ELC view planning a... Google Maps Streetmap eDevelopment Scot... RIAS nim object Edinburgh Rugby sust cert PDF to DWG conver... Dropbox Curtis Banks

About Etex Careers Newroom

CEDRAL Facade **Roofs**

Products Projects Stockist Documents Blog Assistance and Contact **Request your FREE sample**

- Strongest fibre cement slate available
- Best fixed roofing material with 40 fixings per m2
- Perfect for our volatile weather conditions
- Maximum design scope with various colours and fixing option for both roof and facade
- Low maintenance
- Sustainable products with low carbon footprint of 16 CO2e/m2
- Rated "Very Good" to BES 6001 for responsible sourcing
- A+ Green Guide Rating

[Click to download our Declaration of Performance](#)

Blue-Black	600mm x 300mm
Cromleigh Graphite	600mm x 300mm

Technical data

Size of slate	600mm x 300mm
Minimum pitch*: Moderate exposure	22.5° (100mm lap) 20° (110mm lap)
Minimum pitch*: Severe exposure	25° (100mm lap) 22.5° (110mm lap)



