




- Quality tree work
- Excellent customer service
- Fully qualified and experienced personnel
- Established in 1982

10th May 2022

Mr & Mrs Wilkinson 3 Kirby Drive Bowburn Co Durham DH6 5GA

## Arboricultural statement

The following arboricultural statement makes recommendations for tree work at the above property.



G1. Birch X2 Crown thin 2 X Birch trees, closest to neighbouring

property, by 15%

G2. Conifers X2 Fell 2 X trees in corner of garden, as close to

ground level as practical. They are shading out better broadleaved

trees

Unit 3, Langley Park Industrial Estate North, Witton Gilbert, Co Durham, DH7 6TX
Tel: 0191 373 9771

www.oliverstreeservices.co.uk - info@oliverstreeservices.co.uk











## Crown thinning



Crown thinning is the removal of a portion of smaller branches, usually at the outer crown, to produce a uniform density of foliage around an evenly spaced branch structure. It is usually confined to broad-leaved species. Crown thinning does not change the overall size or shape of the tree but alters the density of the crown. Material should be removed systematically throughout the tree, should not exceed the stated percentage and not be more than 30% overall. Common reasons for crown thinning are to allow more light to pass through the tree, reduce wind resistance, reduce weight (but this does not necessarily reduce leverage on the structure) and is rarely a once only operation particularly on species that are known to produce large amounts of epicormic growth.

All tree work is to be undertaken in accordance with current good arboricultural practice and guidance.

We aim to maintain excellent customer service and would value any comment or suggestion on the services we provide.

Please send any comments or suggestions to info@oliverstreeservices.co.uk

I trust that you find the above satisfactory and look forward to hearing from you.

Yours sincerely

Stephen Keene HNC Arb.