

Tree Management Plan					Schedule		20 April 2022	
Site: Claydon Est. Lime Av. and Warners			Surveyor: Matthew Steele					
Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
835	Cork Oak	V	16	100	Fair. Historic loss of codominant stem 0-2m North, good reaction wood formation/attempting to occlude. Limited root development/ reactive wood formation North at ground level, extensive hollowing below ground level. Asymmetric crown heavily weighted South-South East.	Reduce spread of the canopy (SE) by 3m and reshape to rebalance the canopy and reduce the likelihood of failure. Aerial inspect the defect at 11m North-East and reduce as required by up to 25% sail area or report back findings.	MR	3
836	Cork Oak	V	17	120	Fair. Historic loss of codominant stem north-east. Strip of necrotic bark/dysfunctional timber from ground level east to 13m south up to 13cms wide possible lightning strike, some subsidence of effected stem evident. Reduced 2022 by 2m removing 70% leaf area. Defect in lateral at 6m south-west, exudation possibly bleeding canker/Phytophthora. Partially failed hanging lateral at 11m East, major deadwood. Low canopy (cattle grazed)	Crown raise to 2m, removing no more than 2m from the descending secondary lateral branches.	MR	24
G1	Pine/Oak	SM	7	25	Good. Low canopy. Low apical dominance.	Crown raise to a maximum of 3m above ground level, removing no more than 20% leaf area to encourage apical dominance and good form.	MR	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
837	Oak	OM	17	160	Poor. Historic loss of main stem/upper canopy at 12m, significant decay/cavitation in main stem. Further failure of large lateral branches likely. High habitat value.	Restrict public access during events. No Work Required.	-	24
G2	Pine/Oak	SM	7	25	Good. Low canopy, snapped branch in pine group. Low apical dominance.	Crown raise to a maximum of 3m above ground level, removing no more than 20% leaf area to encourage apical dominance and good form.	MR	24
G3	Oak	SM	30	15	Good	Crown raise to 3.5m, removing no branches in excess of 10cm diameter.	MR	24
838	Oak	V	10	220	Fair. Historic loss of main stem at 2m-3m with epicormic growth/regeneration up to 20cms diameter at 2.5m above ground level. Extensive decay of main stem with reaction wood forming new main stems from 0-3m.	Reduce crown by 3m (removing no more than 4m from any one branch) to encourage vigour of epicormic growth from stump and to ensure the retention of the remaining stem (retrenchment pruning to create a pollard)	12	24
839	Pine	M	20	45	Good. New fence enclosed within garden. Loss of lateral at 12m north with dead branch stub.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
840	Oak	OM	20	80	Good. New fence enclosed within garden. Slight retrenchment of upper canopy typical of age. Polyporus fruiting bodies at base, animal activity has exposed the extent of decay within the main stem, extending throughout the base of the tree with limited buttress root formation south. risk of failure from ground level during high winds, major deadwood at 6+7m north, 18m west and 15m north.	No Work Required.	-	24
841	Oak	OM	20	90	Poor. Retrenchment of upper canopy, decayed Laetiporus fruiting bodies fallen from canopy. Loss of large lateral at 6m south 2020 exposing internal decay, cavity in main stem at 5m north/east. Major deadwood throughout crown.	Restrict access within drip line during major events. No Work Required.	-	24
842	Horse Chestnut	OM	20	80	Poor. Retrenchment of upper canopy. Kretzschmaria fungal fruiting bodies 0-2m west and Ganoderma present at base West with extensive decay of one buttress root. Some necrotic bark in upper canopy.	No Work Required	-	24
843	Oak	M	20	90	Good. Partial failure of lateral at 10m south-east. Loss of codominant stem at 14m west 2021. Major deadwood.	No Work Required	-	24
844	Oak	M	10	55	Fair. Ribs of reaction wood on main stem, low spreading habit. Partial inclusion of main union at 2.5m.	Crown raise to 2.5m to remove cattle grazed branches.	MR	24
845	Oak	V	21	230	Poor. Reduced to 12m removing several tons of deadwood in 2020. Risk of failure at or near ground level is still possible under normal conditions. Extensive decay, Potentially dangerous, restrict public access during events.	No Work Required. Restrict access during events.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
846	Oak	M	7	30 x 45	Poor. Retained rib of reaction wood from the rotten stump of a veteran tree (4m diameter). Extensive decay throughout main stem. Branch formation at 4.5m, up to 25cms diameter.	Reduce to 4.5m to create a pollard effect, retaining some of the branch structure to create a framework for establishing regrowth.	MR	24
847	Ash	OM	22	90	Poor. Historic limb shedding at 6+7m north-east and south-east. Recent loss of major lateral at 6m north and 10m west with a large cavity and decay within the main stem. Further limb shedding likely.	Restricted public access during events. No Work Required. Monitor for signs of Ash dieback	-	3
848	Oak	D	19	140	Dead. Heavy lean west towards event field, extensive decay within the main stem at 4m south-east. Potentially dangerous, the retention of the tree is required by the client.	No Work Required. Restrict public access to at least 30m from the tree during events.	-	24
849	Oak	M	25	120	Good. Tri stemmed at 7m. Historic tear out at 6-8m north-west. Major deadwood throughout canopy, recent limb shedding at 13m and 18m south and 13m west 2021. Partial failure of codominant stem at 8m west with a longitudinal split extending 3m from the union, significant subsidence of the stem evident (reduced by 8m 2021).	No Work Required.	-	24
850	Oak	OM	23	90	Good. Major deadwood/branch nubs from historic limb shedding throughout crown. Tear out in lateral at 8-9m north-west with strong reaction wood formation, longitudinal split in lateral at 15m south.	No Work Required.	-	24
851	Oak	D	20	170	Dead. Recent limb shedding.	Restrict public access below the crown during events. No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
852	Oak	M		110	Good condition and vitality. Historic retrenchment of upper canopy, major deadwood and branch stubs throughout canopy. Tear out at 15m North with good reaction wood formation.	No Work Required.	-	24
853	Oak	OM		160	Poor, Significant historic and recent limb shedding resulting in large and damaging tear-outs on the main stem and large lateral branches. Area of decay present in the main stem at point of historic limb loss/removal at 4m West. Loss of upper canopy/main stem from 6-9m 2021.	Reduce remaining lateral branches by up to 8m retaining some small diameter branches.	3	24
854	Lime	OM	9	90	Poor. Hollow at base, opening at ground level north and south with decayed fungal bracket (Ganoderma?). Good buttress root formation at base. Failed at 3.5m during high winds 2019 with the loss of the codominant stem north/east exposing extensive main stem decay, (reduced to 9m to ensure retention of monolith).	No Work Required.	-	24
855	Lime	M	22	65	Good. Multi stem from 4-5m with tight included unions typical of species. Good reaction wood formation. Bleeding canker on main stem 2-3m north and south-west.	No Work Required.	-	24
856	Lime	OM	22	70	Poor. Twin stem at 3.5m with large Ganoderma bracket adjacent to the union, Extensive decay extends down the main stem (sounded with hammer) Major deadwood and retrenchment of codominant stem west.	Fell or reduce to 5m and retain as a monolith	3	-

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
857	Lime	OM	15	60	Poor. Extensive decay present in main stem, loss of codominant stem north-east at 5-6m, the remaining stem has died back to 5m from ground level, epicormic growth and lateral branches have been removed to create a living monolith.	No Work Required.	-	-
858	Lime	M	22	55	Good. Multi stemmed from 5m, bleeding canker on the main stem at 4m south. Moderate deadwood throughout crown.	No Work Required.	-	24
859	Lime	M	23	60	Good. Some major deadwood throughout crown.	No Work Required.	-	24
860	Lime	M	24	65	Good. Epicormic growth 2-10m on the main stem restricting full visual assessment.	No Work Required.	-	24
861	Lime	M	24	60	Good. Bleeding canker present 1-5m south-west.	Remove major deadwood at 12m south.	12	24
862	Lime	M	23	60	Good. Historic loss of co-dominant stem at 10m within the centre of crown, no subsidence evident, limited reaction wood formation. Major Deadwood throughout crown.	Reduce compromised codominant stem by 3m.	12	24
863	Lime	M	26	70	Good. Major Deadwood throughout crown. Partially failed lateral at 12m north.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
864	Lime	M	15	45	Fair. Partially suppressed, low vitality.	No Work Required.	-	24
865	Lime	M	22	60	Good. Epicormic obscuring the main stem 5-10m restricting full visual assessment. Major Deadwood throughout crown.	No Work Required.	-	24
866	Lime	V	25	90	Good. Twin stemmed at 4m. Major Deadwood throughout crown.	No Work Required.	-	24
867					Failed near to ground level during high winds 2019			
868	Lime	M	18	70	Good. Major deadwood throughout crown. Loss of codominant stem at 15m south/east.	No Work Required.	-	24
869	Oak	D	10	110	Dead monolith. Basal decay west 40% circumference, Laetiporus fungal fruiting bodies on main stem 5m North.	Test annually by applying 2t at 70% above ground level.	3	24
870	Lime	OM	21	70	Fair. Slight retrenchment of upper crown, Major Deadwood.	No Work Required.	-	24
871	Lime	OM	21	60	Fair. Slight retrenchment of upper crown, Major Deadwood at 16 + 18m south, tested with a throwline.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
872	Lime	V	25	80	Good vitality and condition some major Deadwood.	Remove some of the largest pieces of major deadwood.	6	24
873	Lime	M	17	60	Fair. Slight retrenchment. Major Deadwood and hanging branches.	Remove Major Deadwood.	6	24
874	Lime	M	18	60	Good. Epicormic obscuring the main stem. Major Deadwood throughout crown.	No Work Required.	-	24
875	Lime	OM	20	140	Poor. Historic loss of main stems at 3.5m. Codominant stem north-west (weighted heavily) with extensive main stem decay. The ability of the reaction wood to compensate for the decay is limited due to the form of the of tree/unions. Some subsidence evident. Kretzschmaria and honey fungus present 0-2m within the centre of the stem.	Fell and replant or reduce to 5m and retain as a monolith.	1	-
876	Lime	V	25	100	Fair. Retrenchment of crown with epicormic growth, multi stemmed.	No Work Required.	-	24
877	Lime	OM	22	60	Good. Major Deadwood throughout crown and a large hanging branch at 5m south-west.	No Work Required.	-	24
878	Lime	M	22	60	Good condition and vitality. Heavy lean east with slightly under-developed buttress roots west.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
879	Lime	OM	25	90	Fair. Slight retrenchment of upper canopy, epicormic growth throughout the crown which is obscuring the main stem 2-6m restricting a full visual assessment. Major Deadwood.	No Work Required.	-	24
880	Lime	OM	20	90	Fair. Multi stemmed, slight retrenchment of upper canopy, dense epicormic growth obscuring the main stem restricting a full visual assessment. Major Deadwood and hanging branches at 8m south/west and 5m south.	No Work Required.	-	24
881	Lime	OM	22	70	Fair. Slight retrenchment of upper canopy, epicormic growth throughout crown. Necrotic bark/dysfunctional timber on the main stem 30% circumference at 6-10m south/east. Major Deadwood.	No Work Required.	-	24
882	Lime	M	22	65	Good. Some Major Deadwood throughout crown.	No Work Required.	-	24
883	Lime	M	18	65	Good. Slight retrenchment of upper canopy. Major Deadwood. Moderate deadwood throughout the canopy.	No Work Required.	-	24
884	Lime	D	5	70	Dead-Dying monolith with epicormic growth from 2-4m and extensive main stem decay.Epicormic removed 2022.	No Work Required.	-	-
885	Lime	M	22	60	Good. Major Deadwood throughout crown.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
886	Lime	M	9 (15)	60	Poor. Historic loss of main stem at 9m with strong epicormic growth 6-9m. Remaining codominant lateral has a tear out at 9m South.	Reduce lateral to a height of 9m, retaining the tear out, reducing the length of the lateral by 7m to retain safely and reshape.	MR	24
887	Lime	M	22	60	Good. Major Deadwood throughout crown.	No Work Required.	-	24
888	Lime	V	4 (8)	1/3 140	Poor. Historic loss of co-dominant stem east 0-4m with 40% retained sap wood/reaction wood. Strong epicormic growth from 3.5-4m. Ustulina throughout the main stem 2.5-4m	No Work Required.	-	24
889	Lime	OM	24	90	Fair. Slight retrenchment of upper canopy. Epicormic growth throughout the crown and Major Deadwood.	No Work Required.	-	24
890	Lime	V	25	100	Good vitality. Epicormic growth obscuring the main stem 4-10m. Some Major Deadwood.	No Work Required.	-	24
891	Lime	M	22	90	Good vitality. Slight retrenchment, epicormic growth obscuring the main stem 2-7m. Major deadwood and hanging branches at 8m south/west.	No Work Required.	-	24
892	Lime	V	24	70	Good. Moderate Deadwood.	No Work Required	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
893	Lime	M	10	30	Good. Low apical dominance, poor form, mechanical damage to buttress roots south.	No Work Required	-	24
894	Lime	V	24	120	Good. Dense Epicormic growth obscuring full visual assessment of the main stem. Major Deadwood.	No Work Required	-	24
895	Lime	V	23	75	Good. Moderate Deadwood, epicormic growth obscuring the main stem.	No Work Required	-	24
896	Lime	M	21	80	Good. Slight retrenchment of the upper canopy. Major Deadwood. Epicormic growth at 4-6m restricting full visual assessment of the centre of the crown	Remove or test Major Deadwood at 5m and 11m north/east.	6	24
897	Lime	V	23	90	Fair. Twin-stemmed at 6m. Major Deadwood and hanging branches. Slight retrenchment of the upper canopy.	No Work Required	-	24
898	Oak	V	23	90	Good. Multi-stemmed from 7m. Major Deadwood. Area of dysfunctional timber/necrotic bark on lateral at 6m south-east and 14m west, occluding well. Hanging branch at 8m east, loss of two large laterals at 9 and 17m, 2020, partially failed lateral at 6m south.	No Work Required	-	24
899	Oak	M	21	70	Good. Some Major Deadwood throughout crown.	No Work Required	-	24
900					Failed near to ground level during high winds 2020			

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
901	Lime	OM	9	90	Poor. Retrenched monolith with epicormic growth reduced to 4m, 2022.	No Work Required	-	24
902	Lime	OM	22	120	Poor/Fair. Area of necrotic bark 0-2m south-east. Ganoderma brackets present between buttress roots. Major deadwood and hanging branches, retrenchment of upper canopy. High risk of failure during strong winds.	No Work Required.	-	24
903	Oak	V	25	120	Good vitality. Large tear out/limb loss at 7m north-east. Strip of dysfunctional timber 1.5-8m east possible lightning strike, occluding well, woodpecker hole at 8m East extending to a depth of 10cms. Major Deadwood. Limb shedding (storm damage) at 22m west and 14+16m east.	No Work Required	-	24
904	Lime	M	12	40	Good, multi stemmed from 2.5m with a tight included union.	No Work Required	-	24
905	Lime	OM	12	60	Poor. Tri-stemmed from 9m. Major retrenchment of upper canopy. Major Deadwood.	Reduce to 12m and Remove Major Deadwood.	6	24
906					Root plate failure during strong winds 2020.			
907	Lime	D	12	45	Dead, Monolith reduced to 1m.	No Work Required	-	24
908	Lime	OM	12	45	Poor. Low vitality and retrenchment of upper canopy.	Remove Major Deadwood	3	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
909	Lime	OM	18	90	Fair. Low vitality and significant retrenchment of upper canopy. Major Deadwood throughout crown.	Remove Major Deadwood with the use of a rope and harness.	3	24
910	Oak	V	22	100	Poor, Very low vitality, historic limb shedding/tear outs at 4-12m South West. Inonotus dryadeus between buttress roots south/west and north/east, major deadwood. Retrenchment of the outer canopy.	No Work Required	-	24
911	Oak	V	19	80	Good vitality and condition. Epicormic throughout crown. Major Deadwood.	No Work Required	-	24
912	Oak	M	16	60	Fair. Reduced vitality, extensive cavitation located within the main stem opening at 3m south and west. Decayed fungal fruiting bodies present at ground level possibly Polyporus squamosus. Partially failed lateral at 12m south and 10m west.	Remove partially failed lateral at 10m south.	3	24
913	Lime	V	25	100	Good. Dense canopy, multi-stemmed. Epicormic growth throughout the crown. Major Deadwood.	Remove Major Deadwood at 6m west and 8m south.	3	24
914	Lime	V	22	75	Good. Major Deadwood throughout crown.	Remove Major Deadwood.	3	24
915	Lime	Y	7	15	Dead-Dying, Poor establishment.	Fell and replant with an english oak.	3	-

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
916	Lime	M	25	75	Good. Strip of necrotic bark/dysfunctional timber 0-5m South with Ganoderma brackets present 0-5m. Major deadwood.	Remove Major Deadwood 0-10m	3	24
917	Oak	M	18	90	Fair. Historic loss of codominant stem from 1.5-4.5m resulting in extensive decay/cavitation of main stem. Good reaction wood formation limited by longitudinal split 0-2m south-east. Tear outs/dysfunctional timber on lateral branches at 10-12m north and 3+4m west.	Reduce affected lateral branches as dictated by the extent of decay resulting from damage caused by 'tear out'. Remove Major Deadwood and reduce height and spread south and west by 3m, removing no more than 4m from any one cut to further encourage development and vitality of the inner/mid canopy (veteranisation/retrenchment pruning 30% by volume)	12	24
918	Lime	OM	15	60	Fair. Historic retrenchment of upper canopy with epicormic growth forming new upper canopy. Major deadwood.	Remove Major Deadwood and reduce the height by up to 3m as determined by aerial inspection and to remove the decayed section of the main stem where loss/historic retrenchment occurred and decay is visible.	3	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
919	Walnut	M		60	Fair. Multi stemmed from 3.5m. Occluding, oozing, longitudinal split in codominant stem at 5.5-7m south. Historic tear out at 3.5-4.5m north-east with strong reaction wood formation, decay evident. Major deadwood. Low canopy. Storm damaged laterals 5-11m south 2021.	Remove Major Deadwood to a height of 5m above ground level and remove hanging branches. MR Crown thin/reduce the affected co-dominant stem to decrease the sail area by 50%, limited scope for reduction following BS3998, removing up to 2m from any one cut. Crown raise to 3m.	3	24
920	Oak	V	22	120	Fair. Laetiporus present within main stem with fungal fruiting body at 6m south-east, historic limb shedding at 4m north-east, 6m North-West, 8m south and 6+8m south-east. Storm damaged 2021 with main stem failure from 5-12m	Reduce to 6m to create a monolith for habitat value.	12	24
921	Lime	M	22	130	Good. Dense epicormic growth from 2-10m restricting full visual assessment. Some major deadwood. Area beneath the canopy is enclosed by a barbwire fence to reduce the likelihood of access during events.	No Work Required.	-	24
922	Walnut	M	14	50	Good. Cavity in main stem at 9m East due to loss of co-dominant stem, with good reaction wood formation. Low canopy. Minor deadwood.	Remove small, secondary branches to provide 1.8m clearance from ground level.	MR	24
923	Poplar	SM	13	35	Good. Twin stemmed at 2.4m.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
924	Lime	V-OM	14	110	Poor. Historic retrenchment of main stem resulting in major deadwood up to 40cm in diameter at 7-10m above ground level. Previously pollarded at 8-10m with mature scaffold branches. Some epicormic growth, reduced vitality.	Remove Major Deadwood including the 3m dead top. MR Re-pollard (reduce to create pollard effect) removing up to 7m of 'new growth' retaining major scaffolding branches and internal epicormic growth, removing up to 50% leaf area.	3	24
925	Lime	SM	12	30	Fair. Band of metal fencing causing damage to cambium at 0-15cm, restricting the potential for the tree to replace T924. Limited life expectancy.	No Work Required	-	24
931 (680)	Ash	OM	21	120	Reduced vitality, inonotus active within major scaffold branches, limb shedding above the events field. Major Deadwood. Previously heavily reduced over the roadside.	Remove one piece of Major Deadwood from above the Event's Field.	3	24
932	Lime	OM	18	120	Poor. Extensive historic retrenchment of upper canopy. Epicormic growth throughout the crown. Major Deadwood and hanging branches.	Remove Major Deadwood and hanging branches. Crown reduce the upper canopy by up to 3m.	3	24
933 (682)	Sycamore	M	22	70	Good. Cavity within the base of the main stem north-east with rapidly increasing Ganoderma bracket. Good buttress root formation/reaction wood. Reduced vitality in the upper canopy, some major deadwood, laterals above the highway historically heavily reduced, lower canopy encroaching on the highway.	No Work Required	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
934	Lime	V	25	150	Good vitality and condition, dense epicormic growth restricting full visual assessment. Some large hanging branches and Major Deadwood.	Remove some of the Major Deadwood and hanging branches	3	24
935	Lime	OM	11	90	Poor. Decaying monolith with epicormic growth 0-9m	Reduce to 6m and remove epicormic growth to create a living monolith.	12	24
936	Lime	OM-V	19	140	Fair. Reduced vitality. Major Deadwood and hanging branches.	Remove some Major Deadwood and hanging branches	3	24
937	London Plane	V	26	120	Good. Major Deadwood.	Remove Major Deadwood at 10m and 12m east.	12	24
938	Sycamore	OM	19	60	Fair. Significant decay and cavities within the main stem at 15m north-west and on a lateral at 12m east. Reaction wood present. Major deadwood at 3m west.	Remove Major Deadwood at 3m west.	3	24
939	Lime	V	26	110	Good. Major deadwood and hanging branches throughout crown.	Remove Major Deadwood and hanging branches	3	24
940	Giant Redwood	M	21	80	Poor. Significant historic livestock damage and decay within the base South, west and north including a small area east, totalling in excess of 60% circumference. Heavy lean east.	No Work Required. Stock fencing excludes access to the most likely drop zone in the event of failure near ground level. Some damage to the fence will occur.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
941	Giant Redwood	V	26	180	Great vitality and condition	No Work Required	-	24
942	Scots Pine	SM	8	30	Fair. Poor form, low canopy. Major Deadwood. Partial failure of laterals at 4m north.	Crown raise to 2.5m by removing two primary branches and one partially failed lateral.	MR	24
943	Giant Redwood	V	25	180	Good. Historic loss of main leader, some historic livestock damage <5%	No Work Required	-	24
944	Giant Redwood	OM	13	90	Poor. Significant livestock damage east 35%. Loss of co-dominant stem south-east 2019.	No Work Required	-	24
945	Lime	V	22	140	Fair. Retrenchment of upper canopy with epicormic growth throughout crown. Major deadwood and very large hanging branches throughout crown. Longitudinal strip of dysfunctional timber and decay present in lateral at 2m north-east. Strong reaction wood formation.	Remove major deadwood and hanging branches and reduce lateral branch by 7m.	3	24
946	London Plane	V	27	110	Good. Two pieces of major deadwood within the centre of the crown. Damage caused by rubbing branches at 9m south above the Highway.	Remove major deadwood and reduce the lateral above the Highway by 5m to a suitable side branch.	MR	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
947	Ash	M	19	60	Good. Partially suppressed, light ivy covering on main stem. Phototropic lean east, area of decay at base south-west, possibly at the point of historic co-dominant limb/stem removal. Main stem decay present. Major deadwood at 3-4m south.	No Work Required	-	24
948	Oak	M	17	90	Good, some major deadwood.	No Work Required.	-	24
950	Oak	OM	13	55	Fair, Slight retrenchment, good vitality. Some major deadwood and areas of dysfunctional timber.	No Work Required.	-	24
951	Oak	OM	19	80	Good. Historic retrenchment of upper canopy. Major deadwood, areas of dysfunctional timber on lateral branches. Failed hanging laterals at 10+15m east.	Remove hanging branches and clear the fallen pine.	3	24
952	Horse Chestnut	M	15	Av 40	Poor. Multi stemmed from 0-1m. Large area of decay present at 0-1m south at base of dead stem >30% circumference, some reaction wood formation, standing dead stem to 10m. Phototropic lean north-west.	Remove two lateral branches at 2m west and 5m north-west and remove 1 codominant stem at 2m west to rebalance the crown.	3	24
953	Cherry	Dead	3	40	Dead partially failed stem hanging in adjacent tree, dense vegetation restricts access.	No Work Required.	-	24

Tree Number	Species	Age Class	Height (m)	DBH (cm)	Conditions	Recommendations	Priority (months)	Re-inspect (months)
954	Oak	M	16	50	Good. Ivy restricting full visual assessment. Split hanging branches caused by failure of adjacent tree above area of restricted access.	Remove split hanging branch above the events field and crown raise to provide 3m clearance from ground level.	3	24
955	Ash	OM	10	40	Poor. Base inaccessible due to dense vegetation. Historic retrenchment, Major deadwood. Numerous Inonotus brackets located on the main stem and major scaffold branches. Large areas of dysfunctional timber on main stem. Asymetric south/east, safe under normal conditions.	No Works Required.	-	24
956	Oak	M	21	65	Good. Some major deadwood, cavity in lateral branch at 5m West.	No Work Required	-	24
					End of Survey			