

From: Sandra.Hornor@bcn.gov.uk
To: G1@drstump.co.uk
Subject: Re: Invalid Letter 2205014/TREICA
Date: 02 August 2022 10:23
Attachments: image001.png

Good morning

Apologies however I am unable to view the attached jpeg files.

The location of the trees is unclear from the diagram within an email, please provide aerial screenshot of Google maps or any other sketch showing nearby properties etc so I can locate the trees on our maps.

Thank you

Regards


Sandra Hornor BA (Hons) Technical Support Officer
Borough Council of King's Lynn and West Norfolk
E: sandra.hornor@bcn.gov.uk
T: 01553 618424

View recent planning applications: <https://www.west-norfolk.gov.uk/online-applications/>
Submit a planning application on-line: <http://www.planningportal.gov.uk>

From: Info Stump <G1@drstump.co.uk>
Sent: 02 August 2022 12:30
To: Borough Planning <borough.planning@west-norfolk.gov.uk>
Subject: Re: Invalid Letter 2205014/TREICA

Good day, that's odd.

Please see attached.



Appreciably,
In Business Please
Director
DR STUMP LIMITED.



Lowering our carbon footprint through safe, advanced equipment and quality fuels.

Please do not print this email unless absolutely necessary.

10 BLUNTON ROAD, FRETTONHAM, NORWICH, NR12 7NG, ENGLAND.

01603 358776
07715 200076

Company number: 0486801
www.drstump.co.uk

On 2 Aug 2022, at 11:01, <G1@drstump.co.uk> <G1@drstump.co.uk> wrote:

Planning Invalid Please see attached

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

G1@drstump.co.uk
c:\In7_invalid_letter_jpeg_incorrect_send.rtf