

Development Management
New Forest District Council
Appletree Court
Beaulieu Road
Lyndhurst SO43 7PA

REF: 077_PD_SPV

September 13, 2022

Dear Sir/Madam

RE: Application for Certificate of Lawful Development: Proposed Use at - 1 Well House Close, Whitsbury, SP6 3QZ

Further to the supporting documents supplied please find further information below stating the limits that will be met to comply with permitted development rights Schedule 2, Part 14 – Renewable Energy_Class A

Class A - The installation of microgeneration solar PV is on a dwellinghouse.

A.1

- (a) the solar PV equipment would not protrude more than 0.2 metres beyond the plane of the roof slope when measured from the perpendicular with the external surface of the roof slope;
- (b) it would not result in the highest part of the solar PV equipment being higher than the highest part of the roof
- (c) the land falls within a conservation area however, the solar PV or would not be installed on a wall which fronts a highway;
- (d) the solar PV equipment would not be installed on a site designated as a scheduled monument; or
- (e) the solar PV equipment would not be installed on a building within the curtilage of the dwellinghouse that is a listed building.

A.2

- (a) solar PV equipment is, so far as practicable, sited so as to minimise its effect on the external appearance of the building;
- (b) solar PV equipment is, so far as practicable, sited so as to minimise its effect on the amenity of the area; and
- (c) solar PV equipment is removed as soon as reasonably practicable when no longer needed.

Should you require any further information to support the application please do not hesitate to contact me as per the contact information below.

Yours faithfully,

KATHRYN MANNING
Architect RIBA

