PLANNING WORKSHEET 11 – DELEGATED / PCG REPORT – WORKS TO TREES IN CONSERVATION AREA/TREES SUBJECT TO A TREE PRESERVATION ORDER

Valid Date: 6 June 2022 Expiry Date: 18 July 2022

Application Ref.	22/00700/CAT	
Site Address	Riverlea Church Lane Mattersey Doncaster South Yorkshire	
Proposal	Carry Out Works To Trees Within a Conservation Area - Works to Various Trees Including Removal of Norway Spruce (T9)	
Case Officer	Conrad Daniels	
Decision Level	DEL - Delegated Decision	
Consultation date(s)	Publicity and consultation expiry date: 28/06/2022	
Recommendation	Agree the works as described in	the request
Reason(s) for PCG referral		
PCG Sign off and date	N/A	
The Proposal		
Assessment of	Amenity value	
Proposal	 Safety issues (proximity to people and properties):- Good tree management 	
	Signature	Date
Case Officer	Conrad Daniels	12/07/2022
Principal Planner		
Development Team/Planning Service Manager	through.	13 th July 2022

Policy	Having regard to Section 54A of the Town and Country Planning Act 1990,	
Considerations		
Considerations	the main policy considerations are as follows:	
	N. C. and D. and D. C. and D. and D. C. and D. and D. C. and D. and D. C. an	
	National Planning Policy Framework	
	 Part 15 - Conserving and Enhancing the Natural Environment 	
	Bassetlaw District Local Development Framework	
	Core Strategy & Development Management Policies Development	
	Plan Document (Adopted December 2011)	
	Policy DM9: Green Infrastructure; Biodiversity & Geodiversity;	
	Landscape; Open Space and Sports Facilities.	
Relevant Planning		
History		
Summary of	BDC Tree officer provided the following comment:-	
Consultation	"This proposal is to remove a relatively small non-native tree in a domestic	
Responses (inc	garden with numerous other trees within it. I therefore do not believe that it is	
•		
Reps)	appropriate at this time to serve a TPO on the tree in question."	
Consultation	Site Notice Posted Date: N/A	
date(s)	Press Notice Date Published: N/A	
	Letter to Consultees Date Sent: 07/06/2022	
	Letter to Neighbours Date Sent: N/A	
	Mattersey Parish Council	
	Matterday 1 arrent Obarrent	
	Since the application for the proposed extension has been refused there may be	
	some question as to the necessity for the work. The Parish Council have no	
	objection to the pruning back of the trees in the application however do object to	
	the removal of the healthy Norway Spruce	
Human Rights Act	There are no issues arising with regard to this development proposal	
2010 and		
Equalities Act		
2010		
Freedom of	There are no issues arising with regard to this development proposal	
information Act		
2000 and Data		
Protection Act		
1998	O'the Completed	
Summary	Site Context	
	The tree is located within the garden of a residential property in the Conservation	
	Area of Mattersey village.	
	Proposal	
	Carry Out Works To Trees Within a Conservation Area - Works to Various Trees	
	Including Removal of Norway Spruce (T9)	
	moleculing itemoval of itemay opiace (10)	
1		

	Visual Amenity (including heritage matters) Low visibility.
	Safety (highway/pedestrian) N/A
	Assessment
	Whilst the Parish Council have raised concerns regarding the removal of the tree, the Local Planning Authority are only able to consider whether the tree is suitable to be formally protected and whether the other works are appropriate. This proposal is to remove a relatively small non-native tree in a domestic garden with numerous other trees within it. It is not considered that it is appropriate at this time to serve a TPO on the tree in question and the other works proposed are considered reasonable maintenance work that would not result in any detriment to the health of the trees.
Recommendation	With the above in mind, it is considered that the proposal is not unreasonable given the number of trees present in the size of garden.
	Based upon BDC Core Strategy Policy DM9 and Part 15 of the NPPF, the work is acceptable and the proposal is supported by the Council's trees and woodlands officer.