Nocturnal Bat Survey Report

Land to the rear of 49 High Street, Lakenheath

for

Montague Jamieson

9 September 2022



Client

Montague Jamieson

Planning authority

West Suffolk Council

Time limit of reliance

Please note that the reported surveys were conducted on the date(s) stated in the report and that it represents site conditions at the time of the visit. The findings and recommended mitigation are based on these conditions. If site conditions change materially after the site survey, the original report cannot be relied upon and will need to be updated. Ecological reports and surveys can typically be relied on for 18 to 24 months from the date of survey.

Surveys supporting European Protected Species Mitigation Licence applications must be within the current or most recent survey season for bats (May to September), or within two survey seasons for great crested newts (March to June).

Document Nocturnal Bat Survey Report				
Version	1.0	1.0		
Date	9 September 2022	9 September 2022		
Reference number	2871			
Author	Ebonie Lambo-Hills M.Sc, B.Sc (Hons) Natu	ral England licences (Bat survey		
	level 1, Great crested newt level 1)			
Reviewer	Nathan Duszynski M.Sc, B.Sc (Hons), ACIEE	M, Natural England licences (Bat		
	survey level 2, Great crested newt level 1)			
	Signed disclosure			
The information, data	, advice and opinions provided in this report which	h I have provided is true and has		
been prepared in acco	rdance with the Chartered Institute of Ecology an	d Environmental Management's		
Code of Professional (Conduct. I confirm that the opinions expressed are	e my true and professional bona		
	fide opinions.			
	Etienne Swarts, ACIEEM			
Greenlight Environmer	ntal Consultancy Limited			
Diss Business Hub				
Hopper Way				
Diss				
Norfolk 91 UUIII9110				
IP22 4GT environmental consultancy				
www.greenlightco.co.uk				

Table of Contents

SUI	MMARY	4
1.	METHODOLOGY	5
2.	SITE CONTEXT	5
3.	DESCRIPTION OF THE DEVELOPMENT	6
4.	FIELD STUDY	6
5.	DISCUSSION AND CONCLUSIONS	11
6.	BIBLIOGRAPHY	13

APPENDIX B EXAMPLES OF BAT BOXE

APPENDIX C NATIVE SPECIES SUITABLE FOR PLANTING AND SOWING

SUMMARY

- Greenlight Environmental Consultancy Ltd. has been commissioned to carry out protected species surveys for bats, relating to a proposed development at land rear of 49 High Street, Lakenheath, Suffolk, IP27 9DS (grid reference: TL 71432 82775).
- This report provides the results of the bat survey and any potential effects of the proposed development on such species.
- The ecology report is required in support of a planning application for the conversion and extension of the existing structures on site to create a new residential dwelling.
- The survey and assessment were completed by independent qualified and experienced ecologists with Natural England survey licences for the relevant protected species, and in accordance with the latest survey guidelines.
- The findings of the assessment are that there are no significant ecological constraints that would prevent the proposed works.
- If the following mitigation and enhancements are incorporated into the proposed layout, there will be a net gain for biodiversity, as is encouraged by the National Planning Policy Framework.

Protected habitats/species	Status	Potential effect	Recommended mitigation and enhancements
Bats	Activity surveys confirmed the building is used as:	Destruction of bat roosts present in building.	<u>Mitigation</u> EPS mitigation licence required from Natural England prior to any works being
	Brown long-eared non-breeding day	Potential light disturbance of	conducted. The licence will include the following:
 roost. Common pipistrelle non-breeding day roost. 	Common pipistrelle non-breeding day	commuting and foraging habitats on site.	At least two bat hibernation surveys to be conducted on the outbuilding (building one) between December and February.
	High value commuting and foraging habitat on site.		On the first day works are proposed to commence, the building will be inspected for bats.
			Soft roof/wall strip undertaken by hand and under watching brief.
			Installation of two integrated bat boxes on the new building.
			Installation of two standalone bat boxes on mature trees or buildings nearby.
			Any lighting schemes will comply with Bat Conservation Trust and CIE 150:2003 guidance.

1. METHODOLOGY

- 1.1. A physical inspection of all the buildings on site were conducted and reported in the Preliminary Ecological Appraisal Report issued by Greenlight Environmental Consultancy Ltd. (2022).
- 1.2. A total of two bat activity surveys (comprised of two dusk emergence surveys) were conducted within the optimal surveying season for bats and in suitable weather conditions (Table 1). The interim guidance note (Bat Conservation Trust, 2022) states dusk surveys supported by night vision aids ("NVAs") are favoured over dawn surveys, as they can provide clarity on exact emergence points and bat counts.
- 1.3. Three independent, qualified and experienced surveyors were used per survey: Ebonie Lambo-Hills (Natural England bat license level 1, 2022-10580-CL17-BAT), Charlie Swarts and Amelia Lambo-Hills. The surveyors were stationed as shown in Figures 1-2.
- 1.4. The dusk surveys started approximately 15 minutes before sunset and finished approximately1.5 hours after sunset.
- 1.5. Bat calls were recorded using an Anabat SD2, Anabat Walkabout and EchoMeter Touch. Call data was analysed using AnalookW and Analook Insight software.
- 1.6. Two Canon XA40 infrared cameras were used as survey aids to assist in detecting emerging bats. Each camera was equipped with two infrared floodlights and an infrared torch. Screenshots from each camera from the darkest point of the survey are provided in Photos 1 and 2, to illustrate the field of view and visibility.
- 1.7. All survey methods were carried out in accordance with the most up to date good practice guidance (Collins, 2016; Bat Conservation Trust, 2022).

2. SITE CONTEXT

Location

- 2.1. The site is situated along the high street in the village of Lakenheath, Suffolk with the A1065 located approximately 4.3km east of the site and the nearest town of Brandon approximately 5.7km northeast.
- 2.2. The site is enclosed by residential dwellings to the north, east and west and churchyard to the south. The wider surroundings are comprised of a mixture of residential dwellings, heathland and arable fields lined with hedgerows and ditches.

3. DESCRIPTION OF THE DEVELOPMENT

3.1. The proposals are for the conversion and extension of the existing structures onsite to create a new residential dwelling.

4. FIELD STUDY

Activity surveys

4.1. The survey conditions, start/end times and sunset/sunrise times are indicated in Table 1 below:

Visit	Date	Conditons	Start	End	Start of survey	End of survey	Sunset/ sunrise
		Temp	21°C	20°C			
1 19/08/22	Cloud cover	0%	10%	19:59 2	21.45	20.14	
	Wind	7 mph	6 mph		21:45	20:14	
	Precipitation	None	None				
		Temp	19°C	16°C			
2 07/09/22	Cloud cover	0%	0%	19:15 21:02	10.22		
	Wind	6 mph	4 mph		19:32		
		Precipitation	None	None			

Table 1, bat activity surveys information.

First activity survey (dusk) – 19th August 2022

- 4.2. The first bat recorded was a soprano pipistrelles *Pipistrellus pygmaeus*, observed foraging within the site at 20:34. This is consistent with typical emergence times of this species, indicating a potential roost in the near vicinity.
- 4.3. No bats were observed emerging from the building during the survey.
- 4.4. A high level of foraging and commuting activity was recorded and observed by common pipistrelles *Pipistrellus pipistrellus*, soprano pipistrelles and noctules *Nyctalus noctula*.



Photo 1, infrared camera situated on the northwest corner, taken from the darkest part of the survey.



Photo 2, infrared camera situated on the southeast corner, taken from the darkest part of the survey.



Second activity survey (dusk) – 7th September 2022

- 4.5. A total of two bats were recorded emerging from building one during the survey, consisting of one common pipistrelle and one brown long-eared *Plecotus auritus*.
- 4.6. The first bat to emerge was a common pipistrelle, recorded emerging from between the timber facia and brickwork on the north aspect of building one at 19:54 (Figure 2, Photo 3).
- 4.7. The second bat emerged from between the facia and brickwork on the northern aspect of building one at 20:11 (Figure 2, Photo 3). Although the bat was not echolocating, due to its flight behaviour and time of emergence, the bat is considered to be a brown long-eared.
- 4.8. No further bats were observed emerging from the building during the survey.
- 4.9. A high level of foraging and commuting activity was recorded and observed by common pipistrelles, soprano pipistrelles, brown long-eared, noctule, Natterer's *Myotis nattereri*, barbastelle *Barbastella barbastellus* and Leisler's *Nyctalus leisleri*.



Photo 3, common pipistrelle and brown long-eared roost location on the north aspect of building one highlighted in yellow and red respectively. 7th September 2022.



Figure 2, surveyor and infrared camera locations indicated by their initials and camera symbol respectively on 7th September 2022.

Common pipistrelle and brown long-eared roosts highlighted in yellow and red respectively.

5. DISCUSSION AND CONCLUSIONS

- 5.1. The surveys confirmed the use of the building one as a non-breeding day roost by common pipistrelles and brown long-eared.
- 5.2. The proposed works involve the extension and conversion of the existing buildings will result in the modification/destruction of roosting locations.
- 5.3. Brown long-eared are common and widespread (BCT, 2014) and the modification/ destruction of a non-breeding day roost would have a potentially low impact on the local bat population (Mitchell-Jones, 2004).
- 5.4. Common pipistrelles are common and widespread (BCT, 2014) and the **modification/ destruction of a non-breeding day roost** would have a potentially **low** impact on the local bat population (Mitchell-Jones, 2004).
- 5.5. In order to be able to proceed with the proposed works and to ensure that no detrimental impacts will result on the species, a European Protected Species mitigation licence from Natural England will be required for the proposed works and the following mitigation measures will be implemented. Please note, the mitigation detailed below is subject to change:
 - i. At least two bat hibernation surveys to be conducted on the outbuilding (building one) between December and February.
 - ii. Workers to be given a toolbox talk prior to works commencing detailing bat signs, potential roosts/access points, what to do if bats are found and to avoid activities that might cause high vibrations or noise.
 - iii. On the first day works are proposed to commence, the building will be inspected for bats using a torch and endoscope. If any bats are found and accessible, they will be captured by gloved hand, given a health check and removed to safety.
 - iv. A soft roof strip and partial demolition of the walls around the bat roosts will be undertaken with special care and under watching brief of a licenced bat ecologist. If any bats are found, work will cease immediately and any bats removed to safety.
 - v. Installation of two integrated bat boxes situated on the north aspect of building one (Schwegler 1FR Bat Tube Appendix B).
 - vi. Installation of two standalone bat boxes situated on mature trees or buildings nearby (one Schwegler 1FF Bat Box with built-in wooden rear panel and one Schwegler 2F bat box – Appendix B).
 - vii. Roofs will be lined with traditional type 1F bitumen felt, not non-bitumen coated roofing membranes (NBCRM) which includes both breathable and non-breathable membranes;

these are proven to entangle bats through regular contact, which also compromises the integrity of the membrane.

- viii. Any lighting schemes will follow guidance from the Bat Conservation Trust and CIE 150:2003. Warm-white (long wavelength) lights with UV filters will be fitted as close to the ground as possible. Lighting units will be angled below 70° and equipped with movement sensors, baffles, hoods, louvres and horizontal cut off units at 90°.
- ix. A soft landscaping scheme to include the planting of new native species-rich (≥5 species), hedgerows and trees around the site (see Appendix C for suggested species).
- 5.6. After the effects of the above mitigation, we consider that the favourable conservation status of the local bat population will be maintained and that an EPS mitigation licence should be granted by Natural England.

6. **BIBLIOGRAPHY**

British Standard BS 42020:2013 Biodiversity - Code of Practice for planning and development.

British Standards Institution (2012). BS 5837:2012, *Trees in relation to design, demolition and construction – Recommendations.*

Collins, J. (Ed.) (2016). Bat Surveys for Professional Ecologists: Good Practice Guidelines (3rd edn.). The Bat Conservation Trust, London.

International Commission on Illumination (2003). CIE 150:2003, Guide on the Limitation of the Effects of Obtrusive Light from Outdoor Lighting Installations.

Mitchell-Jones (2004). Bat mitigation guidelines. English Nature: Peterborough

Stone, E.L. (2013). Bats and lighting: Overview of current evidence and mitigation. University of Bristol.

Appendix A Legislation

European Protected Species

National Planning Policy - National Planning Policy Framework (NPPF)

Section 15 of the National Planning Policy Framework 2021 (NPPF): Conserving and enhancing the natural environment states that 'planning policies and decisions should contribute to and enhance the natural and local environment by ... minimising impacts on and providing net gains for biodiversity.'

Office of The Deputy Prime Minister ("ODPM") Government Circular: Biodiversity and Geological Conservation – Statutory Obligations and their impact within the planning system.

Paragraph 98 of Circular 06/2005 states that 'the presence of a protected species is a material consideration when a planning authority is considering a development proposal that, if carried out, would be likely to result in harm to the species or its habitat'.

Implications of legislation and policies

Without this ecological assessment, the potential developer would be unable to demonstrate due diligence in his responsibilities. Furthermore, the local planning authority would not have been provided with sufficient information for a planning decision to be made. This could result in non-determination or refusal of the application.

With legal responsibilities and planning implications, it is essential that any ecological assessment of a potential development site, including the area of this report, must determine the possible presence or absence of any protected species as part of any planning development consideration.

Where mitigation or compensation measures are required to ensure that no significant impacts will result on biodiversity from the development, the proposed measures may be secured through planning conditions or by EPS Mitigation Licences from Natural England.

Bats

All bat species in Britain are protected under the Wildlife and Countryside Act 1981 through inclusion on Schedule 5. They are also protected under the Conservation (Natural Habitats &c.) Regulations 1994 (which were issued under the European Communities Act 1972), through inclusion on Schedule 2. On 30th November 2017, these Regulations, together with subsequent amendments, were consolidated into the Conservation of Habitats and Species Regulations 2017.

European protected animal species ("EPS") and their breeding sites or resting places are protected under Regulation 42. It is an offence for anyone to deliberately capture, injure or kill any such animal or to deliberately take or destroy their eggs. It is an offence to damage or destroy a breeding or resting place of such an animal. It is also an offence to have in one's possession or control, any live or dead European protected species.


The threshold above which a person will commit the offence of deliberately disturbing a wild animal of a European protected species has been raised. A person will commit an offence only if he deliberately disturbs

such animals in a way as to be likely significantly to affect (a) the ability of any significant groups of animals of that species to survive, breed, or rear or nurture their young, or (b) the local distribution of abundance of that species. The existing offences under the Wildlife and Countryside Act (1981) as amended which cover obstruction of places used for shelter or protection (for example, a bat roost), disturbance and sale still apply to European protected species.

This legislation provides defences so that necessary operations may be carried out in places used by bats, provided the appropriate Statutory Nature Conservation Organisation (in England this is Natural England) is notified and allowed a reasonable time to advise on whether the proposed operation should be carried out and, if so, the approach to be used. The UK is a signatory to the Agreement on the Conservation of Bats in Europe, set up under the Bonn Convention. The Fundamental Obligations of Article III of this Agreement require the protection of all bats and their habitats, including the identification and protection from damage or disturbance of important feeding areas for bats.

Natural England Licensing - EPS Mitigation Licensing

Licences can be obtained from the Wildlife Management and Licensing Service at Natural England to allow certain activities that would otherwise constitute an offence, for the purposes of development (e.g. destruction of a bat roost, loss of great crested newt aquatic and terrestrial habitat, etc).



Recommendations for installing bat boxes:

(Sourced from Bat Conservation Trust www.bct.org)

Ideally, several boxes should be put up facing in different directions to provide a range of conditions. Locate boxes:

- Where bats are known to feed close to hedges and treelines (some bats use a treeline or hedgerow for navigation, putting boxes near these features may help the bats find the box).
- On trees: boxes should be placed on the trunk of a mature tree, where there is a clear flight line/accessible entrance.
- On buildings: boxes should be placed as close to the eaves as possible.
- As high as possible (ideally, at least 3 to 4m above the ground, where safe installation is possible).
- In sunny places, sheltered from strong winds (usually between south-west and south-east). Make sure the boxes are secured.

Boxes can be installed on trees using adjustable ties to avoid damaging the trees. Otherwise, timber screw bolts or nails can be used. Aluminium alloy nails are less likely to damage saws and chipping machinery.

Bats need time to find and explore new homes, and it may be several months or even years before boxes have residents. Once bats find a place they want to live they can return over and over again. Droppings on the landing area, urine stains around the lower parts of the box and chittering noises from inside on warm afternoons and evenings are signs of occupation.

Appendix C Native species suitable for planting and sowing

Plants should be obtained from specialist nurseries and preferably be of local genetic stock.

<u>Key</u>: (f) – fruit and berry species; (e) – evergreen species; (se) semi-evergreen species; (d) – deciduous species

Trees			
Alder (d)	Alnus glutinosa		
Apples (f; d)	Malus spp. (local varieties)		
Ash (d)	Fraxinus excelsior		
Beech (d)	Fagus sylvatica		
Bird cherry (f; d)	Prunus padus		
Elder (f; d)	Sambucus nigra		
Elm (d)	Ulmus procera		
Field maple (d)	Acer campestre		
Pedunculate oak (d)	Quercus robur		
Rowan (f; d)	Sorbus aucuparia		
Pears (f; d)	Pyrus spp.		
Silver birch (d)	Betula pendula		
Small-leaved lime (d)	Tilia cordata		
White willow (d)	Salix alba		
Wild cherry (f; d)	Prunus avium		
Walnut (d)	Juglans regia		

Shrubs			
Blackthorn (f; d)	Prunus spinosa		
Buckthorn (f; d)	Rhamnus catharticus		
Crab apple (f; d)	Malus sylvestris		
Dog rose (f; d)	Rosa canina		
Dogwood (f; d)	Cornus sanguinea		
Field maple (d)	Acer campestre		
Guelder-rose (f; d)	Viburnum opulus		
Hawthorn (f; d)	Crataegus monogyna		
Hazel (d)	Corylus avellana		
Holly (e)	llex aquifolium		
Honeysuckle (f; d)	Lonicera periclymemum		
Spindle (f; d)	Euonymus europaeus		
Wild privet (f; se)	Ligustrum vulgare		
Yew (f; e)	Taxus baccata		

Flowering plants		
Bird's-foot trefoil	Lotus corniculatus	
Black knapweed	Centaurea nigra	
Common cat's-ear	Hypochoeris radicata	
Common sorrel	Rumex acetosa	
Common vetch	Vicia sativa	
Cowslip	Primula veris	
Field scabious	Knautia arvense	
Foxglove	Digitalis purpurea	
Lady's bedstraw	Galium verum	
Meadow buttercup	Ranunculus acris	
Meadow vetchling	Lathyrus pratensis	
Oxeye daisy	Leucanthemum vulgare	
Primrose	Primula vulgaris	
Red clover	Trifolium pratense	
Selfheal	Prunella vulgaris	
Sweet violet	Viola odorata	
Wild daffodil	Narcissus pseudonarcissus	
Yarrow	Achillea millefolium	

Grasses		
Common bent	Agrostis capillaris	
Crested dog's-tail	Cynosurus cristatus	
Meadow fescue	Festuca pratensis	
Red fescue	Festuca rubra	
Rough meadow-grass	Poa trivialis	
Small timothy	Phleum bertolonii	
Smooth meadow-grass	Poa pratensis	
Sweet vernal-grass	Anthoxanthum odoratum	
Yellow oat-grass	Trisetum flavescens	