

**Key Features:**

**Detailed Specification:** VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1350	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				

Item: 2

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**




Quantity: 1

Style: 34/34

Item Reference: FRONT LANDING

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1250	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				

Item: 3

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**




Quantity: 1

Style: 34/34

Item Reference: FRONT LANDING

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1250	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				

Item: 4

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**





Quantity: 1

Style: 34/34

Item Reference: FRONT BEDROOM

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1250	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				



Item: 6

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**




Quantity: 1

Style: 37/37

Item Reference: FRONT LOUNGE

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1600	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				

**Notes:** RE FIT INTERNAL SHUTTERS.

Item: 7

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**




Quantity: 1

Style: 37/37

Item Reference: FRONT LOUNGE

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1150	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1600	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Slider Style	Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Equal Top and Bottom?	Yes	Depth of Liner (mm)	50	Limit Stop	No
Egress Compliance	Fire Escape Compliant	FSC Certified	Yes		
Colour	Off White (RAL 9010)				

**Notes:** RE FIT INTERNAL SHUTTERS.

Item: 8

## SLIM SASH WINDOW IN EUROPEAN REDWOOD


Quantity: 1

Style: 37/37

Item Reference: FRONT LOUNGE

Quote Ref: 2377/1 V1

## Key Features:



## Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1150			Sash Horns	Top Sash
Height (mm)	1600	Cill	Standard	Sash Horn Style	Standard
		Cill Species	Engineered European Redwood		
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single				
Box Depth	Slim - 142mm	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Hanging Method	Cords and Weights				
Slider Style	Both	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Frame Width (mm)	110	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Frame Head Size (mm)	110				
Equal Top and Bottom?	Yes	Window Board Required	No	D Handles	2
				Hardware Colour	Antique Pewter hook fastener
Egress Compliance	Fire Escape Compliant	Finishing Assembly	Standard	Sash Pulley Face Plate Colour	Antique Pewter
		Finishing Assembly Colour	Off White (RAL 9010)	Limit Stop	No
Colour	Off White (RAL 9010)	Depth of Liner (mm)	50		
		FSC Certified	Yes		

Notes: RE FIT INTERNAL SHUTTERS.



Item: 9

## SLIM SASH WINDOW IN EUROPEAN REDWOOD


Quantity: 1

Style: 37/37

Item Reference: FRONT LOUNGE

Quote Ref: 2377/1 V1

## Key Features:



## Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1150			Sash Horns	Top Sash
Height (mm)	1600	Cill	Standard	Sash Horn Style	Standard
		Cill Species	Engineered European Redwood		
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Single				
Box Depth	Slim - 142mm	Trickle Vents Required	No	Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Hanging Method	Cords and Weights				
Slider Style	Both	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Frame Width (mm)	110	Swept Heads to Bottom Sash	No	Size of Bar	22mm (True Bar)
Frame Head Size (mm)	110				
Equal Top and Bottom?	Yes	Window Board Required	No	D Handles	2
				Hardware Colour	Antique Pewter hook fastener
Egress Compliance	Fire Escape Compliant	Finishing Assembly	Standard	Sash Pulley Face Plate Colour	Antique Pewter
		Finishing Assembly Colour	Off White (RAL 9010)	Limit Stop	No
Colour	Off White (RAL 9010)	Depth of Liner (mm)	50		
		FSC Certified	Yes		

Notes: RE FIT INTERNAL SHUTTERS.





Item: 12

## ENTRANCE DOOR IN EUROPEAN REDWOOD


Quantity: 1

Style: IN-E-Chadlington

Item Reference: FRONT ENTRANCE DOOR

Quote Ref: 2377/1 V1


## Key Features:



DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.  
DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

## Detailed Specification:

Overall Width (mm)	1050	Head Drip	None	Toplights Glass Pattern	Clear
Overall Height (mm)	2450	Cill Type	Projecting Cill	Glass Type	4mm Toughened
Frame Head Size	60mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Raised & Fielded
Stiles & Rails	110mm	Cill Horns	No	Door Sash Glazing Features	None
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Door Sash Toplights	Astragal Squares
Transom Drop (mm)	400	Factory Fit Cill	Yes	Size Of Bar	18mm
Mid-Rail Height (mm)	850	Add Ons Required	No	Door Handle	Reeded - Aged Bronze Lever/Lever (Dark Kaba)
Hinge Side	Left	Trickle Vents Required	No	Door Knocker	Anvil Doctors - Aged Bronze
Door Opens	In	Threshold Board Required	No	Letterbox	SH Large - Bronze Finish
Door Sash Style	Chadlington	Hinge Colour	Black	Letterbox Door Position	Midrail
Dummy Vents Toplights	Yes	Threshold Colour	Black	Security Chain	None
Internal Frame Colour	Off White (RAL 9010) (B)			Spyhole	No
External Frame Colour	Off White (RAL 9010) (B)			Thumb Turn Required	Yes (Dark Kaba)
Internal Sash Colour	Off White (RAL 9010) (B)			Cylinders to be Keyed Alike	Yes
External Sash Colour	Harewood Grey (RAL 5008) (A)			FSC Certified	Yes
Internal Top Light Sash	Off White (RAL 9010) (B)				
External Top Light Sash	Off White (RAL 9010) (B)				
Internal Cill Colour	Off White (RAL 9010) (B)				
External Cill Colour	Harewood Grey (RAL 5008) (A)				



**Optimal Door - Open In**  
**Feature Mould: Ovolo**  
**Vertical Section**  
**Standard Threshold with 145mm x 35mm Projecting Cill**

Item: 13

**SLIM SASH WINDOW IN EUROPEAN REDWOOD**


Quantity: 1

Style: D-31/31

Item Reference: REAR KITCHEN

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE.

Width (mm)	1750	Cill	Standard	Sash Horns	Top Sash
Height (mm)	1800	Cill Species	Engineered European Redwood	Sash Horn Style	Standard
Feature Mould	Ovolo	Cill Horns	No	Glass Pattern	Clear
Sash Style	Double	Trickle Vents Required	No	Glass Type	4mm Toughened
Box Depth	Slim - 142mm	Swept Heads to Top Sash	No	Glazing Features	Astragal Squares
Hanging Method	Cords and Weights	Swept Heads to Bottom Sash	No	Size of Bar	18mm
Slider Style	Both-Both	Window Board Required	No	D Handles	2
Frame Width (mm)	110	Finishing Assembly	Standard	Hardware Colour	Antique Pewter hook fastener
Frame Head Size (mm)	110	Finishing Assembly Colour	Off White (RAL 9010)	Sash Pulley Face Plate Colour	Antique Pewter
Mullion Liner Width (mm)	220	Depth of Liner (mm)	50	Limit Stop	Yes
Equal Top and Bottom?	Yes	FSC Certified	Yes	Factory Fit Limit Stop	Yes
Egress Compliance	Fire Escape Compliant			Maximum Opening (mm)	100
Colour	Off White (RAL 9010)				



**Key Features:**

**Detailed Specification:** VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1500	Head Drip	None	Glass Pattern	Clear
Height (mm)	1050	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Ovolo	Window Board Required	No	Size of Bar	18mm
Style Option	Dummy Sash			Handle	Monkeytail - Black
Floating Mullion	Yes			Peg Stay Alignment	Opening end pointing to handle
Egress Compliance	<b>Fire Escape Compliant</b>			Peg Stay	Monkeytail - Black
Primary	Left			Lockable Peg Stay	Yes
Equalise Glass Widths	Yes			Hinge System	Friction with Kenrick locks
Colour	Off White (RAL 9010)			TW (85/89 Degree Hinge)	Cotswold Egress Easy Clean Hinge
Cill	145mm x 38mm (inc. in overall ht)			FSC Certified	Yes
Cill Species	Engineered European Redwood				
Cill Horns	No				
Factory Fit Cill	Yes				











**Key Features:**



**Detailed Specification:** VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1200	Head Drip	None	Glass Pattern	Arena
Height (mm)	700	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Ovolo	Window Board Required	No	Size of Bar	18mm
Style Option	Dummy Sash			Handle	Monkeytail - Black
Egress Compliance	<b>Not Fire Escape Compliant</b>			Peg Stay Alignment	Opening end pointing to handle
Equalise Glass Widths	Yes			Peg Stay	Monkeytail - Black
Colour	Off White (RAL 9010)			Lockable Peg Stay	Yes
Cill	145mm x 38mm (inc. in overall ht)			Hinge System	Friction with Kenrick locks
Cill Species	Engineered European Redwood			<b>TW (85/89 Degree Hinge)</b>	Cotswold Egress Easy Clean Hinge
Cill Horns	50mm Each Side			FSC Certified	Yes
Factory Fit Cill	Yes				

Item: 20	<b>FLUSH CASEMENT WINDOW IN EUROPEAN REDWOOD</b>	● Quantity: 1
----------	--	---------------

Style: DL17	Item Reference: REAR BATHROOM	Quote Ref: 2377/1 V1
-------------	-------------------------------	----------------------

**Key Features:**





**Detailed Specification:** VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1100	Head Drip	None	Glass Pattern	Arena
Height (mm)	850	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Ovolo	Window Board Required	No	Size of Bar	18mm
Style Option	Dummy Sash			Handle	Monkeytail - Black
Equalise Glass Widths	Yes			Peg Stay Alignment	Opening end pointing to handle
Colour	Off White (RAL 9010)			Peg Stay	Monkeytail - Black
Cill	145mm x 38mm (inc. in overall ht)			Lockable Peg Stay	Yes
Cill Species	Engineered European Redwood			Hinge System	Friction with Kenrick locks
Cill Horns	50mm Each Side			FSC Certified	Yes
Factory Fit Cill	Yes				



**Key Features:**



The diagram shows a window with a width of 600mm and a total height of 850mm. The upper sash is 400mm high and contains a triangular vent with 'RH' written inside. A black monkeytail handle is shown to the left of the window.

**Detailed Specification:** VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	600	Head Drip	None	Glass Pattern	Arena
Height (mm)	850	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	None
Feature Mould	Ovolo	Window Board Required	No	Handle	Monkeytail - Black (RH internal)
Style Option	Dummy Sash			Hinge System	Friction with Kenrick locks
Transom Drop (mm)	400			FSC Certified	Yes
Transom Drip	No				
Colour	Off White (RAL 9010)				
Cill	145mm x 38mm (inc. in overall ht)				
Cill Species	Engineered European Redwood				
Cill Horns	50mm Each Side				
Factory Fit Cill	Yes				

Item: 23	<b>FLUSH CASEMENT WINDOW IN EUROPEAN REDWOOD</b>	● Quantity: 1
----------	--	---------------

Style: DL17	Item Reference: UTILITY	Quote Ref: 2377/1 V1
-------------	-------------------------	----------------------

**Key Features:**

Technical drawing showing window dimensions: Width 1000mm, Height 1020mm. A red dimension line indicates a width of 500mm for the left sash. A green arrow points to the hinge position on the left sash.

**Detailed Specification:** VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1000	Head Drip	None	Glass Pattern	Clear
Height (mm)	1020	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Ovolo	Window Board Required	No	Size of Bar	18mm
Style Option	Dummy Sash			Handle	Monkeytail - Black
Equalise Glass Widths	Yes			Peg Stay Alignment	Opening end pointing to handle
Colour	Off White (RAL 9010)			Peg Stay	Monkeytail - Black
Cill	145mm x 38mm (inc. in overall ht)			Lockable Peg Stay	Yes
Cill Species	Engineered European Redwood			Hinge System	Friction with Kenrick locks
Cill Horns	50mm Each Side			FSC Certified	Yes
Factory Fit Cill	Yes				









Item: 27

**FLUSH CASEMENT WINDOW IN EUROPEAN REDWOOD**




Quantity: 1

Style: DL17

Item Reference: REAR BATHROOM

Quote Ref: 2377/1 V1

**Key Features:**



**Detailed Specification:**

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1060	Head Drip	None	Glass Pattern	Clear
Height (mm)	930	Add Ons Required	No	Glass Type	4mm Annealed
Frame Head Size	60mm	Trickle Vents Required	No	Glazing Features	Astragal Squares
Feature Mould	Ovolo	Window Board Required	No	Size of Bar	18mm
Style Option	Dummy Sash			Handle	Large Monkeytail - Black
Equalise Glass Widths	Yes			Peg Stay Alignment	Opening end pointing to handle
Colour	Off White (RAL 9010)			Peg Stay	Monkeytail - Black
Cill	145mm x 38mm (inc. in overall ht)			Lockable Peg Stay	Yes
Cill Species	Engineered European Redwood			Hinge System	Friction with Kenrick locks
Cill Horns	50mm RH Side			FSC Certified	Yes
Factory Fit Cill	Yes				

Item: 28

STABLE DOOR IN EUROPEAN REDWOOD


Quantity: 1

Style: IN-A-Stratfield

Item Reference: REAR ELEVATION

Quote Ref: 2377/1 V1


Key Features:



DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.  
DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

Detailed Specification:

Overall Width (mm)	1010	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	2070			Glass Type	4mm Toughened
Frame Head Size	60mm	Cill Type	Projecting Cill		
Stiles & Rails	110mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Plank Effect
		Cill Horns	No		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Door Sash Glazing Features	Astragal Squares
		Factory Fit Cill	Yes	Size Of Bar	18mm
Hinge Side	Left				
Door Opens	In	Add Ons Required	No	Escutcheon	Black (Dark Kaba)
Door Sash Style	Stratfield			Door Handle	Newbury - Aged Bronze Lever/Lever (Dark Kaba)
Door Type	Stable	Trickle Vents Required	No	Door Knocker	No
				Letterbox	None
Internal Frame Colour	Off White (RAL 9010) (B)	Threshold Board Required	No	Security Chain	None
External Frame Colour	Off White (RAL 9010) (B)			Thumb Turn Required	Yes (Dark Kaba)
Internal Sash Colour	Off White (RAL 9010) (B)	Hinge Colour	Black	Thumb Turn Position	Bottom Only
External Sash Colour	F&B Dimity (Match) (A)	Threshold Colour	Black	Cylinders to be Keyed Alike	Yes
Internal Cill Colour	Off White (RAL 9010) (B)				
External Cill Colour	F&B Dimity (Match) (A)			FSC Certified	Yes



**Optimal Door - Open In**  
**Feature Mould: Ovolo**  
**Vertical Section**  
**Standard Threshold with 145mm x 35mm Projecting Cill**

Item: 29

**STABLE DOOR IN EUROPEAN REDWOOD**


Quantity: 1

Style: IN-A-Staverton

Item Reference: COURTYARD DOOR

Quote Ref: 2377/1 V1


**Key Features:**



DRAWING NOTES: VIEWED FROM OUTSIDE. ARROW DENOTES HINGE POSITION.  
DRAWINGS DO NOT DEPICT KNOCKERS, SPY HOLES, SECURITY CHAINS OR DOORKNOBS. REFER TO BROCHURE FOR FULL GLAZING CONFIGURATIONS.

**Detailed Specification:**

Overall Width (mm)	860	Head Drip	None	Door Sash Glass Pattern	Clear
Overall Height (mm)	1920	Cill Type	Projecting Cill	Glass Type	4mm Toughened
Frame Head Size	60mm	Cill	145mm x 35mm (inc. in overall ht)	Door Panel(s)	Plank Effect
Stiles & Rails	110mm	Cill Horns	No	Door Sash Glazing Features	None
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Escutcheon	Black (Dark Kaba)
Door Glass Size (Visible)	Width: 130mm / Height: 250mm	Factory Fit Cill	Yes	Door Handle	Newbury - Aged Bronze Lever/Lever (Dark Kaba)
Hinge Side	Right	Add Ons Required	No	Door Knocker	No
Door Opens	In	Trickle Vents Required	No	Letterbox	None
Door Sash Style	Staverton	Threshold Board Required	No	Security Chain	None
Door Type	Stable	Hinge Colour	Bronze	Thumb Turn Required	Yes (Dark Kaba)
Internal Frame Colour	Off White (RAL 9010) (B)	Threshold Colour	Gold	Thumb Turn Position	Bottom Only
External Frame Colour	Off White (RAL 9010) (B)			Cylinders to be Keyed Alike	Yes
Internal Sash Colour	Off White (RAL 9010) (B)			FSC Certified	Yes
External Sash Colour	F&B Dimity (Match) (A)				
Internal Cill Colour	Off White (RAL 9010) (B)				
External Cill Colour	F&B Dimity (Match) (A)				



**Optimal Door - Open In**  
**Feature Mould: Ovolo**  
**Vertical Section**  
**Standard Threshold with 145mm x 35mm Projecting Cill**





Quote Ref: 2377/1 V1

### Trims

item	qty	style	species	colour	
FA	30	Liner - 17x50	European Redwood FSC	Off White (RAL 9010)	
FA	30	Ogee Architrave - 20x56	European Redwood FSC	Off White (RAL 9010)	