

This Drawing has been produced for the Client, Project and Site as stated below and is not intended for use by any other person or for any other purpose than that stated and shall be under the control of Copyright. Original issue drawings are to be relied upon for accuracy and content. Measurements scaled from plans cannot be guaranteed to be accurate unless drawing prints full size.

The drawing is for general configuration and arrangement only - check dimensions to be verified at all stages on site and any differences identified back to Anthony Jane.

All aspects of the drawing have a pre-defined assumption of all materials are to be used in FULL accordance with the manufacturers recommendations and to the highest possible levels of workmanship and care and attention.

All operations on site to be supported by a method statement and the Health and Safety of all parties to be of paramount importance at all times.

Revised - If it does not say!



Lighting column A

LED downlighter on column 3-6m high and finished in black

All light fittings to be facing main car parking area.

No of columns to be confirmed

New light B

LED downlighter mounted on building and finished in black

Lighting Bollards


800mm high LED bollard to illuminate fire escape route

Controls

Lights A and B to be on a time switch / photo cell to ensure lights only operational when in need and within operational times

Existing Building lights on PIR and time switch

Escape Bollards on PIR only



Rev A - Aug 20 - Revised to suit planners comments

Revision	Date	By	Description

ANTHONY JANE
ARCHITECTURE & INTERIORS

2nd Floor Design Studio, Alexandra House, Great Baddow
Chelmsford, ESSEX, CM2 7HY
T : 01245 474572 E : robin@anthonyjane.com

Project
**POPULARS FARM
BROAD BRIDGE ROAD
AYTHORPE RODING
DUNMOW CM6 1RY**

Client
BEDEC PRODUCTS LTD

**SITE PLAN PROPOSED
LIGHTING DESIGN PARAMETERS**

Drawing use	Information	Detail design Development
<input type="checkbox"/>	Planning set	<input type="checkbox"/>
<input type="checkbox"/>	Tender issue	<input type="checkbox"/>
<input type="checkbox"/>	Contract set	Date Nov 2020
<input type="checkbox"/>	Construction	Scale 200@A1

Drawing number **10934/A1/23** Rev **-**
File location

